

Georgia Department of Natural Resources

Environmental Protection Division • Watershed Protection Branch
2 Martin Luther King Jr. Drive • Suite 1152 East • Atlanta • Georgia 30334
(404) 463-1511; Fax (404) 656-2453
Judson H. Turner, Director

October 20, 2015

Mr. Billy Sanders, Program Manager
GA Department of Corrections
Engineering & Construction Services
PO Box 1529
Forsyth, Georgia 31029

RE: Telfair State Prison
Land Application Systems (LAS)
Permit No. GAJ030842
Telfair County

Dear Mr. Sanders:

Thank you for your e-mail regarding the Telfair State Prison LAS Draft Permit. After careful consideration of your comments, EPD has today issued the permit.

We have included an attachment, which addresses your concerns submitted during the public comment period. We appreciate your interest in this matter.

If you have any questions, please contact Sophia Grant-Branklyn of my staff at 404-463-4939 or sophia.grant-branklyn@dnr.ga.gov.

Sincerely,



Jeffrey Larson, Assistant Branch Chief
Wastewater Program Branch

JL/sgb
Attachments: Response to comments

ATTACHMENT – Response to Comments

Telfair State Prison
Land Application System
LAS Permit No. GAJ030842
(Telfair County)

Comment #1: Part A.1.a. – Composite sampling requirement for 8 samples over 24 hours. Can we keep the current sampling of 5 samples over 8 hours?

EPD Response:

The sample type for Biochemical Oxygen Demand and Total Suspended Solids in Part I.B.1. of the permit has been changed from composite to grab since the monitoring frequency is one day per month.

Comment #2: Part B.5 – Surface Water Monitoring – There is no surface water on this site (as also noted in the footnote). To remove any confusion in the future, is it possible to remove this section in its entirety?

EPD Response:

Part I.B.5. Surface Water Monitoring has been removed as requested, since this part is not applicable to this land application system.