## **Reports**

Abu-Ruman, Malek, and Clarke, J.S., 2001, Preliminary simulation of pond-aquifer flow and water availability at a seepage pond near Brunswick, Georgia: in Proceedings of the 2001 Georgia Water Resources Conference, held March 26-27, 2001, at The University of Georgia, Athens, Georgia, Kathryn J. Hatcher, editor, Institute of Ecology, The University of Georgia, Athens, GA, p. 669-672.

Abu-Ruman, Malek, and Payne, D.F., 2003, Model framework and Preliminary results of the regional MODFLOW ground-water flow model of coastal Georgia, South Carolina, and Florida: in Proceedings of the 2003 Georgia Water Resources Conference, held April 23-24, 2003, at the University of Georgia, Kathryn J. Hatcher, ed., Institute of Ecology, the University of Georgia, Athens, GA

Clarke, J.S., Hacke, C.M., and Peck, M.F., 1990, reprinted 1999, Geology and ground-water resources of the Coastal area of Georgia: Georgia Geologic Survey Bulleting 113, 106 p.

Clarke, J.S., Leeth, D.C., Taylor-Harris, Da'Vette, Painter, Jaime, and Labowski, J.L., 2004, Hydraulic properties of the Floridan aquifer system and equivalent clastic units in coastal Georgia and adjacent parts of South Carolina and Florida: Georgia Geologic Survey Information Circular 109, 54 p.

Clarke, J.S., Leeth, D.C., Taylor-Harris, Da'Vette, Painter, Jaime, and Labowski, J.L., 2004, Summary of Hydraulic properties of the Floridan aquifer system in coastal Georgia and adjacent parts of South Carolina and Florida: U.S. Geological Survey Scientific Investigations Report 2004-5264, 54 p.

Clarke, J.S., and Krause, R.E., 2000, Design, revision, and application of ground-water flow models for simulation of selected water-management scenarios in the coastal area of Georgia and adjacent parts of South Carolina and Florida: U.S. Geological Survey Water- Resources Investigations Report 00-4084, 93 p.

\_\_\_\_\_, 2001, Use of ground-water flow models for simulation of water-management scenarios in the coastal area of Georgia and adjacent parts of South Carolina: in Proceedings of the 2001 Georgia Water Resources Conference, held March 26-27, 2001, at the University of Georgia, Kathryn J. Hatcher, editor, Institute of Ecology, The University of Georgia, Athens, GA, p. 627-630.

Clarke, J.S., 2003, The surficial and Brunswick aquifer systems—alternative water sources for coastal Georgia: in Proceedings of the 2003 Georgia Water Resources Conference, held April 23-24, 2003, at the University of Georgia, Kathryn J. Hatcher, ed., Institute of Ecology, the University of Georgia, Athens, GA

Clarke, J.S., and Abu-Ruman, Malek, Pond-aquifer flow and water availability in the vicinity of two coastal area seepage ponds, Glynn and Bulloch Counties, Georgia, Scientific Investigations Report 2004-5260, U.S. Department of Interior, U.S. Geological Survey, Georgia Geologic Survey, CD-8.

Falls, W.F., Harrelson, L.G., Conlon, K.J., and Petkewich, M.D., 2001, Hydrogeology and water quality of the Lower Floridan aquifer, coastal Georgia: in Proceedings of the 2001 Georgia Water Resources Conference, held March 26-27, 2001, at the University of Georgia, Kathryn J. Hatcher, editor, Institute of Ecology, The University of Georgia, Athens, GA, p. 652-655.

Falls, W.F., and Harrelson, L.G., 2003, Hydrogeology and aquifer tests in the Floridan aquifer system at selected sites, coastal Georgia, 2001, in, Leeth, D.C., Clarke, J.S., Craigg, S.D., and Wipperfurth, C.J., 2003, Ground-water conditions and studies in Georgia, 2001: U.S. Geological Survey Water Resources Investigations Report 03-4032, p. 82-87.

Fanning, J.L., 1999, Water use in coastal Georgia by county and source, 1997; and water-use trends, 1980-97: Georgia Geologic Survey Information Circular 104, 37 p.

Fanning, J.L., 2003, Water use in Georgia by county for 2000 and water-use trends for 1980-2000; Georgia Geologic Survey Information Circular 106, 176 p.

Fanning, J.L., Isley, Phyllis, and Hill, Jeremy, 2005, Projected water use in the coastal area of Georgia, 2000-2050: in, Leeth, D.C., Clarke, J.S., Craigg, S.D., and Wipperfurth, C.J., 2005, Ground-water conditions and studies in Georgia, 2002-2003: U.S. Geological Survey Scientific Investigations Report XXXX, in review.

Foyle, A.M., Henry, V.J., and Alexander, C.R., 1999, Miocene Aquaclude Mapping Project: Phase-1 Findings Report: Georgia Geologic Survey Project Report 39, 38 p.

Georgia DNR, EPD, Geologic Survey Branch, 1999: Evaluation of United States Geological Survey Ground-Water Flow Models of Coastal Georgia and South Carolina; Georgia Geologic Survey Project Report 38, 90 p.

Georgia DNR, EPD, Geologic Survey Branch, 2001: The Miocene Aquitard and the Floridan Aquifer of the Georgia/South Carolina coast: Geophysical mapping of potential seawater intrusion sites, Georgia Geologic Survey Bulletin 132, 78 p.

Georgia DNR, EPD, Geologic Survey Branch, 2001: Assessment of Environmental Effects Associated with Potential Aquifer Storage Recovery Projects in Coastal Georgia; Georgia Geologic Survey Project Report 44, 117 p.

Georgia DNR, EPD, Geologic Survey Branch, 2002: Gulf Trough and Satilla Line Data Analysis; Georgia Geologic Survey Project Report 48.

Ground-water conditions in Georgia, 1999

Ground-water conditions in Georgia, 2000

Ground-water conditions and studies in Georgia, 2001

Hodges, R.A., 1998, Aquifer Performance Test Report—Brunswick Aquifer, Toombs County, Georgia, (July 8-20, 1998): Georgia Geologic Survey Project Report 35, 19 p.

Hodges, R.A., 1999, Aquifer Performance Test Report—Miocene Aquifer, Evans County, Georgia, (December 9-31, 1998): Georgia Geologic Survey Project Report 41, 25 p.

Jones, L.E., 2001, Saltwater contamination in the Upper Floridan aquifer at Brunswick, Georgia: in Proceedings of the 2001 Georgia Water Resources Conference, held March 26-27, 2001, at The University of Georgia, Athens, Georgia, Kathryn J. Hatcher, editor, Institute of Ecology, The University of Georgia, Athens, GA, p. 644-647.

Krause, R.E., and Clarke, J.S., 2001, Saltwater contamination of ground water at Brunswick, Georgia and Hilton Head Island, South Carolina: in Proceedings of the 2001 Georgia Water Resources Conference, held March 26-27, 2001, at The University of Georgia, Athens, Georgia, Kathryn J. Hatcher, editor, Institute of Ecology, The University of Georgia, Athens, GA, p. 756-759.

Krause, R.E., and Clarke, J.S., 2001, Coastal ground water at risk—Saltwater Contamination at Brunswick, Georgia and Hilton Head Island, South Carolina: U.S. Geological Survey Water Resources Investigations Report 01-4107, 1 oversize sheet.

Laitta, M.T., 2001, Linkage of offshore and onshore hydrogeologic data for coastal Georgia and adjacent parts of South Carolina and Florida using a geographic information system: in Proceedings of the 2001 Georgia Water Resources Conference, held March 26-27, 2001, at The University of Georgia, Athens, Georgia, Kathryn J. Hatcher, editor, Institute of Ecology, The University of Georgia, Athens, Georgia, p. 764-767.

McDowell, R.J., and Steele, W.M., 1998, Permeable Thickness of the Miocene Upper and Lower Brunswick Aquifers, Coastal Area, Georgia: Georgia Geologic Survey Information Circular 103, 37 p.

Peck, M.F., McFadden, K.W., and Leeth, D.C., 2004, Effects of decreased ground-water withdrawal on ground-water levels and chloride concentrations in Camden County, Georgia, and ground-water levels in Nassau County, Florida, from September 2001 to May 2003: U.S. Geological Survey Scientific Investigations Report 2004-5295, 31 p.

Peck, M.F., 2005, Impact of a major industrial shutdown on groundwater flow and quality in the St. Mary's area, southeastern Georgia and northeastern Florida: in Proceedings of the 2005 Georgia Water Resources Conference, held April 25-27, 2005, at The University of Georgia, Athens, Georgia, Kathryn J. Hatcher, editor, Institute of Ecology, The University of Georgia, Athens, GA

Peck, M.F., Clarke, J.S., Ransom, Camille III, and Richards, C.J., 1999, Potentiometric surface of the Upper Floridan Aquifer in Georgia and adjacent parts of Alabama, Florida, and South Carolina, May 1998, and water-level trends in Georgia, 1990-98: Georgia Geologic Survey Hydrologic Atlas 22, 1 sheet, scale 1:1,000,000.

Peck, M.F., and McFadden, K.W., 2004, Potentiometric surface of the Upper Floridan Aquifer in the Coastal Area of Georgia, September 2000, U.S. Geological Survey Open File Report 2004-1030.

Peck, M. F., and Payne, D.F., 2003: Development of an estimated water-table map for coastal Georgia and adjacent parts of Florida and South Carolina : in Proceedings of the 2003 Georgia Water Resources Conference, held April 23-24, 2003, at the University of Georgia, Kathryn J. Hatcher, ed., Institute of Ecology, the University of Georgia, Athens, GA

Peck, M.F., Clarke, J.S., Abu-Ruman, Malek, and Laitta, M.T., 2001, Hydrogeologic conditions at two seepage ponds in the coastal area of Georgia, August 1999 to February 2001: in Proceedings of the 2001 Georgia Water Resources Conference, held March 26-27, 2001, at The University of Georgia, Athens, Georgia, Kathryn J. Hatcher, editor, Institute of Ecology, The University of Georgia, Athens, GA, p. 768-771.

Payne, D.F., Abu-Ruman, Malek, and Clarke, J.S., 2005, Simulation of ground-water flow in the coastal area of Georgia and adjacent parts of South Carolina and Florida—predevelopment, 1980, and 2000: U.S. Geological Survey Scientific Investigations Report 2005-5089.

Payne, D.F., Provost, A.M., and Voss, C.I., 2001, Preliminary numerical models of saltwater transport in coastal Georgia and southeastern South Carolina: in Proceedings of the 2001 Georgia Water Resources Conference, held March 26-27, 2001, at The University of Georgia, Athens, Georgia, Kathryn J. Hatcher, editor, Institute of Ecology, The University of Georgia, Athens, GA, p. 656-659.

Payne, D.F., Provost, A.M., Voss, C.I., and Clarke, J.S., 2001, Mechanisms of saltwater contamination of ground water in coastal Georgia, U.S.A.: Preliminary results of variable-density transport modeling: in, First International conference on saltwater intrusion and coastal aquifers—monitoring, modeling, and management, Essaouira, Morocco, April 23-25, 2001.

Payne, D. F., Provost, A.M., and Voss, C.I., 2003, Parallel development of MODFLOW and SUTRA Models in coastal Georgia, South Carolina, and Florida: an approach to study regional ground-water flow and local saltwater intrusion: in Proceedings of the 2003 Georgia Water Resources Conference, held April 23-24, 2003, at the University of Georgia, Kathryn J. Hatcher, ed., Institute of Ecology, the University of Georgia, Athens, GA

Priest, Sherlyn, 2004, Stream-aquifer relations in the coastal area of Georgia and adjacent parts of Florida and South Carolina: Georgia Geologic Survey Information Circular 108, 40 p.

Priest, Sherlyn, and Clarke, J.S., 2003: Stream-aquifer relations in the coastal area of Georgia and adjacent parts of Florida and South Carolina : in Proceedings of the 2003 Georgia Water Resources Conference, held April 23-24, 2003, at the University of Georgia, Kathryn J. Hatcher, ed., Institute of Ecology, the University of Georgia, Athens, GA

Report on the Facilitated Meeting on the Most Promising Methods of Stopping Saltwater Intrusion, in cooperation with Camp Dresser and McKee, Inc. 2002: Georgia Geologic Survey, CD-3.

Reports on the Brunswick Aquifer Studies for Bryan, Chatham, Effingham, and Glynn Counties, and Ebenezer Bend, in cooperation with U.S. Geological Survey and Golder Associates, 2003: Georgia Geologic Survey, CD-4.

Rose, Seth, 2001: Susceptibility of the Upper Floridan Aquifer in Camden County to Salt Water Intrusion: Georgia Geologic Survey Project Report 46, 45 p.

Rose, Seth, 2002: Salt-water Intrusion Potential for Camden County, Georgia: Georgia Geologic Survey Project Report 49, 120 p.

Salt-Water Monitoring of the Upper Floridan Aquifer, Brunswick, GA, in cooperation with MACTEC, 2002: Georgia Geologic Survey, CD-5.

Sharp, B., Watson, S., and Hodges, R., 1998: Aquifer Performance Test Report; Tybee Island Miocene (Upper Brunswick) Aquifer, Chatham County, Georgia, March 19-23, 1997: Georgia Geologic Survey Project Report 33, 42 p.

Sharp, B., Watson, S., and Hodges, R., 1998: Aquifer Performance Test Report—St. Mary's Miocene Aquifer, Camden County, Georgia, September 30-October 6, 1997: Georgia Geologic Survey Project Report 34, 54 p.

Southeast Georgia 24-County Area Water Supply Services, Alternative Sources to Groundwater Supply, in cooperation with Camp Dresser and McKee, Inc., 2001: Georgia Geologic Survey, CD-2.

Surface-Water Data, Georgia, Water Year 1999 Water-Data Report GA-99-1

Taylor, Da'Vette A., Painter, J.A., and Payne, D.F., 2003: Development of a water-use database for use in coastal region ground-water models, Georgia, South Carolina, and Florida, 1980-2000: in Proceedings of the 2003 Georgia Water Resources Conference, held April 23-24, 2003, at the University of Georgia, Kathryn J. Hatcher, ed., Institute of Ecology, the University of Georgia, Athens, GA

Warner, Debbie, Allenbach, B.T., 1999, Hydraulic characteristics of the Upper Floridan aquifer in the Savannah and St Mary's areas of coastal Georgia: Georgia Geologic Survey Information Circular 105, 26 p.

Water-Resources Data, Georgia, 2000 Water-Data Report GA-00-1 and Water-Data Report GA-00-2

Water-Resources Data, Georgia, 2001 Water-Da Report GA-1- and Water-Data Report GA-01-2

Water-Resources Data, Georgia, 2002 Water-Data Report GA-02-1 and Water-Data Report GA-02-2

Water-Resources Data, Georgia, 2003 Water-Data Report GA-03-01 and Water-Data Report GA-03-02

Water-Resources Data, Georgia, 2004 Water-Data Report GA-04-01 and Water-Data Report GA-04-02 [in preparation]

Weems, R.E., and Edwards, L.E., 2001, Geology of Oligocene, Miocene, and younger deposits in the coastal area of Georgia: Georgia Geologic Survey Bulletin 131, 127 p.