



GEORGIA

DEPARTMENT OF NATURAL RESOURCES

ENVIRONMENTAL PROTECTION DIVISION

Richard E. Dunn, Director

EPD Director's Office
2 Martin Luther King, Jr. Drive
Suite 1456, East Tower
Atlanta, Georgia 30334
404-656-4713

JUL 24 2018

Mr. Trey Glenn
Regional Administrator
U.S. EPA, Region 4
61 Forsyth Street, S.W.
Atlanta, Georgia 30303-3104

Re: Certification of the 110(a)(2)(D)(i)(I) Infrastructure SIP Element for the 2010 1-Hour NO₂ NAAQS

Dear Mr. Glenn:

With this letter, the Georgia Environmental Protection Division (EPD) is certifying that Georgia's current State Implementation Plan (SIP) contains the Section 110(a)(2)(D)(i)(I) element of the Clean Air Act (CAA) that meets the requirements of the 2010 1-hour NO₂ National Ambient Air Quality Standard (NAAQS).

Section 110(a)(1) of the CAA requires states to submit plans to provide for the implementation, maintenance, and enforcement of any new or revised NAAQS. The details of this plan are specified in 110(a)(2). In these SIPs, States are required to include specific infrastructure elements that provide assurances that the State will have the resources and authorities to establish the basic programs to implement, maintain, and enforce the new or revised standards. Section 110(a)(2)(D)(i)(I) specifically addresses the interstate transport requirements of Infrastructure SIPs.

Georgia EPD previously submitted all 110(a)(2) infrastructure requirements, with the exception of 110(a)(2)(D)(i)(I) Prongs 1 and 2 for the 2010 1-hour NO₂ NAAQS on March 25, 2013. Elements 110(a)(2)(C); 110(a)(2)(D)(i)(II) Prong 3; and 110(a)(2)(J) were approved on April 17, 2015. Elements 110(a)(2)(A), 110(a)(2)(B), 110(a)(2)(D)(ii) through 110(a)(2)(H), and 110(a)(2)(K) through 110(a)(2)(M) were approved on October 14, 2016. On May 4, 2018, EPA approved Element 110(a)(2)(D)(i)(II) Prong 4.

The public notice for the certification of the 110(a)(2)(D)(i)(I) infrastructure SIP element for the 2010 1-hour NO₂ NAAQS was published via GovDelivery.com on May 29, 2018. The proposed certification was the subject of a public hearing on June 28, 2018. No oral comments were received. Written comments were received from EPA on June 28, 2018 and EPD's responses are enclosed. No other written comments were received before the end of the comment period on July 5, 2018. A certification that the required public notice was provided and that a public hearing was held is enclosed.

As required by the federal SIP-processing regulations, we have enclosed the administrative materials and technical support checklists to satisfy the SIP submittal completeness criteria

Mr. Trey Glenn

Page 2

requirements. This certification is being submitted via EPA's State Planning Electronic Collaboration System (SPeCS).

We look forward to your review and approval of these certifications. Should you or your staff have any questions, please feel free to contact James Boylan at James.Boylan@dnr.ga.gov or (404) 363-7014.

Sincerely,

A handwritten signature in black ink that reads "Richard E. Dunn". The signature is written in a cursive, flowing style.

Richard E. Dunn
Director

RED:TV

c: Scott Davis, EPA Region 4
Lynorae Benjamin, EPA Region 4
Karen Hays, Branch Chief, EPD Air Protection Branch