	Location (UST Facility) ID:			Location (UST Facility) County:						
	er of Tanks: _ er of Dispens			Temporarily-out-of-use (TOU)						
1.			d any new ta	nks or piping? Y N If yes, please attach Tank/Piping manufacturer fication						
2.	<b>Have you installed any new dispensers?</b> Y N If yes, and if the equipment connecting the dispenser to the piping was also replaced or installed, under-dispenser containment is required. Please attach under-dispenser containment installation documentation.									
3.	•			any tanks or piping? Y N If yes, please attach a Closure Report.						
4.	Do you wis attach testi	<b>h to bri</b> ing repo	ing tempora orts and prod	rily-out-of use (TOU) tank(s) back into service? Y N If yes, please of of Financial Responsibility (see details on page 5).						
5.	-	-	-	(s) in TOU status? Y N If yes,						
				showing tank risers are capped and vent lines are open and functioning.						
				showing tanks are empty (or you must continue monthly release detection).  In testing must be continued for Impressed Current or Galvanic UST systems.						
6.		-		ble Official' account in GEOS? Y N If no, please visit:						
٥.	-		-	documents/ust and create a Responsible Official account. Please note, once this						
			-	by EPD, the tank owner will receive an email with instructions for completing the						
	_		•	inting the tank registration certificate.						
7.				to a new owner? Y N If yes, terminate your registration using GEOS.						
				- Name: Phone: Email:						
	Mailing Auc	JI 633		Liliali						
				PART 1: LOCATION (UST FACILITY) DATA						
Facility	Name:		_	Facility Contact:						
Facility	Туре:			Email Address:						
Facility	Address:			Facility Phone:						
		City/Zip	p Code:	Fax Number:						
				PART 2: TANK OWNER INFORMATION						
Business Name:										
Contact Name:										
Mailing Address:										
Zip Code:										
Phone/	Fax Number	:								
Email A	ddress:									
Date St	arted:									

7530 Form (Rev 3-21-18) Page 1 of 5

<sup>\*</sup>Note – The tank owner must also create a Responsible Official account and submit a tank registration form in GEOS.

Location (UST Facility	y) ID:	Location (UST Facility) County:				
	PART 3: JO	BBER INFORMATION				
Jobber (Fuel Provider):	Company Name	Phone	Email			
	PART 4: CERTIFIED A	/B OPERATOR INFORMATION				
CLASS A OPERATOR		CLASS B OPERATOR				
First/Last Name:		First/Last Name:				
Business Name:		Business Name:				
Address:		Address:				
City:		City:				
State:		State:				
Zip:		Zip:				
Phone Number:		Phone Number:				
Email Address:		Email Address:				
Training Provider:		Training Provider:	Training Provider:			
Certificate Number:		Certificate Number:				
Certificate Date:		Certificate Date:				
-			Operators form and attach. Forms			
			te, all active facilities must also have			
at least one Class C Operator ar	nd must maintain training doc	umentation onsite.				
	PART 5: FINANCIAL R	ESPONSIBILITY INFORMATION				
<b>Primary Financial Responsib</b>	ility Mechanism: (select or	ne and attach documentation)				
☐ GUST Trust Fund (payme)	nt of Environmental Assura	nce Fees to Georgia EPD; see fu	iel delivery invoices)			
□ Insurance						
□ Self-Insured						
		guarantee, or government fund				
☐ Federal Government Age	ncy					
□ Guarantee						
□ Letter of Credit						

Note: You must attach a copy of your financial mechanism (e.g. Insurance certificate, financial statement etc.)

□ Surety Bond

□ Risk Retention Group

Deductible Financial Responsibility: If your primary Financial Responsibility Mechanism is provided through participation in GUST Trust Fund by payment of Environmental Assurance Fees, you must also check one of the following boxes indicating how coverage for the GUST Trust Fund \$10,000 deductible is being provided.

□ Insurance □ Letter of Credit
□ Self-Insured □ Risk Retention Group
□ Guarantee □ Surety Bond

Note: You must attach a copy of your financial mechanism (e.g. Insurance certificate, financial statement etc.)

7530 Form (Rev 3-21-18) Page 2 of 5

Location (UST Facility) ID:	Location (UST Facility) County:
-----------------------------	---------------------------------

## **PART 6: TANK INFORMATION**

Note: If any tanks are compartmentalized, please use IDs of 1A, 1B, etc.

Tank	Tank	Fuel	Tank	Tank	Tank	Tank Material of	Tank	Permanent
ID	Install	Type*	Capacity	Status*	Manufacturer	Construction*	Manifold	Closure
	Date		(gallons)				System?**	Date

<sup>\*</sup>See 7530-Form Addendum for list of options

<sup>\*\*</sup>Please specify which tanks are manifolded/connected

Tank ID	Emergency Generator	Hazardous S	Hazardous Substance Stored in Tank				ATG Brand	IM Tank Sensor	SIR Vendor Name*
	(Y/N)	Hazardous	Hazardous	CAS	CERCLA	Type*	Name*	Models*	
		ID	Name	Number	Number				

<sup>\*</sup>See 7530-Form Addendum for list of options

Tank	Overfill Preven	tion Equipment	Spill Prevention Equipment			
ID	Overfill Type*	Install Date	Single Walled Spill Bucket	Double Walled Spill Bucket	Install Date	

<sup>\*</sup>See 7530-Form Addendum for list of options

7530 Form (Rev 3-21-18) Page 3 of 5

Location (UST Facility) ID: L	Location (UST Facility) County:
-------------------------------	---------------------------------

## **PART 7: PIPING INFORMATION**

Piping ID	Piping Install Date	Piping Status*	Piping Manifold System?**	Piping Brand*	Piping Type*	Piping Material of Construction*	Permanent Closure Date

<sup>\*</sup>See 7530-Form Addendum for list of options

<sup>\*\*</sup>Please specify which piping is manifolded/connected

Piping ID	Type of Flex Connector*	Flex Connector Location	Flex Connector Manufacturer	Release Detection Type*	Sump Sensor Models*	MLLD Models*	ELLD Models*	SIR Vendor Name*

<sup>\*</sup>See 7530-Form Addendum for list of options

## **PART 8: UNDER-DISPENSER INFORMATION**

Dispenser ID	Under-Dispenser Containment Manufacturer	Under-Dispenser Containment Model
	_	

<sup>\*</sup>See 7530-Form Addendum for list of options

7530 Form (Rev 3-21-18) Page 4 of 5

Location (UST Facility) County: \_\_\_\_\_

Location (UST Facility) ID: \_\_\_\_\_

testing (if applicable)

release detection], cathodic protection testing [if applicable])

	PART 9: CERTIFICATION	
· · · · · · · · · · · · · · · · · · ·	<b>d by UST system installer at installation):</b> nstallation of the UST system, release detection, and spill/overfill protectige.	ion is true
Company	Company Address	
Authorized Representative	Signature	
Title	Telephone Number (Include Area Code)	
Date		
the attached documents, and that ba	ed by tank owner):  ave personally examined and am familiar with the information submitted ased on my inquiry of those individuals immediately responsible for obtain tted information is true, accurate and complete.	
Owner Name (Print)	Title	
Owner Signature	Date	
Please indicate the attachments inc	uded with this submittal:	
[ ] Tank, Piping, or Under-Dispenser	Containment Installation Documents	
[ ] Tank or Piping Closure Report (https://www.news.com/	tps://epd.georgia.gov/underground-storage-tank-technical-guidance)	

Please mail completed 7530 package to:
GAEPD UST Program, 4244 International Parkway, Suite 104, Atlanta, GA 30354

[ ] Documentation required to place tanks in TOU status (risers capped and vent lines open, tanks empty [or continue

[ ] Documentation required to bring TOU tanks back into use: tank and line tightness testing, leak detector testing, proof of Financial Responsibility, cathodic protection testing (if applicable), IM tank and sump sensor functionality

7530 Form (Rev 3-21-18) Page 5 of 5

### **Fuel Type:**

- Regular
- Plus
- Premium
- Diesel/Diesel On Road
- Diesel Off Road
- Kerosene
- Used Oil
- E-0 (Ethanol Free)

- E-10
- E-15
- E-85
- Ethanol
- Hazardous Substance
- Biodiesel
- Jet Fuel
- Racing Fuel

- New Oil
- Aviation Gas
- OTR 8332 G (Diesel Additive)
- Ultrazol (Fuel Additive)
- Mixture
- Empty

Tank Status: In Use, TOU ("Temporarily Out of Use"), Removed from Ground, Closed in Ground

## **Tank Material of Construction:**

- Fiberglass
- Fiberglass DW
- Composite
- Composite DW
- Epoxy
- Epoxy DW

- Steel-Impressed Current
- Galvanic (STIP-3)
- Galvanic (Sacrificial Anodes)
- STIP-3 DW
- STIP-3 Impressed Current
- Tank Jacket

- Tank Jacket DW
- Bare Steel
- Lined Interior
- Lined Interior/Impressed Current

#### **Release Detection for Tanks:**

- ATG (Automatic Tank Gauge)
- Secondary Containment/Interstitial Monitoring
- SIR (Statistical Inventory Reconciliation)
- SIR (CITLDS)
- Inventory Control + TTT Every Five Years
- Manual Tank Gauging
- Ground Water Monitoring
- Tank Empty
- Exempt

# **ATG Brand Name:**

- Veeder-Root TLS 250
- Veeder-Root TLS 300 series
- Veeder-Root TLS 350 series
- Veeder-Root TLS 450 series
- Veeder-Root TLS Simplicity
- Veeder-Root/Red Jacket ProMax
- Veeder-Root/Red Jacket Proplus

- Veeder Root/EMC
   Gilbarco
- Veeder Root/CEI 3000
- CITLDS with dispenser meter readings
- Auto-Stik II
- Auto-Stik Jr.
- Auto-Stik Jr. series (1 to 4)
- Incon T1 series 750
- Incon T1 series TS1000 EFI
- Incon T1 series TS1000
- Incon T1 series TS 2000
- Incon TS 1001

- Incon TS 2001
- Incon 5 Series TS 550
- Incon 5 Series TS 550 evo
- Incon 5 Series TS 5000
- Omntec OEL 8000
- OPW/ECCO 1000 series
- OPW/ECCO 1500
- OPW/ECCO 1501
- OPW/ Galaxy ATG
- OPW Site Sentinel
- Hasstech Tank Compliance Center Model 700
- Gasboy International

#### **IM Tank Sensor Models:**

- Veeder Root/Interstitial 794380-343
- Veeder Root/Interstitial
   794380-400 series
- Veeder Root/Interstitial High Alcohol 794380-345
- Veeder Root/Interstitial 794380-409
- Veeder Root/Interstitial 794380-4x0
- Hydrostatic Sensor 794380-301/303
- Veeder Root/Interstitial 794380-420
- INCON TSP-DIS INCON
- INCON TSP-HIS hydrostatic type
- INCON TSP-ULS
- OPW Site Sentinel -0234-HW-01
- OPW/ Site Sentinel I Part 30-0232-D-20B

#### **SIR Vendor Name:**

- Advanced Petroleum Services
- Computerized Inc.
- Crompco Tank Testing
- Georgia Oilmen's Association
- Preferred Testing & Compliance
- Simmons Survey Corporation
- Total SIR
- USTMAN Industries Inc.
- Warren Rogers Association Inc.
- Other (specify)

# Overfill Type: Ball Float, Flapper Valve, Overfill Alarm, Exempt

Note: Ball floats cannot be used in tanks installed on or after December 15, 2017 and they cannot be used when replacing overfill equipment in existing tanks.

Piping Status: In Use, TOU (Temporarily Out of Use), Removed from Ground, Closed in Ground

# **Piping Brand:**

- Advanced Polymer Technologies
- Ameron
- Brugg Pipe Systems
- Buffalo Environmental Products
- Containment Technologies
- Environ Products Inc.
- Innovative Petroleum Products
- Kungsor Plast
- NUPI
- OPW
- Omegaflex

- Petrofuse ZP
- Petrotechnik
- Smith Fibercast
- Total Containment Inc.
- Western Fiberglass Inc.

Piping Type: Pressurized, Safe Suction (Euro), Suction (American), Gravity Fed

# **Piping Material of Construction:**

- Fiberglass Reinforced Plastic
- Fiberglass DW
- Flex
- Flex DW

- Steel Impressed Current
- Steel/Fiberglass Secondary Containment
- Galvanized Steel
- Steel/Sacrificial Anodes
- Copper
- Copper/Secondary Containment
- Aboveground
- Bare Steel

Type of Flex Connector: Contained, Booted, Isolated, Cathodically Protected

### **Release Detection for Piping:**

- Line Tightness Test (LTT)
- Mechanical Line Leak Detector (MLLD)
- Electronic Line Leak
   Detector (ELLD)
- Sump Sensors (SS)
- SS + ELLD
- SS + MLLD
- SIR
- SIR + MLLD

- Safe Suction
- Ground Water Monitoring
- TOU
- Exempt

### **Sump Sensor Models:**

- Veeder Root 794380-208
- INCON TSP-DIS INCON
- INCON TSP-ULS
- OPW/Site Sentinel Part Numbers: 30-0232-D-10B

### **MLLD Models:**

- Veeder Root/Red Jacket MLLD-DLD (116-017)
- Veeder Root/Red Jacket MLLD-XLD (116-036)
- Veeder Root/Red Jacket MLLD-PLD (116-030)
- Veeder Root/Red Jacket MLLD-XLP (116-035)
- Veeder Root/Red Jacket MLLD FX1/FX2/FX1D/FX2D (116-048)
- Veeder Root/Red Jacket MLLD(117-012) MLLD for big flow

- Veeder Root/Red Jacket MLLD(117-182-5 diaphragm valve assm.) with any of FX1V(116-056)/FX2V(116-057)
- Veeder Root/Red Jacket MLLD(117-182-5 diaphragm valve assm.) with any of FX1DV(116-058)/FX2DV(116-059)
- FE PETRO STP-MLLD for gasoline, FE PETRO STP-MLLD-D for Diesel

- FE PETRO STP-MLLD \_HCD model #401320902 or 01 for Diesel
- STP-MLD-HC
- Vapor Manufacture Inc. (VMI) Vaporless 99-2000 with or without ISM- 4103 switch-& ISM-4080 monitor
- Vapor less (VMI)99- 2200,
   Vapor less (VMI)99- 3000
   with or without ISM- 4103
   switch-& ISM-4080
   monitor

## **ELLD Models:**

- Veeder Root Series 8484
- INCON TS-LS 500 (blue)
- INCON TS-LS 300 with LSU 300 transduce (Tan)
- INCON TS-LS 500 with LSU unit (Gold)
- PLC-5000 System (LDN) with a Central Control Node (CCN) (VMI)

Mail completed 7530 package to:
GAEPD UST Program
4244 International Parkway, Suite 104
Atlanta, GA 30354