

**EPD PUBLIC ADVISORY
GEORGIA AIR PROTECTION BRANCH**

SIP PUBLIC ADVISORIES

The following applications have been received for Air Quality Permits.
These applications are presently under review. **Any comments should be received by 21-July-2017**

DOUGLAS

Facility Name: WestRock Lithia Springs Preprint Plant
Application No: 26096
Facility Address: 600 Riverside Parkway, Building A, Lithia Springs, 30122 (Douglas)
EPD Notice Type: Permit - Application.
Description of Operation: Flexographic Printing
Reason for Application: Installation of a second plate processor.

ELBERT

Facility Name: Pilgrim's Pride Corporation (Elberton)
Application No: 26026
Facility Address: 1129 Old Middleton Road, Elberton, 30635 (Elbert)
EPD Notice Type: Permit - Application.
Description of Operation: Poultry Processing Facility
Reason for Application: The construction and operation of a 16.329 mmBTU/hr natural gas fired 400 HP Cleaver Brooks Boiler.

FULTON

Facility Name: Delta Flight Products, LLC
Application No: 26064
Facility Address: 3980 Tradeport Boulevard, Building 1200, Atlanta, 30354 (Fulton)
EPD Notice Type: Permit - Application.
Description of Operation: Composite Manufacturing Facility
Reason for Application: Construction and operation of a composite manufacturing facility

HALL

Facility Name: Dixieland Equipment Sales dba Dixieland Pallet Company
Application No: 26059
Facility Address: 3887 Athens Highway, Talmo, 30575 (Hall)
EPD Notice Type: Permit - Application.
Description of Operation: Wood Pallet Manufacturing and Refurbishing
Reason for Application: Construction and operation of an incinerator.

For additional information, contact Eric Cornwell, Program Manager, Stationary Source Permitting Program, Air Protection Branch, 4244 International Parkway, Suite 120, Atlanta, Georgia 30354, (404) 363-7000.

**NOTICE OF DRAFT TITLE V OPERATING PERMITS AND PERMIT MODIFICATIONS
GEORGIA ENVIRONMENTAL PROTECTION DIVISION
AIR PROTECTION BRANCH**

4244 INTERNATIONAL PARKWAY, SUITE 120, ATLANTA, GA 30354

The Georgia Environmental Protection Division announces its intent to issue initial Title V Operating Permits, Title V Significant Modifications, Title V Operating Permit Renewals, and/or other Title V Permit proceedings for the following facilities. The deadlines for submitting comments and requesting a public hearing are specified for each facility.

RENEWAL TITLE V OPERATING PERMITS

CAMDEN

Facility Name: Camdem County Solid Waste Department

Application No: 43208

Facility Address: 5395 Highway 110, Woodbine, 31569 (Camden)

EPD Notice Type: Permit - Proposed.

Description of Operation: Municipal Solid Waste Landfill

Comment period/deadline for public hearing request expires on: July 24, 2017

TITLE V SIGNIFICANT MODIFICATIONS

EFFINGHAM

Facility Name: Georgia Power Company - Plant McIntosh

Application No: 43026

Facility Address: 981 Old Augusta Road, Rincon, 31326 (Effingham)

EPD Notice Type: Permit - Proposed.

Description of Operation: Steam Electric Generating Plant

Emission Increase/Decrease: None

Description of Requested Modification/Change: Update to Phase II NOx Averaging Plan for 2017-2021

Comment period/deadline for public hearing request expires on: June 02, 2017

HEARD

Facility Name: Georgia Power Company - Plant Wansley

Application No: 43019

Facility Address: 1371 Liberty Church Road, Carrollton, 30116 (Heard)

EPD Notice Type: Permit - Proposed.

Description of Operation: Electric Generation

Emission Increase/Decrease: None

Description of Requested Modification/Change: Acid Rain Phase II NOx Averaging Plan Update

Comment period/deadline for public hearing request expires on: June 23, 2017

LOWNDES

Facility Name: Bio Energy (Georgia II), LLC

Application No: 45954

Facility Address: 2995 Wetherington Lane, Valdosta, 31601 (Lowndes)

EPD Notice Type: Permit - Proposed.

Description of Operation: Landfill Gas Fueled Power Generation Plant

Emission Increase/Decrease: Increase PM by 0.9 tons per year (tpy), SO2 by 0.5 tpy, VOC by 16.1 tpy, NOx by 22.1 tpy, CO by 53.5 tpy, and total HAPs by 0.64 tpy.

Description of Requested Modification/Change: The installation of a 1.6 megawatt LFG-fueled Electric Generator.

Comment period/deadline for public hearing request expires on: May 04, 2017

RICHMOND

Facility Name: US Army Signal Center & Fort Gordon

Application No: 43965

Facility Address: 307 Chamberlain Avenue, Fort Gordon, 30905 (Richmond)

EPD Notice Type: Permit - Proposed.

Description of Operation: US Army Base

Emission Increase/Decrease: Potential Emission Increases (tons per year).

CO: 4.6

NOx: 32.6

PM10/PM2.5: 0.85

SO2: 0.23

VOC: 2.1

Description of Requested Modification/Change: Installation and operation of a 3,000 kW diesel peaking generator.

Comment period/deadline for public hearing request expires on: June 22, 2017

ADDITIONAL INFORMATION: The draft permits and permit amendments and all information used to develop the draft permits and permit amendments are available for review. This includes the application, all relevant supporting materials and all other materials available to the permitting authority used in the permit review process. This information is available for review at the office of the Air Protection Branch, 4244 International Parkway, Atlanta Tradeport - Suite 120, Atlanta, Georgia 30354. Copies of the draft permits or permit amendments, narratives, application summaries, and (in most cases) permit applications are also available at our Internet site, epd.georgia.gov/air. Also available at this Internet site is a copy of the public notice, as it will appear in the legal organ of the county where the facility is located.

If a permit application is not available at our Internet site, the public notice will indicate where a copy of these documents will be available at a location near the facility.

Persons wishing to comment on a draft Initial Title V Operating Permit, Title V Significant Modification, Title V Operating Permit Renewal, or other Title V Permit proceedings are required to submit their comments, in writing, to EPD at the above Atlanta Air Protection Branch address. Comments must be received by no later than the deadline indicated for the particular facility. (Should the comment period end on a weekend or holiday, comments will be accepted up until the next working day.) All comments received on or prior to the deadline will be considered by the Division in making its final decision to issue the Title V permit or permit amendment.

Any requests for a public hearing must be made prior to the deadline indicated for the particular facility. A request for a hearing should be in writing and should specify, in as much detail as possible, the portion of the Georgia Rules for Air Quality Control or the Federal Rules which the individual making the request is concerned may not have been adequately incorporated. A public hearing may be held if the Director of the EPD finds that such a hearing would assist the EPD in a proper review of the facility's ability to comply with the Federal and State air quality regulations.

For additional information, contact Eric Cornwell, Program Manager, Stationary Source Permitting Program, Air Protection Branch, 4244 International Parkway, Suite 120, Atlanta, Georgia 30354, (404) 363-7000.