

**EPD PUBLIC ADVISORY
GEORGIA AIR PROTECTION BRANCH**

SIP PUBLIC ADVISORIES

The following applications have been received for Air Quality Permits.
These applications are presently under review. **Any comments should be received by 19-January-2018**

NO PUBLIC ADVISORIES

For additional information, contact Eric Cornwell, Program Manager,
Stationary Source Permitting Program, Air Protection Branch,
4244 International Parkway, Suite 120, Atlanta, Georgia 30354,
(404) 363-7000.

**NOTICE OF DRAFT TITLE V OPERATING PERMITS AND PERMIT MODIFICATIONS
GEORGIA ENVIRONMENTAL PROTECTION DIVISION
AIR PROTECTION BRANCH
4244 INTERNATIONAL PARKWAY, SUITE 120, ATLANTA, GA 30354**

The Georgia Environmental Protection Division announces its intent to issue initial Title V Operating Permits, Title V Significant Modifications, Title V Operating Permit Renewals, and/or other Title V Permit proceedings for the following facilities. The deadlines for submitting comments and requesting a public hearing are specified for each facility.

RENEWAL TITLE V OPERATING PERMITS

CRISP

Facility Name: Griffin Lumber Company
Application No: 46928
Facility Address: 1603 Drayton Road, Cordele, 31015 (Crisp)
EPD Notice Type: Permit - Proposed.
Description of Operation: Lumber Kiln
Comment period/deadline for public hearing request expires on: January 23, 2018

FLOYD

Facility Name: Georgia-Pacific Wood Products South, LLC - Lumber Plant
Application No: 64337
Facility Address: 380 Mays Bridge Road, Rome, 30165 (Floyd)
EPD Notice Type: Permit - Proposed.
Description of Operation: Sawmill
Comment period/deadline for public hearing request expires on: January 18, 2018

WHITFIELD

Facility Name: Mohawk Industries, Inc.
Application No: 43674
Facility Address: 2100 South Hamilton Street, Dalton, 30720 (Whitfield)
EPD Notice Type: Permit - Proposed.
Description of Operation: Steam Production / Carpet Manufacturing
Comment period/deadline for public hearing request expires on: January 22, 2018

TITLE V SIGNIFICANT MODIFICATIONS

RICHMOND

Facility Name: PCS Nitrogen Fertilizer L.P.
Application No: 46309
Facility Address: 1460 Columbia Nitrogen Drive, Augusta, 30901 (Richmond)
EPD Notice Type: Permit - Proposed.
Description of Operation: Produces ammonia, nitric acid, ammonium nitrate, urea, carbon dioxide, fertilizer solutions and urea pastilles.
Emission Increase/Decrease: No change in emissions.
Description of Requested Modification/Change:
Comment period/deadline for public hearing request expires on: January 15, 2018

ADDITIONAL INFORMATION: The draft permits and permit amendments and all information used to develop the draft permits and permit amendments are available for review. This includes the application, all relevant supporting materials and all other materials available to the permitting authority used in the permit review process. This information is available for review at the office of the Air Protection Branch, 4244 International Parkway, Atlanta Tradeport - Suite 120, Atlanta, Georgia 30354. Copies of the draft permits or permit amendments, narratives, application summaries, and (in most cases) permit applications are also available at our Internet site, epd.georgia.gov/air. Also available at this Internet site is a copy of the public notice, as it will appear in the legal organ of the county where the facility is located.

If a permit application is not available at our Internet site, the public notice will indicate where a copy of these documents will be available at a location near the facility.

Persons wishing to comment on a draft Initial Title V Operating Permit, Title V Significant Modification, Title V Operating Permit Renewal, or other Title V Permit proceedings are required to submit their comments, in writing, to EPD at the above Atlanta Air Protection Branch address. Comments must be received by no later than the deadline indicated for the particular facility. (Should the comment period end on a weekend or holiday, comments will be accepted up until the next working day.) All comments received on or prior to the deadline will be considered by the Division in making its final decision to issue the Title V permit or permit amendment.

Any requests for a public hearing must be made prior to the deadline indicated for the particular facility. A request for a hearing should be in writing and should specify, in as much detail as possible, the portion of the Georgia Rules for Air Quality Control or the Federal Rules which the individual making the request is concerned may not have been adequately incorporated. A public hearing may be held if the Director of the EPD finds that such a hearing would assist the EPD in a proper review of the facility's ability to comply with the Federal and State air quality regulations.

For additional information, contact Eric Cornwell, Program Manager, Stationary Source Permitting Program, Air Protection Branch, 4244 International Parkway, Suite 120, Atlanta, Georgia 30354, (404) 363-7000.