

CATEGORICAL EXCLUSION DETERMINATION

Grandview Booster Pump station

City of Cornelia, Georgia

WSID# GA 1370003

DWSRF Loan# 15-033

The Georgia Environmental Protection Division (EPD) has conducted a review of the above subject project in accordance with the State's Environmental Review Process (SERP) for Drinking Water State Revolving Fund (DWSRF) projects. The EPD has determined that this project is eligible for a categorical exclusion. Accordingly, the EPD is exempting the project from further substantive environmental review requirements under Georgia's SERP.

The proposed project involves the replacement of the existing booster pump station at the Grandview water storage tank. This booster pump station helps maintain the required minimum pressure of 20 psi to the residents who live on Chenocetah Mountain. The existing booster pump station is at the end of its life span and is estimated that it must be replaced within the next eight (8) months.

This project is eligible for a categorical exclusion because it meets the following specific criteria, outlined in the DWSRF SERP: "Construction of new water lines, valves, hydrants and appurtenances in previously disturbed areas within 1/2 mile of the existing distribution system and storage facilities for purpose of system reliability, both serving primarily existing residential or commercial users". Furthermore:

- The project will not require issuance of a new or modification of an existing ground water or surface water withdrawal permit;
- The project is not known or expected to have a significant adverse effect on the quality of the human environment, either individually, cumulatively over time, or in conjunction with other Federal, State, local or private actions;
- The project is not known or expected to directly or indirectly have a significant adverse effect on: cultural resource areas, such as archaeological and historic sites; habitats of endangered or threatened species; or environmentally important natural resource areas, such as floodplains, wetlands, important farmlands or aquifer recharge areas; and
- The action is cost-effective and is not expected to cause significant public controversy.


This determination shall become effective after thirty (30) days following its distribution by EPD and can be revoked if significant adverse information is made available. The documentation to support this decision is on file with the Georgia Environmental Protection Division and is available for public scrutiny upon request. A copy of the proposed project documentation is also available for review at the City of Cornelia City Hall Georgia Government.

All interested agencies, groups and persons supporting or disagreeing with this decision are invited to submit written comments, within thirty (30) days of the publish date of this notice to:

Georgia Environmental Protection Division
Adriana Bustillos, Environmental Engineer
Drinking Water Permitting and Engineering Unit
2 Martin Luther King, Jr. Drive, SE - Suite 1362 East
Atlanta, Georgia 30334-9000

After evaluating the comments received, EPD will make a final decision regarding approval of the project planning documents. No administrative action will be taken on the project for thirty (30) calendar days after publication of this Notice in a local newspaper that serves the Habersham County area.

Publish Date: 12/01/15


Kirk Chase, Program Manager I
Watershed Protection Branch
Georgia Environmental Protection Division