Genesis Project, Inc.
ENVIRONMENTAL SERVICES

April 4, 2013

Mr. Montague McPherson
GA EPD-Hazardous Sites Response Program
2 Martin Luther King, Jr. Drive; Suite 1462
Atlanta, GA 30334

RE: March 2013 Semi-Annual Progress Report
Former Vogue Cleaners
Columbia Square Shopping Center
Martinez, Columbia County, Georgia
HSI No. 10394

Dear Mr. McPherson,

Enclosed please find the March 2013 Semi-Annual Progress Report for the Former Vogue Cleaners located in Martinez, Columbia County, Georgia. The comments to the first 3 Progress Reports, dated November 2, 2012 has been incorporated into the report as possible; however, a detailed discussion of each comment will be submitted under separate cover.

This Progress Report presents the data collected during the fourth semi-annual sampling event of the approved VIRP monitoring program. If you have any questions regarding this information, please contact our office at (770) 319-7217.

Sincerely,
Genesis Project, Inc.

Mark D. Mitchell, P.G.
Principal

cc: Robert Poole, Morgan Stanley

1258 Concord Road • Suite 200 • Smyrna, Georgia 30080 • (770) 319-7217 • FAX (770) 319-7219

March 2013 Semi-Annual Progress Report

Former Vogue Cleaners
Columbia Square Shopping Center
Martinez, Columbia County, Georgia
HSI No. 10394

Submitted to:

Georgia Environmental Protection Division
Hazardous Sites Response Program
2 Martin Luther King Jr. Drive, Suite 1462
Atlanta, Georgia 30334

Prepared for:

The AXA Equitable Life Insurance Company

c/o Morgan Stanley Real Estate Advisor, Inc.
3424 Peachtree Road
Suite 800 Floor 09
Atlanta GA 30326-1118

Prepared by

Genesis Project, Inc.
1258 Concord Road
Smyrna, Georgia 30080
(770) 319-7217

Table of Contents

TECHNICAL CERTIFICATION
1.0 INTRODUCTION 5
1.1 Background 5
2.0 WORK PERFORMED DURING THIS MONITORING PERIOD 2
2.1 Remediation System Operation 2
2.2 Monitor Well Replacement 2
2.3 Release Investigation 3
2.3.1. Soil Investigation 3
2.3.2. Groundwater Investigation 4
2.4 Interim Corrective Action Measures 5
2.4.1 Enhanced Fluid Recovery/Well Evacuation 5
2.4.2 Chemical Injections 5
2.4.3 Source Investigation and Monitor Well Replacement 6
2.5 Summary of Suspected Release Investigation and Corrective Action 7
2.6 Semi-Annual Groundwater Sampling 7
3.0 REPORTING PERIOD RESULTS 7
3.1 Groundwater Flow 7
3.2 Groundwater Sampling Results 8
3.3 Remediation System Effectiveness 8
3.4 Updated Three-Dimensional Conceptual Model 8
3.5 In-situ Permeability Testing/Fate and Transport Modeling 9
3.6 Risk Reduction Standards for Potentially Complete Exposure Pathways 9
4.0 FUTURE SITE ACTIVITIES 11
4.1 Ongoing System Operation and Site Activities 11
4.2 Fate & Transport Modeling 11
4.3 Vapor Intrusion Pathway Evaluation 11
5.0 MILESTONE SCHEDULE 12
6.0 SERVICE HOURS FOR THIS PERIOD 13
7.0 LIFE-CYCLE COST ESTIMATE 14

APPENDICES

APPENDIX I
Figure 1. Site Location Map
Figure 2. Soil Investigation Results – October 16, 2012
Figure 3 Potentiometric Surface Map for Shallow Wells, February 26, 2013
Figure 4A Horizontal Groundwater Quality Map of PCE results, February 26, 2013
Figure 4B Vertical Groundwater Quality Map of PCE results, February 26, 2013
Figure 5A Horizontal Groundwater Quality Map of TCE results, February 26, 2013
Figure 5B Vertical Groundwater Quality Map of TCE, February 26, 2013
Figure 6A Horizontal Groundwater Quality Map of cis 1,2 DCE results, February 26, 2013
Figure 6B Vertical Groundwater Quality Map of cis 1,2 DCE results, February 26, 2013
Figure 7A 3-D Site Conceptual Model (A-A')
Figure 7B 3-D Site Conceptual Model (B-B')
Figure 8 Site Conceptual Exposure Model

APPENDIX II
Table 1 Summary of Groundwater Elevations
Table 2 Summary of Groundwater Analytical Data

APPENDIX III
Boring Log/Well Construction

APPENDIX IV
Groundwater Sample Logs

APPENDIX V
Laboratory Analytical Reports

APPENDIX VI
In-situ Permeability Test Results and Risk Reduction Calculations

APPENDIX VII
Remediation System Performance Summary

APPENDIX VIII
Milestone Schedule

SIGNED AND SEALED PE/PG CERTIFICATION:

"I certify under penalty of law that this report and all attachments were prepared by me or under my direct supervision in accordance with the Voluntary Remediation Program Act (O.C.G.A. Section 12-8-101, et seq.). I am a professional engineer/professional geologist who is registered with the Georgia State Board of Registration for Professional Engineers and Land Surveyors/Georgia State Board of Registration for Professional Geologists and I have the necessary experience and am in charge of the investigation and remediation of this release of regulated substances.

Furthermore, to document my direct oversight of the Voluntary Remediation Plan development, implementation of corrective action, and long term monitoring, I have attached a monthly summary of hours invoiced and description of services provided by me to the Voluntary Remediation Program participant since the previous submittal to the Georgia Environmental Protection Division.

The information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations."

Mark D Mitchell PG# 761
Printed Name and GA PE/PG Number

April 4, 2013
Date

Signature and Stamp

1.0 INTRODUCTION

Genesis Project, Inc. has prepared this Semi-Annual Progress Report in fulfillment of the criteria set forth by the Voluntary Investigation and Remediation Program (VIRP) application approved on March 21, 2011. This progress report presents the activities performed from August 29, 2012 to January 31, 2013.

1.1 Background

The former Vogue Cleaners facility is located in the Columbia Square Shopping Center – Phase II in Martinez, Columbia County, Georgia (Figure 1). The site was previously listed on the Georgia Hazardous Site Inventory (HSI No.10394), pursuant to the Hazardous Site Response Act (HSRA) program administered by the Georgia Environmental Protection Division (GAEPD), due to a release of tetrachloroethene (PCE) along with its associated degradation products (constituents of concern [COCs]). Several investigations were conducted and culminated in the submittal to GAEPD of a HSRA Compliance Status Report in April 1999.

The AXA Equitable Life Insurance Company (AKA The Equitable Life Assurance Society of the United States) sold the site on September 14, 2001, retaining the right of access and with express permission for performance of corrective action.

In February 2007, Genesis Project Inc. submitted to GAEPD a Corrective Action Plan Addendum, which presented the results of a pilot test and recommended the use of ART technology as an appropriate remedial alternative. The approved ART remediation technology was fully implemented in October 2007.

In March 2011, the property was approved for inclusion into the VIRP. This report represents the 4th semi-annual monitoring event since the inclusion of this site into the VIRP.

2.0 WORK PERFORMED DURING THIS MONITORING PERIOD

Several activities were completed during this period. These activities included:

1) Continued operation of the remedial system;
2) Completion of activities presented in the September 2012 Semi-Annual Progress Report (SAPR);
3) Addressing the GAEPDs comments to previously submitted SAPRs (letter dated November 2, 2012); and
4) Completion of site investigation and remedial activities due to an apparent new release of tetrachloroethene into one of the site monitor wells.

2.1 Remediation System Operation

During this monitoring period, the system was operated on an interim basis. Several site visits were conducted per month to ensure system stability and function. Air samples were collected to assess the performance of the SVE wells and determine the overall effectiveness of the remediation system. Current system operation consists of soil vapor extraction in wells SVE-1, and 2 and recovery well RW-3, at the down-gradient property boundary. The operation of recovery well RW-3 is limited to air sparging and soil vapor extraction. Operation of recovery wells RW-1 and RW-2 has been suspended in connection with interim activities described below.

2.2 Monitor Well Replacement

As previously reported, on August 28, 2012, Genesis Project replaced monitor well MW-8. This monitor well was being replaced since there was evidence that its age and location had affected the ability to obtain a representative groundwater sample. The replacement consisted of the abandonment of the old well via over drilling and filling with bentonite and Portland cement per State of Georgia regulations. The replacement well was placed within 2 feet of the new well and advanced to 20’ below ground surface (bgs) and screened up to 5’ bgs. The remaining borehole was filled with sand pack up to 1’ bgs and sealed with bentonite to approximately 3’’below the top of casing. The monitor well was purged of at least five (5) well volumes prior to the collection of a groundwater sample.

2.2.1 Groundwater Sample Collection

On August 29, 2012, a groundwater sample was collected from the newly installed monitor well MW-8 utilizing low-flow sampling techniques. Low-Flow sampling techniques are utilized in order to minimize the loss of volatile components during

groundwater sample collection. The groundwater sample is collected within laboratory provided containers and placed in a ice-filled cooler and submitted to Analytical Environmental Services (AES) Atlanta, GA for Volatile Organic Compounds (VOCs) analysis via EPA method 8260B.

The results from this newly installed monitor well revealed that a significant increase in dissolved concentrations of tetrachloroethene (10,000 ug/L), tricloroethene (1,800 ug/L) and cis-1,2-dichloroethene (760 ug/L) had occurred since the semi-annual sampling event conducted two (2) weeks earlier. The increase is greater than a 3,000% change in PCE concentrations within a two-week time frame. In addition, this result represented the highest concentration recorded for this site over the history of all site investigations. In order to authenticate this result, an additional groundwater sample was collected from MW-8 on October 2, 2012. Table A is provided below to illustrate the recent groundwater sampling observations.

TABLE A

Well Number	Date	Cis-1,2 DCE	Tetrachlorethene	Trichloroethene
MW-2	8/16/12	< 5	< 5	< 5
MW-8	8/16/12	< 5	**310**	< 5
	8/29/12	**760**	**10,000**	**1,800**
	10/2/12	**1,000**	**18,000**	**3,400**
MW-8D	8/16/12	< 5	15	< 5
MW-22	8/16/12	< 5	< 5	< 5

In light of the magnitude of the increase, prior sampling results, and the absence of any known onsite source, the result was initially suspected to be in error and unrepresentative of site conditions.

2.3 Release Investigation

Based on these analysis results, Genesis Project immediately began a process to conduct further investigation of soil and groundwater.

2.3.1. Soil Investigation

A soil investigation was conducted on October 16, 2012 in the vadose zone in the immediate vicinity of monitor well MW-8. A total of seven borings were completed and samples were collected from 0-2’ and 2-4’ bgs (Figure 2). Each of the soil samples were field screened with an organic vapor analyzer-photoionization detector (OVA-PID) to aid in the selection of samples to send to the laboratory for analysis of total VOCs. None of

the samples reported OVA-PID readings above the detection limit. As a result, soil samples from borings SB-2 thru SB-7 (0-2' and SB-3 (2-4') were submitted to AES for analysis of total VOCs. Table B is provided below to compile the soil data collected during this investigation.

TABLE B

Sample	Date	Sample Interval	Cis-1,2-DCE	Tetrachloroethene	Trichloroethene
SB-2	10/16/12	0-2'	< 0.0035	0.040	0.010
SB-3	10/16/12	0-2'	< 0.0034	< 0.0034	< 0.0034
		2-4'	< 0.0036	0.0038	< 0.0036
SB-4	10/16/12	0-2'	< 0.0029	0.0077	< 0.0029
SB-6	10/16/12	0-2'	< 0.0035	< 0.0035	< 0.0035
SB-7	10/16/12	0-2'	< 0.0041	< 0.0041	< 0.0041

The results of this soil investigation revealed no evidence of a new release to soil media at the site.

2.3.2. Groundwater Investigation

To determine whether other monitor wells in the vicinity of MW-8 had also experienced a sudden increase in groundwater concentrations, groundwater samples from three (3) wells (MW-2, MW-8D, and MW-22), were collected on October 11, 2012. Each of the groundwater samples were submitted to AES for analysis of VOCs. On October 29, 2012, monitor well POD-1 and MW-8 were also sampled. Table C is provided below to illustrate the analytical data collected during this timeframe.

TABLE C

Well Number	Date	Cis-1,2 DCE	Tetrachlorethene	Trichloroethene
MW-2	10/11/12	**5.4**	**8.2**	**5.1**
MW-8	10/11/12	NA	NA	NA
	10/29/12	**19**	**980**	**120**
MW-8D	10/11/12	< 5	< 5	< 5
MW-22	10/11/12	< 5	< 5	< 5
POD-1	10/29/12	< 5	6.1	< 5

The results of these sample events demonstrates that the sudden increase in groundwater concentrations is limited to the immediate vicinity of monitor well MW-8.

2.4 Interim Corrective Action Measures

Concurrent with the release investigation, interim corrective measures were conducted at the site.

2.4.1 Enhanced Fluid Recovery/Well Evacuation

On September 14, 2012 an Enhanced Fluid Recovery (EFR) event was conducted on monitor well MW-8. The event extracted a total of 2,930 gallons of impacted groundwater, with an equivalent of **1.38 gallons** of chlorinated compounds removed from the well. A confirmation sample was collected on October 2, 2012 to determine if the event had addressed the impacted groundwater onsite. The samples were submitted to AES for analysis of total VOCs. The results of the laboratory analysis showed a groundwater concentration of PCE of 18,000 ug/L.

On October 26, 2012 a pumping event was conducted on monitor well MW-8. This event focused on the removal of potential source materials present in the bottom of the well. The technical basis for this approach was that since PCE is a dense non-aqueous phase liquid (a density greater than water), the new release at MW-8 could have sunk to the bottom of well. Since the EFR stinger would not reach the bottom of the well casing without causing a radius of influence that would reach across property line, the bottom of the well was not evacuated during the initial event. A peristaltic pump was utilized to remove approximately 33 gallons of suspected source materials and impacted groundwater from the bottom of the well. This water was placed in a 55-gallon drum for characterization and disposal.

On October 29, 2012, Fruits and Associates, Inc. completed a second EFR event on the property. The event extracted a total of 2,650 gallons of water, with an equivalent of **0.079 gallons** of chlorinated compounds removed from MW-8. A confirmation groundwater sample was collected post-event to determine if the event had addressed the impacted groundwater at this location. The results were submitted to Xenco Laboratories for the analysis of total VOCs via EPA Method 8260B. The results of the laboratory analysis showed a groundwater concentration of PCE of 980 ug/L.

2.4.2 Chemical Injections

In an ongoing effort to reduce concentrations in groundwater as a result of the new release at MW-8, an in-situ chemical oxidation process was completed on December 11,

2012. This technology involved the injection of sodium persulfate in three (3) target areas with one at depth, to prevent vertical migration, and the remaining injection points just below the water table. The volume of injection was approximately 860 gallons, and was completed in a 12-hour time period. Single shallow injections ranged from 5'-10' feet bgs. The deep injections ranged from approximately 11-16' feet bgs. Post treatment samples were collected from the three (3) target areas after three (3) weeks of treatment. Analytical results collected from monitor well MW-8 again showed a persistently high PCE concentrations in monitor well MW-8. Analytical results from this post-sampling event are shown below in Table D.

TABLE D

Well Number	Date	Cis-1,2, DCE	Tetrachloroethene	Trichloroethene
MW-2	**1/3/13**	< 5	< 5	< 5
MW-8	**1/3/13**	**530**	**27,000**	**1,800**
MW-8D	**1/13/13**	< 5	< 5	< 5
POD-1	**1/3/13**	5.4	110	8.3

Based on these analytical results, it was determined that further investigation was necessary.

2.4.3 Source Investigation and Monitor Well Replacement

Potential source investigation activities were conducted during the first week of February 2013 in the vicinity of MW-8. The investigation included the replacement of monitor well MW-8 and completion of a test pit to evaluate subsurface conditions.

Prior to investigation and well replacement, existing monitor well MW-8 was used as an injection point for a potassium permanganate solution into the groundwater. An estimated 15 gallons of solution was used in this injection. During the treatment time, an area was prepared for the excavation of a 10' X 6' foot area with a depth extending to the water table in the vicinity of MW-8. After completion of the treatment, MW-8 casing was removed from the ground and bentonite pellets were placed in the remaining annulus.

A test pit excavation was completed in the immediate vicinity of monitor well MW-8. All soils were continuously monitored for impacts with a photo-ionization detector (PID) and stockpiled in appropriate location onsite. The excavation extended to the top of the water table. No soils, encountered in the excavation, exhibited elevated PID readings and there was no visual evidence of any impacts or potential sources in the area.

As a precaution, approximately 35 gallons of an activated potassium permanganate solution was sprayed on the bottom and sidewalls of the excavation prior to placing the soils back into the excavated area. All soils were backfilled to grade and repaved with asphalt. Monitor well MW-8 was replaced within the vicinity of the excavated area and is identified as MW-8R. Boring log for MW-2R and MW-8R are included in Appendix III.

Based on this investigation, there was no evidence of any impacts or source which could have caused the dramatic and sudden increase in concentrations in monitor well MW-8.

2.5 Summary of Suspected Release Investigation and Corrective Action

Based on these results from both sample collection and site investigation activities, it is evident that a significant increase in concentrations of PCE, TCE, and cis1,2-DCE are consistent with a new release directly into monitor well MW-8. This unpermitted new release into monitor well MW-8 is still being investigated.

The AXA Equitable Like Insurance Company is not responsible for this new release.

2.6 Semi-Annual Groundwater Sampling

On February 26-28th, 2012 depth-to-water and dissolved oxygen content measurements were recorded from all accessible monitor wells. Following these activities, groundwater samples were collected from designated wells utilizing low-flow sampling techniques. Low-flow sampling techniques are utilized in order to minimize the loss of volatile components during the groundwater sample collection. In accordance with the USEPA, Region IV, Science and Ecosystem Support Division standard operating procedure dated November 1, 2007, water quality parameters such as pH, conductivity, temperature, dissolved oxygen and groundwater drawdown rate are evaluated during purging to ensure groundwater samples are representative of formational groundwater. Stabilization criterion is based on dissolved oxygen (DO) concentrations as well as three successive readings ranging within +/- 0.10 for pH, +/- 0.30 (S/cm) conductivity, and < 10 ntu for turbidity. Once the parameters have stabilized, the groundwater sample is collected within the laboratory provided containers and placed in an ice-filled cooler and submitted to Analytical Environmental Services, AES for VOCs analysis via EPA method 8260B.

3.0 REPORTING PERIOD RESULTS

3.1 Groundwater Flow

The general direction of groundwater flow remains primarily to the north-northeast, with a hydraulic gradient of 0.002 with an average depth to water of 5.7 feet below top of casing (over the last seven years of data in gauged wells). The gradient was calculated via a three-point problem using monitor wells MW-4, MW-6 and MW-13. It should be noted that a limited number of wells were used in the preparation of the potentiometric surface due to inconsistencies in the water table readings. These inconsistencies may be due to influence from remedial activities, subsurface features (storm drains) or monitor well shifting/settling over time. To address this issue, each of the monitor wells will be re-surveyed to a common datum to evaluate water table conditions. Current potentiometric surface data is presented in Appendix I, Figure 3 and Appendix II, Table 1.

3.2 Groundwater Sampling Results

Laboratory analysis of the 12-groundwater samples indicated concentrations of dissolved COCs above the laboratory detection are limited to monitor wells MW-8R, and MW-12D. The only remaining source area in groundwater consists of the new release in former monitor well MW-8.

Dissolved oxygen measurements in groundwater continue to suggest that subsurface conditions remain preventative of the chemical reduction of PCE, thereby limiting the production of additional degradation products. The most recent groundwater analytical data is presented in Appendix I, Figures 4A and 4B, 5A and 5B; as well as 6A and 6B. A summary of historical groundwater analytical data is provided in Appendix II, Table 3. A copy of all groundwater sample logs is provided in Appendix IV. Laboratory analytical reports are provided in Appendix V.

3.3 Remediation System Effectiveness

There has been a substantial reduction in the concentrations in soil and groundwater since the implementation of the pilot test in December 2006. This comparison does not include the new release in the vicinity of monitor well MW-8R. In addition, current groundwater analytical data indicates the absence of all COCs across a majority of the site and confirms that the plume, originating from the Columbia Square Property, is limited to parcel 079/087 (Map J10). A summary of this evaluation is provided in Appendix VI.

3.4 Updated Three-Dimensional Conceptual Model

As per the requirements of the VIRP, a conceptual site model (CSM) is updated on a semi-annual basis using all available data. A CSM describes the criteria necessary to have a completed exposure pathway including 1) contaminant sources, 2) release and

transport mechanisms, 3) receiving media, 4) exposure media, 5) exposure routes and 6) potentially exposed populations. The three-dimensional CSM is presented in Appendix I, Figure 7A and 7B.

3.5 In-situ Permeability Testing/Fate and Transport Modeling

In-situ-permeability testing was re-evaluated to calculate a hydraulic conductivity at the site. Hydraulic conductivity (K) was estimated using Bower and Rice methods from slug tests (rising head) in monitor wells MW-22 and POD-1 in September 2011. Estimated hydraulic conductivity values for slug-out include:

	$K_{(cm/sec)}$
MW-22\1	6.9×10^{-3}
MW-22\2	7.1×10^{-3}
POD-1	2.4×10^{-2}

These values are representative of published K values for the Sandy Clays, Sandy Loams and Sandy Clay Loams identified in the study area. Utilizing the geometric mean for the K value (1.27×10^{-2} cm/sec) and a 0.23 effective porosity for Sandy Loams, groundwater flow velocities were conservatively calculated at 114 ft/year for the site. The average hydraulic gradient was calculated to be approximately 0.002 for the site area. Slug Test analysis results are included in Appendix VI.

3.6 Risk Reduction Standards for Potentially Complete Exposure Pathways

The objective of the CSM is to identify complete and incomplete exposure pathways, which were presented in the September 2012 Semi-annual Report. Figure 8 illustrates the Site Conceptual Exposure Model (SCEM) that has been developed for this site and the potentially complete exposure pathways. These potentially complete exposure pathways include:

Subsurface Soil

The direct exposure to impacted subsurface soil would be possible in the case of future ground-disturbing activities. As a result, the only potential exposure scenarios would include:

- **Construction and Utility Workers**.

The potential exposure pathways would include:

- Inhalation, and
- Ingestion

Risk Reduction Standards have been calculated for each of the COCs and are as follows:

Constituent of Concern	Calculated Risk Reduction Standard
Tetrachloroethene	346 mg/kg
Trichloroethene	16.9 mg/kg
Cis 1,2 dichloroethene	1,550 mg/kg

The detailed calculations for these calculations are included in Appendix VI. Based on these calculated RRSs, the soil at the former Vogue Cleaners meets these Type 3/4 standards.

Soil Vapor

The potential for exposure to soil vapors (originating from impacted soil and/or groundwater) is present in the interior of the commercial building alone. The potential exposure scenarios include exposure to "**Commercial Workers and Visitors"** via inhalation.

4.0 FUTURE SITE ACTIVITIES

The following activities will be completed at the site during the upcoming reporting period.

4.1 Ongoing System Operation and Site Activities

The system is currently operating as an SVE (Soil Vapor Extraction) system utilizing SVE wells SVE-1, and SVE-2. In addition, the continuation of air sparging and soil vapor extraction will continue on RW-3.

Each of the onsite monitor wells will be resurveyed to verify the accuracy of the potentiometric surface prepared for the site. The wells will be surveyed to a common datum (fixed structure) located on the property. The data will be used to prepare all future potentiometric surface maps.

4.2 Fate & Transport Modeling

Genesis Project will complete two-dimensional fate and transport model (BIOCHLOR) for the site based on site conditions. The results of the modeling effort will be reported during the upcoming reporting period.

4.3 Vapor Intrusion Pathway Evaluation

The evaluation of Vapor Intrusion as a potential exposure pathway will be developed during the upcoming reporting period.

4.4 Preparation of Compliance Status Report

Based on the results of the final evaluation of exposure pathways and calculation of applicable site-specific Risk Based Corrective Action Standards, the Compliance Status Report will be prepared for this site.

5.0 MILESTONE SCHEDULE

A milestone schedule is included in Appendix VIII.

6.0 SERVICE HOURS FOR THIS PERIOD

744.5 professional service hours have been completed by Genesis Project, Inc. from September 1, 2012 to January 31, 2013. The professional services hours were for each of the items presented in the Progress Report. Monthly totals are detailed in Appendix VIII.

7.0 LIFE-CYCLE COST ESTIMATE

The life cycle cost estimate is based on the anticipated activities necessary to finalize corrective action at this site. These activities will include:

1. Completion of site investigation activities
2. Completion of Corrective Action to appropriate RRSs
3. Preparation and submittal of a VIRP CSR.

Based on these activities the remaining estimated life cycle cost for this site is $123,000.

APPENDIX I
Figures



Name: MARTINEZ
Date: 2/6/2007
Scale: 1 inch equals 2000 feet

Location: 033° 30' 35.24" N 082° 06' 23.59" W NAD 27
Caption: Figure 1: Site Location Map
Vogue Cleaners
Martinez, Georgia

Copyright (C) 1999, Maptech, Inc.


RESTAURANT
MW-18
END OF CURB
RW-3
SB-3(0-2')
<0.0034
<0.0034
<0.0034
SYSTEM ENCLOSURE
SB-3(2-4')
<0.0036
0.0038
<0.0036
SB-7(0-2')
<0.0041
<0.0041
<0.0041
MW-8R
SB-2(0-2')
<0.0035
0.042
0.010
MW-22
SB-4(0-2')
<0.0029
0.0077
<0.0029
FORMER VOGUE CLEANERS
P-2
SB-6(0-2')
<0.0035
<0.0035
<0.0035
RW-2
MW-2R
P-1
SIDEWALK WITH AWNING
COLUMBIA SQUARE SHOPPING CENTER
RETENTION WALL
PROPERTY LINE
LEGEND:
MONITOR WELL LOCATION
MW-8 WELL ID
SOIL BORING LOCATION
SB-6(0-2') SOIL SAMPLE ID (SAMPLE DEPTH)
<0.0035 CIS 1,2 DCE RESULT (mg/kg)
<0.0035 PCE RESULT (mg/kg)
<0.0035 TCE RESULT (mg/kg)
REV DATE DES REVISION DESCRIPTION CADD CHK RVW
0 10/23/12 JAT -- JAT MDM TJM
SCALE 0 20 40
GRAPHIC SCALE IN FEET
Soil Investigation Map
October 16, 2012
Vogue Cleaners,
Martinez, Georgia
Genesis Project, Inc.
ENVIRONMENTAL SERVICES
Smyrna, Ga
PROJECT No. --
DESIGN JAT 10/23/12
CADD JAT 10/23/12
CHECK TJM 10/23/12
REVIEW MDM 10/23/12
FILE No. --
SCALE AS SHOWN REV. --
Figure 2



LEGEND:

- MONITOR WELL LOCATION
- MW-2 / 357.81 — WELL ID / GROUNDWATER ELEVATION
- POTENTIOMETRIC CONTOUR
- ESTIMATED CONTOUR
- GROUNDWATER FLOW DIRECTION
- ABANDONED MONITOR WELL LOCATION
- EXISTING OFF SITE MONITOR WELL

*DATA NOT USED IN CALCULATING POTENTIOMETRIC SURFACE

REV	DATE	DES	REVISION DESCRIPTION	CADD	CHK	RVW
0	3/15/13	JAT	--	JAT	MDM	TJM

SCALE 0 35.5 70

GRAPHIC SCALE IN FEET

Potentiometric Surface Map, February 26, 2013
Vogue Cleaners, Martinez, Georgia

Genesis Project, Inc.
ENVIRONMENTAL SERVICES.
Smyrna, Ga

PROJECT No.		--	FILE No.	--
DESIGN	JAT	3/15/13	SCALE AS SHOWN	REV. --
CADD	JAT	3/15/13	Figure 3	
CHECK	TJM	3/15/13		
REVIEW	MDM	3/15/13		



Legend

- GROUNDWATER WELL LOCATION
- MW-4 / <5 — WELL ID / PCE RESULT (ug/L)
- ABANDONED MONITOR WELL LOCATION
- NS — NOT SAMPLED
- EXISTING OFF SITE MONITOR WELL

*NOTE – SAMPLE COLLECTED SEPTEMBER 1, 2011

REV	DATE	DES	REVISION DESCRIPTION	CADD	CHK	RVW
0	3/15/13	JAT	--	JAT	MDM	TJM

SCALE 0 35.5 70

GRAPHIC SCALE IN FEET

PCE Results, February 26, 2013
Vogue Cleaners,
Martinez, Georgia

Genesis Project, Inc.
ENVIRONMENTAL SERVICES
Smyrna, Ga

PROJECT No.		--	FILE No.	--
DESIGN	JAT	3/15/13	SCALE AS SHOWN	REV. --
CADD	JAT	3/15/13	Figure 4A	
CHECK	TJM	3/15/13		
REVIEW	MDM	3/15/13		

Genesis Project, Inc.
ENVIRONMENTAL SERVICES.
Genesis Project, Inc.
1258 Concord Rd
Smyrna, Georgia 30080
Telephone: 770-319-7217
Fax: 770-319-7219

Figure 4B
PCE Results
February 26, 2013

CLIENT Morgan Stanley

PROJECT NUMBER

PROJECT NAME Former Vogue Cleaners

PROJECT LOCATION Martinez, Georgia

Asphalt
Bedrock
USCS Clayey Sand
Fill (made ground)
USCS Low Plasticity Clay
Screened Interval
USCS Clayey Sand
USCS Silty Sand




WASHINGTON ROAD
MW-20D
MW-19D
MW-19
MW-16
PROPERTY LINE
MONTEREY MEXICAN RESTAURANT BUILDING
MW-17
MW-17D
MW-18
END OF CURB
MW-10D
MW-10
SAFELITE AUTO GLASS AND DUNLOP TIRES (COLUMBIA CAR CARE)
MW-6 <5
MW-7 <5
POD-1 <5
SYSTEM ENCLOSURE
RW-3
MW-5D NA
MW-12D <5
MW-5 <5
MW-5DD
RW-1
MW-8D <5
MW-9D
MW-22 <5
MW-8R 840
P-2
MW-2R <5
RW-2
P-1
MW-4 <5
MW-11D
MW-15D
MW-15
MW-13D
MW-13
FORMER VOGUE CLEANERS
SIDEWALK WITH AWNING
COLUMBIA SQUARE SHOPPING CENTER
MW-1 <5
MW-3
MW-21D
RETENTION WALL
PROPERTY LINE
Legend
GROUNDWATER WELL LOCATION
MW-4 WELL ID
<5 TCE RESULT (ug/L)
ABANDONED MONITOR WELL LOCATION
NS NOT SAMPLED
EXISTING OFF SITE MONITOR WELL
*NOTE – SAMPLE COLLECTED SEPTEMBER 1, 2011
REV DATE DES REVISION DESCRIPTION CADD CHK RVW
0 3/15/13 JAT -- JAT MDM TJM
SCALE 0 35.5 70
GRAPHIC SCALE IN FEET
TCE Results, February 26, 2013
Vogue Cleaners,
Martinez, Georgia
Genesis Project, Inc.
ENVIRONMENTAL SERVICES
Smyrna, Ga
PROJECT No. --
DESIGN JAT 3/15/13
CADD JAT 3/15/13
CHECK TJM 3/15/13
REVIEW MDM 3/15/13
FILE No. --
SCALE AS SHOWN REV. --
Figure 5A

Genesis Project, Inc.
ENVIRONMENTAL SERVICES.
Genesis Project, Inc.
1258 Concord Rd
Smyrna, Georgia 30080
Telephone: 770-319-7217
Fax: 770-319-7219

Figure 5B
TCE Results
February 26, 2013

CLIENT Morgan Stanley

PROJECT NUMBER

PROJECT NAME Former Vogue Cleaners

PROJECT LOCATION Martinez, Georgia

Asphalt
Bedrock
USCS Clayey Sand
Fill (made ground)
USCS Low Plasticity Clay
Screened Interval
USCS Clayey Sand
USCS Silty Sand





REV	DATE	DES	REVISION DESCRIPTION	CADD	CHK	RVW
0	3/15/13	JAT	--	JAT	MDM	TJM

SCALE 0 35.5 70

GRAPHIC SCALE IN FEET

cis 1,2 DCE Results, February 26, 2013
Vogue Cleaners,
Martinez, Georgia

Genesis Project, Inc.
ENVIRONMENTAL SERVICES.
Smyrna, Ga

PROJECT No.	--		FILE No.	--
DESIGN	JAT	3/15/13	SCALE AS SHOWN	REV. --
CADD	JAT	3/15/13	Figure 6A	
CHECK	TJM	3/15/13		
REVIEW	MDM	3/15/13		

Genesis Project, Inc.
ENVIRONMENTAL SERVICES.
Genesis Project, Inc.
1258 Concord Rd
Smyrna, Georgia 30080
Telephone: 770-319-7217
Fax: 770-319-7219

Figure 6B
CIS 1,2 DCE Results
February 26, 2013

CLIENT Morgan Stanley

PROJECT NUMBER

PROJECT NAME Former Vogue Cleaners

PROJECT LOCATION Martinez, Georgia

Asphalt
Bedrock
USCS Clayey Sand
Fill (made ground)
USCS Low Plasticity Clay
Screened Interval
USCS Clayey Sand
USCS Silty Sand
cis 1,2 DCE







LEGEND:

- IMPACTED SOIL
- POTENTIALLY IMPACTED SOIL VAPOR
- IMPACTED GROUNDWATER
- GROUNDWATER
- SCREENED INTERVAL

REV	DATE	DES	REVISION DESCRIPTION	CADD	CHK	RVW
1	--	--	--	JAT	MDM	MDM

SCALE 0 25
SCALE IN FEET

CONCEPTUAL SITE MODEL
FORMER VOGUE CLEANERS
COLUMBIA SQUARE SHOPPING CENTER
MARTINEZ, GEORGIA

Genesis Project, Inc.
ENVIRONMENTAL SERVICES
Atlanta, Ga

PROJECT No.		CSS
DESIGN	JAT	9/17/12
CADD	JAT	9/17/12
CHECK	MDM	9/17/12
REVIEW	MDM	917/12

FILE No. --
SCALE AS SHOWN REV. --

Figure 7A





LEGEND:

- IMPACTED SOIL
- POTENTIALLY IMPACTED SOIL VAPOR
- IMPACTED GROUNDWATER
- GROUNDWATER
- SCREENED INTERVAL

REV	DATE	DES	REVISION DESCRIPTION	CADD	CHK	RVW
1	--	--	--	JAT	MDM	MDM

SCALE 0 25
SCALE IN FEET

CONCEPTUAL SITE MODEL
FORMER VOGUE CLEANERS
COLUMBIA SQUARE SHOPPING CENTER
MARTINEZ, GEORGIA

Genesis Project, Inc.
ENVIRONMENTAL SERVICES
Atlanta, Ga

PROJECT No.		CSS	FILE No.	--
DESIGN	JAT	9/17/12	SCALE AS SHOWN	REV. --
CADD	JAT	9/17/12		
CHECK	MDM	9/17/12		
REVIEW	MDM	9/17/12		

Figure 7B



REV	DATE	DES	REVISION DESCRIPTION	CADD	CHK	RVW
△	--	--	--	JAT	MDM	TJM

SCALE

SITE CONCEPTUAL EXPOSURE MODEL
FORMER VOGURE CLEANERS
MARTINEZ, GEORGIA

Genesis Project, Inc.
ENVIRONMENTAL SERVICES
Smyrna, GA

PROJECT No.		vc	FILE No.	--
DESIGN	JAT	9/24/12	SCALE AS SHOWN	REV. --
CADD	JAT	9/24/12		
CHECK	TJM	9/24/12		
REVIEW	MDM	9/24/12		

Figure
8

APPENDIX II
Tables

Table 1.
Summary of Groundwater Elevations
Vogue Cleaners
Martinez, Georgia

Sample ID	Sample Date	Top of Casing Elevation	Depth to Water (feet bls)	Corrected Groundwater Elevation
MW-1	09/20/06	363.61	5.40	358.21
	01/23/07		5.41	358.20
	06/27/07		NA	NA
	10/08/07		5.51	358.10
	01/14/08		5.57	358.04
	04/01/08		5.32	358.29
	07/22/08		NA	NA
	10/07/08		NA	NA
	01/28/09		NA	NA
	07/02/09		5.38	358.23
	01/12/10		NA	NA
	08/03/10		5.21	358.40
	01/19/11		NA	NA
	07/26/11		5.43	358.18
	02/22/12		5.54	358.07
	08/15/12		5.53	358.08
	02/26/13		5.49	358.12
MW-2	09/20/06	363.54	5.61	357.93
	01/23/07		5.55	357.99
	06/27/07		5.56	357.98
	10/08/07		5.69	357.85
	01/14/08		5.71	357.83
	04/01/08		5.58	357.96
	07/22/08		5.60	357.94
	10/07/08		5.70	357.84
	01/28/09		5.62	357.92
	07/02/09		5.61	357.93
	01/12/10		5.52	358.02
	08/03/10		5.50	358.04
	01/19/11		5.66	357.88
	07/26/11		5.55	357.99
	02/22/12		5.71	357.83
	08/15/12		5.73	357.81
			ABANDONED	
MW-2R	02/26/12	363.50	5.67	357.83
MW-3	01/27/09	362.47	4.31	358.16
	07/02/09		4.29	358.18
	01/12/10		NA	NA
	08/03/10		4.21	358.26
	02/22/12		ABANDONED	
MW-4	09/20/06	362.89	4.95	357.94
	01/23/07		4.80	358.09
	06/27/07		4.88	358.01
	10/08/07		4.96	357.93
	01/14/08		5.05	357.84
	04/01/08		4.91	357.98
	07/22/08		4.95	357.94
	10/07/08		5.09	357.80
	01/27/09		4.95	357.94
	07/02/09		4.96	357.93
	01/12/10		4.51	358.38
	08/03/10		4.87	358.02
	01/19/11		5.08	357.81
	07/26/11		4.99	357.90
	02/22/12		5.03	357.86
	08/15/12		5.04	357.85
	02/26/13		5.00	357.89
MW-5	09/20/06	363.37	5.74	357.63
	01/23/07		5.70	357.67
	06/26/07		5.55	357.82
	10/09/07		5.81	357.56
	01/14/08		5.80	357.57
	04/01/08		5.75	357.62
	07/22/08		5.76	357.61
	10/07/08		5.83	357.54
	01/27/09		5.85	357.52
	07/02/09		5.75	357.62
	01/12/10		5.75	357.62
	08/03/10		5.75	357.62
	01/19/11		5.84	357.53
	07/26/11		5.78	357.59
	02/22/12		5.80	357.57
	08/15/12		5.82	357.55
	02/26/13		5.77	357.60
MW-5D	09/20/06	365.66	7.65	358.01
	01/23/07		11.12	354.54
	06/26/07		6.72	358.94
	10/09/07		8.44	357.22
	01/14/08		7.19	358.47
	04/01/08		10.28	355.38
	07/22/08		8.42	357.24
	10/07/08		5.83	359.83
	01/27/09		6.52	359.14
	07/02/09		5.39	360.27
	01/12/10		4.39	361.27
	08/03/10		6.90	358.76
	01/19/11		7.79	357.87
	07/26/11		7.80	357.86
	02/22/12		NA	NA
	08/15/12		NA	NA
	02/26/13		NA	NA

Table 1.
Summary of Groundwater Elevations
Vogue Cleaners
Martinez, Georgia

Sample ID	Sample Date	Top of Casing Elevation	Depth to Water (feet bls)	Corrected Groundwater Elevation
MW-6	09/20/06	363.71	6.01	357.70
	01/23/07		5.95	357.76
	06/26/07		6.00	357.71
	10/08/07		6.10	357.61
	01/14/08		6.06	357.65
	04/01/08		6.02	357.69
	07/22/08		6.08	357.63
	10/07/08		6.12	357.59
	01/27/09		6.03	357.68
	07/02/09		6.67	357.04
	01/12/10		5.99	357.72
	08/03/10		5.96	357.75
	01/19/11		6.09	357.62
	07/26/11		6.08	357.63
	02/22/12		6.08	357.63
	08/15/12		6.07	357.64
	02/26/13		6.00	357.71
MW-7	09/20/06	364.43	5.11	359.32
	01/23/07		5.68	358.75
	06/26/07		5.68	358.75
	10/08/07		5.82	358.61
	01/14/08		5.81	358.62
	04/01/08		5.75	358.68
	07/22/08		5.76	358.67
	10/07/08		5.83	358.60
	01/27/09		5.73	358.70
	07/02/09		5.78	358.65
	01/12/10		5.70	358.73
	08/03/10		5.98	358.45
	01/19/11		5.80	358.63
	07/26/11		5.76	358.67
	02/22/12		5.79	358.64
	08/15/12		5.76	358.67
	02/26/13		5.72	358.71
MW-8	09/20/06	364.01	6.21	357.80
	01/23/07		6.15	357.86
	06/27/07		6.21	357.80
	10/09/07		6.09	357.92
	01/14/08		6.32	357.69
	04/01/08		6.22	357.79
	07/22/08		6.23	357.78
	10/07/08		6.32	357.69
	01/28/09		6.22	357.79
	07/02/09		5.62	358.39
	01/12/10		6.15	357.86
	08/03/10		6.18	357.83
	01/19/11		6.27	357.74
	07/26/11		6.28	357.73
	02/22/12		6.33	357.68
	08/15/12		6.30	357.71
	08/30/12		5.76	358.25
	10/02/12		5.68	358.33
	10/30/12		NM	NM
			ABANDON	
MW-8R	02/26/13	363.1	6.52	356.58
MW-8D	09/20/06	363.90	5.96	357.94
	01/23/07		6.04	357.86
	06/27/07		6.31	357.59
	10/09/07		6.32	357.58
	01/14/08		6.59	357.31
	04/01/08		6.33	357.57
	07/22/08		6.14	357.76
	10/07/08		2.67	361.23
	01/28/09		5.64	358.26
	07/02/09		6.29	357.61
	01/12/10		6.62	357.28
	08/03/10		6.74	357.16
	01/19/11		6.01	357.89
	07/26/11		6.18	357.72
	02/22/12		7.85	356.05
	08/15/12		6.23	357.67
	02/26/13		6.52	357.38
MW-12D	09/20/06	363.58	15.09	348.49
	01/23/07		15.30	348.28
	06/26/07		14.64	348.94
	10/09/07		14.93	348.65
	01/14/08		16.82	346.76
	04/01/08		17.23	346.35
	07/22/08		17.23	346.35
	10/07/08		17.90	345.68
	01/27/09		18.26	345.32
	07/02/09		18.73	344.85
	01/12/10		17.99	345.59
	08/03/10		17.09	346.49
	01/19/11		17.79	345.79
	07/26/11		15.70	347.88
	02/22/12		10.30	353.28
	08/15/12		10.18	353.40
	02/26/13		0.15	363.43

Table 1.
Summary of Groundwater Elevations
Vogue Cleaners
Martinez, Georgia

Sample ID	Sample Date	Top of Casing Elevation	Depth to Water (feet bls)	Corrected Groundwater Elevation
MW-13	01/14/08	363.99	6.20	357.79
	04/01/08		6.06	357.93
	07/22/08		6.10	357.89
	10/07/08		6.73	357.26
	01/27/09		6.10	357.89
	07/02/09		6.19	357.80
	01/12/10		5.78	358.21
	08/03/10		5.94	358.05
	01/19/11		6.13	357.86
	07/26/11		6.48	357.51
	02/22/12		6.18	357.81
	08/15/12		6.16	357.83
	02/26/13		6.06	357.93
MW-15	10/09/07	365.57	7.45	358.12
	01/04/08		7.35	358.22
	07/22/08		7.41	358.16
	10/07/08		7.58	357.99
	02/02/09		7.41	358.16
	07/02/09		NA	NA
	01/12/10		NA	NA
	08/03/10		7.36	358.21
	01/19/11		7.47	358.10
	07/26/11		7.44	358.13
	02/22/12		ABANDONED	
MW-16	01/27/09	362.65	4.75	357.90
	07/02/09		5.06	357.59
	01/12/10		NA	NA
	08/03/10		5.70	356.95
	01/19/11		3.78	358.87
	07/26/11		NA	NA
	02/22/12		ABANDONED	
MW-18	01/14/08	364.55	6.76	357.79
	04/01/08		6.71	357.84
	07/22/08		6.78	357.77
	10/07/08		6.79	357.76
	01/27/09		6.70	357.85
	07/02/09		6.83	357.72
	01/12/10		6.65	357.90
	08/03/10		6.65	357.90
	01/19/11		6.72	357.83
	07/26/11		NA	NA
	02/22/12		ABANDONED	
MW-22	07/26/11	363.1	5.49	357.61
	02/22/12		5.55	357.55
	08/15/12		5.55	357.55
	02/26/13		5.50	357.60
POD-1	07/26/11	362.86	5.55	357.31
	02/22/12		5.60	357.26
	08/15/12		5.59	357.27
	02/26/13		5.54	357.32

Notes:
NA Not Accessible
ft bls: Feet Below Land Surface

Table 2.
Summary of Groundwater Analytical Results
Vogue Cleaners
Martinez, Georgia

Sample ID	Sample Date	Screened Interval (ft bls)	VOCs (ug/L) cis-1,2-DCE	PCE	TCE	Vinyl Cloride	trans-1,2-DCE	Benzene	Toluene	Xylenes
MW-1	10/17/06	2.05 - 12.05	<5	<5	<5	<2	<5	<5	<5	<10
	01/01/07	2.05 - 12.05	3J	19	3J	<2	<5	8	<5	<10
	06/07/07	2.05 - 12.05	NA	NA	NA	NA	NA	NA	NA	NA
	10/10/07	2.05 - 12.05	<5	< 5	< 5	< 10	NA	9	BDL	BDL
	01/01/08	2.05 - 12.05	<1	1	<1	<1	<1	9	<1	<2
	04/01/08	2.05 - 12.05	< 5	< 5	< 5	< 2	< 5	14	< 5	<10
	07/01/08	2.05 - 12.05	NS	NS	NS	NS	NS	NS	NS	NS
	10/08/08	2.05 - 12.05	NS	NS	NS	NS	NS	NS	NS	NS
	01/09/09	2.05 - 12.05	NS	NS	NS	NS	NS	NS	NS	NS
	07/02/09	2.05 - 12.05	NS	NS	NS	NS	NS	NS	NS	NS
	01/13/10	2.05 - 12.05	NS	NS	NS	NS	NS	NS	NS	NS
	08/03/10	2.05 - 12.05	< 5	< 5	< 5	< 2	< 5	6	< 5	< 10
	01/19/11	2.05 - 12.05	NS	NS	NS	NS	NS	NS	NS	NS
	07/27/11	2.05 - 12.05	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 10
	02/23/12	2.05 - 12.05	< 5	< 5	< 5	< 2	< 5	13	< 5	< 10
	08/15/12	2.05 - 12.05	<5	<5	<5	<2	<5	<5	<5	<10
	02/28/13	2.05 - 12.05	<5	<5	<5	<2	<5	<5	<5	<10
MW-2	10/17/06	3.25 - 13.25	708	1,980	360	<2	<5	11	<5	<10
	01/01/07	3.25 - 13.25	1,340	7,820	947	<2	<5	10	<5	<10
	06/07/07	3.25 - 13.25	600	6,400	110	<10	<10	12	<10	<20
	10/01/07	3.25 - 13.25	109	1,100	35	< 2	< 5	< 5	< 5	<10
	01/01/08	3.25 - 13.25	93	1,500	35	<1	<1	<1	<1	<2
	04/01/08	3.25 - 13.25	130	1,570	37	< 2	< 5	4J	< 5	<10
	07/08/08	3.25 - 13.25	34	575	14	< 2	< 5	5	< 5	< 10
	10/09/08	3.25 - 13.25	25	403	9	< 2	< 5	< 5	< 5	< 10
	01/09/09	3.25 - 13.25	24	166	14	< 2	< 5	< 5	< 5	< 10
	07/02/09	3.25 - 13.25	110	68	37	< 1	< 1	< 1	< 1	< 2
	01/13/10	3.25 - 13.25	26	18	8	< 2	< 5	< 5	< 5	< 15
	08/03/10	3.25 - 13.25	8	100	< 5	< 2	< 5	< 5	< 5	< 15
	01/19/11	3.25 - 13.25	6	210	14	< 2	< 5	< 5	< 5	< 10
	07/27/11	3.25 - 13.25	<5	420	32	< 2	< 5	< 5	< 5	< 10
	09/01/11	3.25 - 13.25	< 5	97	9.7	< 2	< 5	< 5	< 5	< 10
	01/12/12	3.25 - 13.25	8.5	160	11.0	< 2	< 5	< 5	< 5	< 10
	02/23/12	3.25 - 13.25	< 5	360	30.0	< 2	< 5	< 5	< 5	< 10
	08/16/12	3.25 - 13.25	<5	<5	<5	<2	<5	<5	<5	<10
	10/11/12	3.25 - 13.25	5	8	5	<2	<5	<5	<5	<10
			ABANDON WELL							
MW-2R	02/28/13	2.00-22.05	<5	<5	<5	<2	<5	<5	<5	<10
MW-4	10/17/06	2.6 - 13.12	<5	5	<5	<2	<5	<5	<5	<10
	01/01/07	2.6 - 13.12	<5	3J	<5	<2	<5	3J	<5	<10
	06/07/07	2.6 - 13.12	<1	<1	<1	<1	<1	<1	<1	<2
	10/01/07	2.6 - 13.12	< 5	< 5	< 5	< 2	< 5	6.0	< 15	<10
	01/01/08	2.6 - 13.12	<1	2	<1	<1	<1	7	<1	<2
	04/01/08	2.6 - 13.12	< 5	< 5	< 5	< 2	< 5	9	< 5	<10
	07/08/08	2.6 - 13.12	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 10
	10/08/08	2.6 - 13.12	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 10
	01/09/09	2.6 - 13.12	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 10
	07/02/09	2.6 - 13.12	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 2
	01/13/10	2.6 - 13.12	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 15
	08/03/10	2.6 - 13.12	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 15
	01/19/11	2.6 - 13.12	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 10
	07/27/11	2.6 - 13.12	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 10
	02/23/12	2.6 - 13.12	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 10
	08/16/12	2.6 - 13.12	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 10
	02/27/13	2.6 - 13.12	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 10
MW-5	10/17/06	3.08 - 13.08	<5	<5	<5	<2	<5	<5	<5	<10
	01/01/07	3.08 - 13.08	27	231	26	<2	<5	<5	<5	<10
	06/07/07	3.08 - 13.08	3	10	5	<1	<1	<1	<1	<2
	10/01/07	3.08 - 13.08	77	557	99	< 2	< 5	< 5	< 5	<10
	01/01/08	3.08 - 13.08	7	170	3	<1	<1	<1	<1	<2
	04/01/08	3.08 - 13.08	< 5	8	< 5	< 2	< 5	< 5	< 5	<10
	07/08/08	3.08 - 13.08	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 10
	10/08/08	3.08 - 13.08	< 5	13	< 5	< 2	< 5	< 5	< 5	< 10
	01/09/09	3.08 - 13.08	< 5	22	< 5	< 2	< 5	< 5	< 5	< 10
	07/02/09	3.08 - 13.08	< 1	5	< 1	< 1	< 1	< 1	< 1	< 2
	01/13/10	3.08 - 13.08	< 5	160	< 5	< 2	< 5	< 5	< 5	< 15
	08/03/10	3.08 - 13.08	< 5	90	< 5	< 2	< 5	< 5	< 5	< 15
	01/19/11	3.08 - 13.08	6	11	< 5	< 2	< 5	6	< 5	< 10
	07/27/11	3.08 - 13.08	< 5	8.8	< 5	< 2	< 5	< 5	< 5	< 10
	02/23/12	3.08 - 13.08	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 10
	08/15/12	3.08 - 13.08	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 10
	02/27/13	3.08 - 13.08	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 10
MW-5D	10/17/06	26.55 - 36.55	<5	<5	<5	<2	<5	<5	<5	<10
	01/01/07	26.55 - 36.55	<5	<5	<5	<2	<5	<5	<5	<10
	06/07/07	26.55 - 36.55	<1	<1	<1	<1	<1	<1	<1	<2
	10/01/07	26.55 - 36.55	< 5	< 5	< 5	<2	< 5	< 5	< 5	<10
	01/01/08	26.55 - 36.55	<1	2	<1	<1	<1	<1	<1	<2
	04/01/08	26.55 - 36.55	< 5	< 5	< 5	< 2	< 5	< 5	< 5	<10
	07/08/08	26.55 - 36.55	< 5	< 5	< 5	< 2	< 5	< 5	< 5	<10
	10/08/08	26.55 - 36.55	< 5	< 5	< 5	< 2	< 5	< 5	< 5	<10
	01/09/09	26.55 - 36.55	< 5	< 5	< 5	< 2	< 5	< 5	< 5	<10
	07/02/09	26.55 - 36.55	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 2
	01/13/10	26.55 - 36.55	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 15
	08/03/10	26.55 - 36.55	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 15
	01/19/11	26.55 - 36.55	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 10
	07/27/11	26.55 - 36.55	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 10
	02/23/12	26.55 - 36.55	NA	NA	NA	NA	NA	NA	NA	NA
	08/15/12	26.55 - 36.55	NA	NA	NA	NA	NA	NA	NA	NA
	02/28/13	26.55 - 36.55	NA	NA	NA	NA	NA	NA	NA	NA

Table 2.
Summary of Groundwater Analytical Results
Vogue Cleaners
Martinez, Georgia

Sample ID	Sample Date	Screened Interval (ft bls)	VOCs (ug/L) cis-1,2-DCE	PCE	TCE	Vinyl Cloride	trans-1,2-DCE	Benzene	Toluene	Xylenes
MW-6	10/17/06	3.15 - 13.15	<5	<5	<5	<2	<5	<5	<5	<10
	01/01/07	3.15 - 13.15	<5	<5	<5	<2	<5	<5	<5	<10
	06/01/07	3.15 - 13.15	<1	4	<1	<1	<1	<1	<1	<2
	10/01/07	3.15 - 13.15	<5	<5	<5	<2	< 5	< 5	< 5	<10
	01/01/08	3.15 - 13.15	<1	3	<1	<1	<1	<1	<1	<2
	04/01/08	3.15 - 13.15	< 5	< 5	< 5	< 2	< 5	< 5	< 5	<10
	07/08/08	3.15 - 13.15	< 5	< 5	< 5	< 2	< 5	< 5	< 5	<10
	10/08/08	3.15 - 13.15	< 5	< 5	< 5	< 2	< 5	< 5	< 5	<10
	01/09/09	3.15 - 13.15	< 5	< 5	< 5	< 2	< 5	< 5	< 5	<10
	07/02/09	3.15 - 13.15	1.0	1	1.0	< 1	< 1	< 1	< 1	< 2
	01/13/10	3.15 - 13.15	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 15
	08/03/10	3.15 - 13.15	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 15
	01/19/11	3.15 - 13.15	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 10
	07/27/11	3.15 - 13.15	< 5	< 5	< 5	< 2	< 5	9.4	< 5	< 10
	02/23/12	3.15 - 13.15	< 5	< 5	< 5	< 2	< 5	9.4	< 5	< 10
	08/15/12	3.15 - 13.15	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 10
	02/28/13	3.15 - 13.15	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 10
MW-7	10/17/06	2.95 - 12.95	<5	<5	<5	<2	<5	<5	<5	<10
	01/01/07	2.95 - 12.95	<5	<5	<5	<2	<5	<5	<5	<10
	06/01/07	2.95 - 12.95	<1	<1	<1	<1	<1	<1	<1	<2
	10/01/07	2.95 - 12.95	<5	<5	<5	<2	<5	<5	<5	<10
	01/01/08	2.95 - 12.95	<1	<1	<1	<1	<1	<1	<1	<2
	04/01/08	2.95 - 12.95	< 5	< 5	< 5	< 2	< 5	< 5	< 5	<10
	07/08/08	2.95 - 12.95	< 5	< 5	< 5	< 2	< 5	< 5	< 5	<10
	10/08/08	2.95 - 12.95	< 5	< 5	< 5	< 2	< 5	< 5	< 5	<10
	01/09/09	2.95 - 12.95	< 5	< 5	< 5	< 2	< 5	< 5	< 5	<10
	07/02/09	2.95 - 12.95	< 1	< 1	< 1	< 1	< 1	< 1	< 1	< 2
	01/13/10	2.95 - 12.95	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 15
	08/03/10	2.95 - 12.95	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 15
	01/19/11	2.95 - 12.95	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 10
	07/27/11	2.95 - 12.95	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 10
	02/23/12	2.95 - 12.95	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 10
	08/15/12	2.95 - 12.95	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 10
	02/28/13	2.95 - 12.95	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 10
MW-8	10/17/06	4.425 - 19.45	<5	148	5	<2	<5	<5	<5	<10
	01/01/07	4.425 - 19.45	<5	238	5	<2	<5	<5	<5	<10
	06/01/07	4.425 - 19.45	<1	95	3	<1	<1	<1	<1	<2
	10/01/07	4.425 - 19.45	<5	33	<5	<2	<5	<5	<5	<10
	01/01/08	4.425 - 19.45	<1	110	3	<1	<1	<1	<1	<2
	04/01/08	4.425 - 19.45	4J	603	17	< 2	< 5	< 5	< 5	<10
	07/08/08	4.425 - 19.45	< 5	159	5	< 2	< 5	< 5	< 5	<10
	10/08/08	4.425 - 19.45	< 5	144	< 5	< 2	< 5	< 5	< 5	<10
	01/09/09	4.425 - 19.45	< 5	353	8	< 2	< 5	< 5	< 5	<10
	07/02/09	4.425 - 19.45	< 1	110	1	< 1	< 1	< 1	< 1	< 2
	01/13/10	4.425 - 19.45	< 5	290	< 5	< 2	< 5	< 5	< 5	< 15
	08/03/10	4.425 - 19.45	< 5	160	< 5	< 2	< 5	< 5	< 5	< 15
	01/19/11	4.425 - 19.45	< 5	120	< 5	< 2	< 5	< 5	< 5	< 10
	07/27/11	4.425 - 19.45	< 5	23	< 5	< 2	< 5	< 5	< 5	< 10
	02/23/12	4.425 - 19.45	< 5	48	< 5	< 2	< 5	< 5	< 5	< 10
	08/16/12	4.425 - 19.45	< 5	310	< 5	< 2	< 5	< 5	< 5	< 10
			ABANDON WELL							
MW-8R	02/28/13	2.00-19.05	17	2,600	840	< 2	< 5	< 5	< 5	< 10
MW-8D	10/17/06	29.42 - 39.42	<5	12	<5	<2	<5	<5	<5	<10
	01/01/07	29.42 - 39.42	<5	11	<5	<2	<5	<5	<5	<10
	06/01/07	29.42 - 39.42	<1	<1	<1	<1	<1	<1	<1	<2
	10/01/07	29.42 - 39.42	<5	<5	<5	<2	<5	<5	<5	<10
	01/01/08	29.42 - 39.42	<1	51	<1	<1	<1	<1	<1	<2
	04/01/08	29.42 - 39.42	< 5	< 5	< 5	< 2	< 5	< 5	< 5	<10
	07/08/08	29.42 - 39.42	< 5	< 5	< 5	< 2	< 5	< 5	< 5	<10
	10/08/08	29.42 - 39.42	< 5	< 5	< 5	< 2	< 5	< 5	< 5	<10
	01/09/09	29.42 - 39.42	< 5	< 5	< 5	< 2	< 5	< 5	< 5	<10
	07/02/09	29.42 - 39.42	< 1	1	< 1	< 1	< 1	< 1	< 1	< 2
	01/13/10	29.42 - 39.42	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 15
	08/03/10	29.42 - 39.42	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 15
	01/19/11	29.42 - 39.42	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 10
	07/27/11	29.42 - 39.42	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 10
	02/23/12	29.42 - 39.42	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 10
	08/16/12	4.425 - 19.45	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 10
MW-12D	10/17/06	28.47 - 38.47	99	340	19	<2	<5	7	8	<10
	01/01/07	28.47 - 38.47	44	752	19	<2	<5	3J	12	<10
	06/01/07	28.47 - 38.47	32	540	12	<1	<1	5	7	<2
	10/01/07	28.47 - 38.47	21	338	9	< 2	< 5	4J	5	<10
	01/01/08	28.47 - 38.47	8	99	2	<1	<1	6	2	<2
	04/01/08	28.47 - 38.47	8	118	< 5	< 2	< 5	< 5	< 5	<10
	07/08/08	28.47 - 38.47	5	118	< 5	< 2	< 5	< 5	< 5	<10
	10/08/08	28.47 - 38.47	5	72	< 5	< 2	< 5	< 5	< 5	<10
	01/09/09	28.47 - 38.47	117	16	< 5	< 2	< 5	< 5	< 5	<10
	07/02/09	28.47 - 38.47	120	52	10	< 1	< 1	2	1	< 2
	01/13/10	28.47 - 38.47	160	15	< 5	< 2	< 5	< 5	< 5	< 15
	08/03/10	28.47 - 38.47	120	12	6	< 2	< 5	8	< 5	< 15
	01/19/11	28.47 - 38.47	150	8	< 5	< 2	< 5	7	< 5	< 10
	07/27/11	28.47 - 38.47	120	<5	< 5	< 2	< 5	5.9	< 5	< 10
	02/23/12	28.47 - 38.47	54	<5	< 5	< 2	< 5	< 5	< 5	< 10
	08/15/12	28.47 - 38.47	13	12	< 5	< 2	< 5	< 5	< 5	< 10
	02/27/13	28.47 - 38.47	11	<5	< 5	< 2	< 5	< 5	< 5	< 10
MW-22	07/08/11	3.6 - 13.6	14	8	< 5	< 2	< 5	< 5	< 5	< 10
	07/27/11	3.6 - 13.6	11	11	< 5	< 2	< 5	< 5	< 5	< 10
	01/12/12	3.6 - 13.6	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 10
	02/23/12	3.6 - 13.6	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 10
	08/16/12	3.6 - 13.6	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 10
	02/27/13	3.6 - 13.6	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 10
POD-1	07/08/11	3.1 - 13.1	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 10
	07/27/11	3.1 - 13.1	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 10
	02/23/12	3.1 - 13.1	< 5	22	< 5	< 2	< 5	< 5	< 5	< 10
	08/15/12	3.1 - 13.1	< 5	12	< 5	< 2	< 5	< 5	< 5	< 10
	10/29/12	3.1 - 13.1	< 5	6	< 5	< 2	< 5	< 5	< 5	< 10
	02/27/13	3.1 - 13.1	< 5	< 5	< 5	< 2	< 5	< 5	< 5	< 10

Notes:

VOCs	Volatile Organic Compounds
ug/L	micrograms per Liter
ft bls	feet below land surface
DCE	dichloroethene
PCE	tetrachloroethene
TCE	trichloroethene
<5	Below Laboratory Detection Limit

APPENDIX III
Boring Logs Well Construction

Genesis Project, Inc.
ENVIRONMENTAL SERVICES.
Genesis Project, Inc
1258 Concord Road
Smyrna, Ga 30080
Telephone: 770-319-7217
Fax: 770-3197219

WELL NUMBER MW-2R

CLIENT Morgan Stanley
PROJECT NAME Former Vogue Cleaners
PROJECT NUMBER
PROJECT LOCATION Martinez, Georgia
DATE STARTED 8/29/12 **COMPLETED** 8/29/12
GROUND ELEVATION 364.01 ft MSL **HOLE SIZE** 6"
DRILLING CONTRACTOR
GROUND WATER LEVELS:
DRILLING METHOD HSA
AT TIME OF DRILLING 6.00 ft / Elev 358.01 ft
LOGGED BY **CHECKED BY**
AT END OF DRILLING ---
NOTES
AFTER DRILLING ---

DEPTH (ft)	SAMPLE TYPE NUMBER	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION	WELL DIAGRAM
0				0.4 Asphalt/Gravel 363.6	
		SC		(SC) SAND, tan, some silt, moist, low to non plastic	Grout; Bentonite Seal; PVC Riser
				4.0 360.0	
		SC		(SC) SAND, orange, some silt, moist, low to non plastic	
5				5.0 359.0	
		SC		(SC) SAND, white, some silt, trace clay, wet, low plastic	Sand Filter; 0.010" Screen
10					
15				19.0 345.0	

Bottom of borehole at 19.0 feet.

GENERAL BH / TP / WELL - GINT STD US LAB.GDT - 4/4/13 09:56 - C:\USERS\JAT\DESKTOP\VOGUE CLEANERS\WELL LOGS.GPJ

Genesis Project, Inc
ENVIRONMENTAL SERVICES.
Genesis Project, Inc
1258 Concord Road
Smyrna, Ga 30080
Telephone: 770-319-7217
Fax: 770-3197219

WELL NUMBER MW-8R

CLIENT Morgan Stanley
PROJECT NAME Former Vogue Cleaners
PROJECT NUMBER
PROJECT LOCATION Martinez, Georgia
DATE STARTED 2/12/13 **COMPLETED** 2/12/13
GROUND ELEVATION **HOLE SIZE** 6"
DRILLING CONTRACTOR
GROUND WATER LEVELS:
DRILLING METHOD HSA
AT TIME OF DRILLING ---
LOGGED BY **CHECKED BY**
AT END OF DRILLING ---
NOTES
AFTER DRILLING ---

DEPTH (ft)	SAMPLE TYPE NUMBER	U.S.C.S.	GRAPHIC LOG	MATERIAL DESCRIPTION
0				Asphalt (0.6)
				FILL (5.0)
5		SC		(SC) SAND, medium grained, light brown, well sorted, some gravel (10.0)
10		SC		(SC) SAND, white, wet (15.0)
15		SC		(SC) SAA (20.0)
20				

WELL DIAGRAM



Bottom of borehole at 20.0 feet.

GENERAL BH / TP / WELL - GINT STD US LAB.GDT - 4/4/13 09:59 - C:\USERS\JAT\DESKTOP\VOGUE CLEANERS\WELL LOGS.GPJ

APPENDIX IV
Groundwater Sample Logs

SKU

Low-Flow Purging and Sampling Log

Project: Vogue Cleaners Date: 2/~~28~~ 27/13 Well ID: MW-1 Page: _____

Sampling Instrument: QED Pump Rate: 100/2 (mL/min)

Intial Readings
Well Depth: ~~6.40~~ Screened Interval: _____ Water Level: _____ Depth to Pump Intake: 6.40'

Time (24hr)	Water Level (ft) (TOC)	Purge Volume (gal)	pH	Temp ©	Specific Conductance (mS/cm)	Dissolved Oxygen (mg/L)	Turbidity (NTU)	Redox (Eh)	Comments
			5.00	17.88	0.108	1.36	2.06		
			5.00	18.15	0.109	1.06	1.86		
			5.00	18.18	0.110	1.04	1.24		
			4.99	18.18	0.073	0.71	0.94		
			4.91	18.21	0.118	0.63	1.05		
			4.89	18.21	0.119	0.58	0.85		
			4.88	18.23	0.120	0.57	0.51		
			4.85	18.23	0.121	0.57	0.55		
			4.86	18.26	0.121	0.57	0.46		

Depth to Water after sample collection: 2/~~28~~ 27/13 / 12:00 Total Gallons Purged: _____

Date/Time Sample Collection _____

Parameter Standards:
pH +/- 0.1, +/-3% conductivity, +/-10mv for Redox potential, and +/-%10 for turbidity or DO.
Turbidity range (<5/=) NTU, if turbidity exceeds 5 NTUs: sample must be filtered for metals
water level drawdown in the well not to exceed 0.2 ft.

Low-Flow Purging and Sampling Log

Project: Vogue Cleaners Date: 2/27/13 Well ID: ~~MW-5D~~ MW-2 Page: 1 of 2

Sampling Instrument: QED Pump Rate: 100/2 (mL/min)

Intial Readings
Well Depth: _____ Screened Interval: _____ Water Level: 5.67 Depth to Pump Intake: 6.61

Time (24hr)	Water Level (ft) (TOC)	Purge Volume (gal)	pH	Temp ©	Specific Conductance (mS/cm)	Dissolved Oxygen (mg/L)	Turbidity (NTU)	Redox (Eh)	Comments
1140	5.67	2.2	5.36	18.88	0.152	0.50	11.17		
1150	5.67	2.3	5.28	19.00	0.153	0.50	12.13		
1200	5.67	2.3	5.39	19.44	0.154	0.49	11.6		
1210	5.67	2.4	5.30	18.58	0.152	0.50	12.38		
1220	5.67	2.5	5.18	18.82	0.152	0.45	11.1		
1230	5.67	2.6	5.14	18.60	0.151	0.41	10.65		
1240	5.67	2.6	5.14	18.69	0.152	0.50	8.65		
1250	5.67	2.7	5.15	18.88	0.152	0.36	9.98		
1300	5.67	2.7	5.12	18.92	0.152	0.34	8.72		
1310	5.67	2.8	5.15	19.29	0.153	0.29	7.37		
1330	5.67	3.0	5.13	18.51	0.150	0.37	7.37		
1340	5.67	3.0	5.10	18.90	0.151	0.28	6.36		
1350	5.67	3.1	5.29	19.99	0.154	0.33	12.8		
1400	5.67	3.1	5.30	20.15	0.155	0.32	5.42		
1410	5.67	3.2	5.27	19.59	0.155	0.32	5.94		
1420	5.67	3.2	5.19	19.34	0.154	0.31	5.90		
1430	5.67	3.3	5.09	18.17	0.150	0.36	6.07		
1450	5.67	3.4	5.04	17.79	0.148	0.32	4.95		

Depth to Water after sample collection: 5.67 Total Gallons Purged: 3.5

Date/Time Sample Collection 2/27/13 1500

Parameter Standards:
pH +/- 0.1, +/-3% conductivity, +/-10mv for Redox potential, and +/-%10 for turbidity or DO.
Turbidity range (<5/=) NTU, if turbidity exceeds 5 NTUs: sample must be filtered for metals
water level drawdown in the well not to exceed 0.2 ft.

Low-Flow Purging and Sampling Log

Project: Vogue Cleaners Date: 2/26/13 / 2/27/13 Well ID: MW-2 Page: #2 of 2

Sampling Instrument: QED Pump Rate: 100/2 (mL/min)

Intial Readings
Well Depth: _____ Screened Interval: _____ Water Level: 5.58 (2/27/13: 5.67) Depth to Pump Intake: 6.58 (6.61)

Time (24hr)	Water Level (ft) (TOC)	Purge Volume (gal)	pH	Temp ©	Specific Conductance (mS/cm)	Dissolved Oxygen (mg/L)	Turbidity (NTU)	Redox (Eh)	Comments
1705	5.58	1.0	3.94	13.83	0.140	2.66	28.8		
1715	5.58	1.1	4.07	13.67	0.139	1.63	26.2		
1730	5.58	1.2	4.26	13.59	0.139	1.63	29.2		
1740	5.58	1.3	4.05	13.38	0.139	1.01	27.7		
1750	5.58	1.3	4.10	13.14	0.138	0.93	29.4		
1800	5.58	1.4	4.18	13.54	0.139	0.80	44.1		
0940	5.67	1.5	5.60	15.55	0.143	1.52	45.7		
0950	5.67	1.5	5.46	15.11	0.142	1.43	54.0		
1000	5.67	1.6	5.32	14.79	0.140	1.13	45.0		
1010	5.67	1.7	5.20	15.53	0.142	0.94	43.3		
1020	5.67	1.7	5.04	15.57	0.142	0.92	37.6		
1030	5.67	1.8	5.11	15.65	0.142	0.86	29.5		
1040	5.67	1.9	5.18	16.37	0.143	0.76	20.1		
1050	5.67	2.0	5.32	17.30	0.146	0.57	15.5		
1100	5.67	2.0	5.29	17.03	0.147	0.61	18.5		
1110	5.67	2.1	5.30	17.07	0.147	0.57	15.0		
1120	5.67	2.1	5.30	17.45	0.148	0.50	12.5		
1130	5.67	2.2	5.34	18.14	0.149	0.50	11.7		

Depth to Water after sample collection: _____ Total Gallons Purged: _____

Date/Time Sample Collection _____

Parameter Standards:
pH +/- 0.1, +/-3% conductivity, +/-10mv for Redox potential, and +/-%10 for turbidity or DO.
Turbidity range (<5/=) NTU, if turbidity exceeds 5 NTUs: sample must be filtered for metals
water level drawdown in the well not to exceed 0.2 ft.

SRD

Low-Flow Purging and Sampling Log

Project: Vogue Cleaners Date: 2/27/13 Well ID: MW-4 Page: 1

Sampling Instrument: QED Pump Rate: 100/2 (mL/min)

Intial Readings
Well Depth: _____ Screened Interval: _____ Water Level: _____ Depth to Pump Intake: _____

Time (24hr)	Water Level (ft) (TOC)	Purge Volume (gal)	pH	Temp ©	Specific Conductance (mS/cm)	Dissolved Oxygen (mg/L)	Turbidity (NTU)	Redox (Eh)	Comments
8:30			4.54	8.52	0.081	1.95	3.74		
8:45			4.61	8.94	0.081	2.11	5.50		
9:00			4.83	9.66	0.082	2.17	6.91		
9:15			4.91	9.82	0.082	2.20	6.51		
9:35			5.02	10.59	0.084	2.25	6.32		
9:45			5.04	11.32	0.086	2.22	6.13		
9:55			5.06	11.35	0.086	2.22	5.84		
10:05			5.07	11.35	0.087	2.21	4.80		
10:15			5.07	11.36	0.087	2.21	4.74		
10:25			5.07	11.35	0.088	2.22	4.34		

Depth to Water after sample collection: _____ Total Gallons Purged: 1 Gal

Date/Time Sample Collection 2/27/13 10:30

Parameter Standards:
pH +/- 0.1, +/-3% conductivity, +/-10mv for Redox potential, and +/-%10 for turbidity or DO.
Turbidity range (<5/=) NTU, if turbidity exceeds 5 NTUs: sample must be filtered for metals
water level drawdown in the well not to exceed 0.2 ft.

SKD

Low-Flow Purging and Sampling Log

Project: Vogue Cleaners Date: 2/27/13 Well ID: MW-5 Page: _____

Sampling Instrument: QED Pump Rate: 100/2 (mL/min)

Intial Readings
Well Depth: _____ Screened Interval: _____ Water Level: _____ Depth to Pump Intake: 6.60'

Time (24hr)	Water Level (ft) (TOC)	Purge Volume (gal)	pH	Temp ©	Specific Conductance (mS/cm)	Dissolved Oxygen (mg/L)	Turbidity (NTU)	Redox (Eh)	Comments
14:45			4.33	19.40	0.146	1.41	1.64		
15:00			4.34	19.79	0.147	1.39	0.87		
15:15			4.32	19.81	0.147	1.32	0.70		
15:20			4.29	19.76	0.148	1.27	0.80		
15:25			4.24	19.72	0.150	1.24	0.85		

Depth to Water after sample collection: _____ Total Gallons Purged: < 1 Gal

Date/Time Sample Collection 2/27/13 1530

Parameter Standards:
pH +/- 0.1, +/-3% conductivity, +/-10mv for Redox potential, and +/-%10 for turbidity or DO.
Turbidity range (<5/=) NTU, if turbidity exceeds 5 NTUs: sample must be filtered for metals
water level drawdown in the well not to exceed 0.2 ft.

Low-Flow Purging and Sampling Log

Project: Vogue Cleaners Date: 2/28/13 Well ID: MW-6 Page: _____

Sampling Instrument: QED Pump Rate: 100/2 (mL/min)

Intial Readings
Well Depth: _____ Screened Interval: _____ Water Level: 5.95 Depth to Pump Intake: 6.75

Time (24hr)	Water Level (ft) (TOC)	Purge Volume (gal)	pH	Temp ©	Specific Conductance (mS/cm)	Dissolved Oxygen (mg/L)	Turbidity (NTU)	Redox (Eh)	Comments
0935	5.95	0.1	6.03	17.49	0.241	2.14	35.4		
0940	5.95	0.1	5.96	17.71	0.247	1.12	21.2		
0945	5.95	0.2	6.14	17.77	0.247	0.84	14.7		
0950	5.95	0.2	6.13	17.57	0.246	0.65	12.6		
0955	5.95	0.2	6.05	17.51	0.244	0.58	7.47		
1000	5.95	0.3	6.00	17.45	0.244	0.56	6.97		
1005	5.95	0.3	5.96	17.50	0.244	0.58	6.09		
1010	5.95	0.3	5.96	17.40	0.243	0.52	5.54		
1015	5.95	0.4	5.95	17.51	0.243	0.47	4.75		

Depth to Water after sample collection: 5.95 Total Gallons Purged: 0.5

Date/Time Sample Collection 1020

Parameter Standards:
pH +/- 0.1, +/-3% conductivity, +/-10mv for Redox potential, and +/-%10 for turbidity or DO.
Turbidity range (<5/=) NTU, if turbidity exceeds 5 NTUs: sample must be filtered for metals
water level drawdown in the well not to exceed 0.2 ft.

SKC

Low-Flow Purging and Sampling Log

Project: Vogue Cleaners Date: 2/28/13 Well ID: MW-7 Page: 1

Sampling Instrument: QED Pump Rate: 100/2 (mL/min)

Intial Readings
Well Depth: _____ Screened Interval: _____ Water Level: _____ Depth to Pump Intake: 7.3'

Time (24hr)	Water Level (ft) (TOC)	Purge Volume (gal)	pH	Temp ©	Specific Conductance (mS/cm)	Dissolved Oxygen (mg/L)	Turbidity (NTU)	Redox (Eh)	Comments
9:00			4.30	14.32	0.076	5.78	36.4		
9:15			4.27	13.85	0.077	5.89	26.4		
9:30			4.22	13.21	0.075	5.25	20.3		
9:45			4.21	13.14	0.075	5.09	12.5		
10:00			4.20	13.69	0.076	4.81	9.85		
10:15			4.20	14.01	0.077	4.78	8.53		
10:30			4.20	15.01	0.079	4.49	6.43		
11:00			4.19	15.01	0.079	4.37	5.89		
11:25			4.20	15.02	0.080	4.36	3.77		
11:30			4.20	15.02	0.080	4.36	3.60		
11:35			4.20	15.03	0.080	4.37	3.80		

Depth to Water after sample collection: _____ Total Gallons Purged: 1.5 Gal

Date/Time Sample Collection 2/28/13 / 11:40

Parameter Standards:
pH +/- 0.1, +/-3% conductivity, +/-10mv for Redox potential, and +/-%10 for turbidity or DO.
Turbidity range (<5/=) NTU, if turbidity exceeds 5 NTUs: sample must be filtered for metals
water level drawdown in the well not to exceed 0.2 ft.

Low-Flow Purging and Sampling Log

Project: Vogue Cleaners Date: 2/28/13 Well ID: MW-8 Page: _____

Sampling Instrument: QED Pump Rate: 100/2 (mL/min)

Intial Readings
Well Depth: _____ Screened Interval: _____ Water Level: 10.39 Depth to Pump Intake: 11.46

Time (24hr)	Water Level (ft) (TOC)	Purge Volume (gal)	pH	Temp ©	Specific Conductance (mS/cm)	Dissolved Oxygen (mg/L)	Turbidity (NTU)	Redox (Eh)	Comments
1335	10.39	0.25	7.48	18.66	1.154	3.72	687		
1345	10.39	0.25	7.46	18.72	1.157	3.22	686		
1355	10.39	0.3	7.40	17.88	1.147	3.30	705		
1405	10.39	0.4	7.32	16.81	1.115	3.40	656		
1420	10.39	0.5	7.34	16.58	1.107	3.15	641		
1435	10.39	0.7	7.36	16.60	1.109	3.23	632		
1450	10.39	0.8	7.34	16.58	1.113	3.24	630		
1505	10.39	0.9	7.45	16.66	1.118	3.15	649		

Depth to Water after sample collection: 10.39 Total Gallons Purged: 1.0

Date/Time Sample Collection 2/28/13 : 1515

Parameter Standards:
pH +/- 0.1, +/-3% conductivity, +/-10mv for Redox potential, and +/-%10 for turbidity or DO.
Turbidity range (<5/=) NTU, if turbidity exceeds 5 NTUs: sample must be filtered for metals
water level drawdown in the well not to exceed 0.2 ft.

SKU

Low-Flow Purging and Sampling Log

Project: Vogue Cleaners Date: 2/26/13 Well ID: MW-8D Page: 1

Sampling Instrument: QED Pump Rate: 100/2 (mL/min)

Intial Readings
Well Depth: _____ Screened Interval: _____ Water Level: _____ Depth to Pump Intake: 5.46

Time (24hr)	Water Level (ft) (TOC)	Purge Volume (gal)	pH	Temp ©	Specific Conductance (mS/cm)	Dissolved Oxygen (mg/L)	Turbidity (NTU)	Redox (Eh)	Comments
16:45	5.46	0.10	4.96	16.74	0.132	~~43.7~~	5.05		
17:00		0.05	4.89	16.78	0.130	~~35.2~~	2.15		
17:10		0.05	4.77	16.35	0.130	~~26.6~~	0.86		
17:20		0.05	4.77	16.35	0.130	0.83	0.61		
17:25		0.05	4.81	15.99	0.129	1.89	0.42		
17:30		0.05	4.81	15.50	0.129	2.01	0.50		
17:35		0.02	4.80	15.51	0.129	2.00	0.50		
17:40		0.02	4.81		0.128	2.15	0.45		
		0.02							

Depth to Water after sample collection: _____ Total Gallons Purged: 0.25

Date/Time Sample Collection 2/26/13 17:45

Parameter Standards:
pH +/- 0.1, +/-3% conductivity, +/-10mv for Redox potential, and +/-%10 for turbidity or DO.
Turbidity range (<5/=) NTU, if turbidity exceeds 5 NTUs: sample must be filtered for metals
water level drawdown in the well not to exceed 0.2 ft.

Low-Flow Purging and Sampling Log

Project: Vogue Cleaners Date: 2/27/13 Well ID: MW-120 Page: 1

Sampling Instrument: QED Pump Rate: 100/2 (mL/min)

Intial Readings
Well Depth: _____ Screened Interval: _____ Water Level: 18.72 Depth to Pump Intake: 19.51

Time (24hr)	Water Level (ft) (TOC)	Purge Volume (gal)	pH	Temp ©	Specific Conductance (mS/cm)	Dissolved Oxygen (mg/L)	Turbidity (NTU)	Redox (Eh)	Comments
1645	18.72	0.2	6.27	21.03	0.495	0.86	4.23		
~~1650~~ 1715	18.72	0.6	6.09	21.21	0.498	0.36	3.55		
1720	18.72	0.7	6.08	21.24	0.498	0.34	3.41		
1730	18.72	0.8	6.07	21.28	0.494	0.48	3.40		

Depth to Water after sample collection: 18.72 Total Gallons Purged: 1.0

Date/Time Sample Collection 2/27/13 1735

Parameter Standards:
pH +/- 0.1, +/-3% conductivity, +/-10mv for Redox potential, and +/-%10 for turbidity or DO.
Turbidity range (<5/=) NTU, if turbidity exceeds 5 NTUs: sample must be filtered for metals
water level drawdown in the well not to exceed 0.2 ft.

SRD

Low-Flow Purging and Sampling Log

Project: Vogue Cleaners Date: 2/27/13 Well ID: MW-22 Page: 1

Sampling Instrument: QED Pump Rate: 100/2 (mL/min)

Intial Readings
Well Depth: _____ Screened Interval: _____ Water Level: _____ Depth to Pump Intake: 6.40'

Time (24hr)	Water Level (ft) (TOC)	Purge Volume (gal)	pH	Temp ©	Specific Conductance (mS/cm)	Dissolved Oxygen (mg/L)	Turbidity (NTU)	Redox (Eh)	Comments
13:15			4.03	18.21	0.106	1.30	29.1		
13:30			4.02	18.22	0.107	1.00	18.7		
13:45			4.02	18.19	0.106	0.66	11.4		
14:00			4.03	18.54	0.106	0.47	6.58		
14:15			4.05	18.87	0.106	0.51	4.99		
14:20			4.05	18.89	0.107	0.49	3.93		
14:25			4.05	18.89	0.107	0.49	3.53		

Depth to Water after sample collection: 2/27/13 /14:30 Total Gallons Purged: 1 Gal

Date/Time Sample Collection _____

Parameter Standards:
pH +/- 0.1, +/-3% conductivity, +/-10mv for Redox potential, and +/-%10 for turbidity or DO.
Turbidity range (<5/=) NTU, if turbidity exceeds 5 NTUs: sample must be filtered for metals
water level drawdown in the well not to exceed 0.2 ft.

(SKD)

Low-Flow Purging and Sampling Log

Project: Vogue Cleaners Date: 2/27/13 Well ID: POD-1 Page: 1

Sampling Instrument: QED Pump Rate: 100/2 (mL/min)

Intial Readings
Well Depth: _____ Screened Interval: _____ Water Level: _____ Depth to Pump Intake: 6.75'

Time (24hr)	Water Level (ft) (TOC)	Purge Volume (gal)	pH	Temp ©	Specific Conductance (mS/cm)	Dissolved Oxygen (mg/L)	Turbidity (NTU)	Redox (Eh)	Comments
16:00			5.42	17.31	0.084	6.10	50.8		
16:15			5.40	16.66	0.082	5.66	46.3		
16:30			5.36	16.53	0.081	5.68	44.1		
16:45			5.30	16.28	0.078	5.87	20.0		
17:00			5.26	15.44	0.076	5.45	17.5		
17:15			5.25	15.31	0.075	5.35	14.4		
17:30			5.25	15.24	0.075	~~5.33~~ 5.33	8.24		
17:45			5.24	15.15	0.074	5.34	6.83		
18:00			5.23	15.10	0.074	5.33	5.96		
18:15			5.21	14.83	0.073	5.33	4.86		
18:20			5.21	14.78	0.073	5.29	4.30		
18:25			5.21	14.78	0.073	5.27	4.16		

Depth to Water after sample collection: _____ Total Gallons Purged: 1.5 Gal

Date/Time Sample Collection 2/27/13 / 18:30

Parameter Standards:
pH +/- 0.1, +/-3% conductivity, +/-10mv for Redox potential, and +/-%10 for turbidity or DO.
Turbidity range (<5/=) NTU, if turbidity exceeds 5 NTUs: sample must be filtered for metals
water level drawdown in the well not to exceed 0.2 ft.

APPENDIX V
Laboratory Analytical Reports

AES

ANALYTICAL ENVIRONMENTAL SERVICES, INC.

October 22, 2012

Tiffany Messier
Genesis Project, Inc.
1258 Concord Rd.
Smyrna GA 30080

TEL: (770) 319-7217
FAX: (770) 319-7219

RE: Vogue Cleaners

Dear Tiffany Messier: Order No: 1210E17

Analytical Environmental Services, Inc. received 7 samples on 10/16/2012 3:00:00 PM for the analyses presented in following report.

No problems were encountered during the analyses. Additionally, all results for the associated Quality Control samples were within EPA and/or AES established limits. Any discrepancies associated with the analyses contained herein will be noted and submitted in the form of a project Case Narrative.
AES' certifications are as follows:
-NELAC/Florida Certification number E87582 for analysis of Environmental Water, soil/hazardous waste, and Drinking Water Microbiology, effective 07/01/12-06/30/13.
-AIHA Certification ID #100671 for Industrial Hygiene samples (Organics, Inorganics), Environmental Lead (Paint, Soil, Dust Wipes, Air), and Environmental Microbiology (Fungal) effective until 09/01/13.

These results relate only to the items tested. This report may only be reproduced in full.

If you have any questions regarding these test results, please feel free to call.

James Forrest
Project Manager

3785 PRESIDENTIAL PARKWAY • ATLANTA, GEORGIA 30340 • TEL: (770) 457-8177 • FAX: (770)457-8188

ANALYTICAL ENVIRONMENTAL SERVICES, INC
3785 Presidential Parkway, Atlanta GA 30340-3704
AES TEL.: (770) 457-8177 / TOLL-FREE (800) 972-4889 / FAX: (770) 457-8188

CHAIN OF CUSTODY

Work Order: 1210E17

Date: 10/16/12 Page 1 of 1

COMPANY: GENESIS PROJECT

ADDRESS: 1258 Concord Rd SMYRNA, GA. 30080

PHONE: 7)319-7217

FAX: 7)319-7219

SAMPLED BY: Tiffany Messier

SIGNATURE: Tiffany Messier

ANALYSIS REQUESTED: TOTAL VOC'S

Visit our website www.aesatlanta.com to check on the status of your results, place bottle orders, etc.

#	SAMPLE ID	SAMPLED DATE	SAMPLED TIME	Grab	Composite	Matrix (See codes)	PRESERVATION (See codes)	REMARKS	No # of Containers
1	SB-2 0-2	10/16/12	12:25	X			✓		4
2	SB-3 0-2	10/16/12	12:00	X			✓		4
3	SB-3 2-4	10/16/12	12:05	X			✓		4
4	SB-4 0-2	10/16/12	12:10	X			✓		4
5	SB-6 0-2	10/16/12	12:15	X			✓		4
6	SB-7 0-2	10/16/12	12:20	X			✓		4
7									
8									
9									
10									
11									
12									
13									
14									

RELINQUISHED BY	DATE/TIME	RECEIVED BY	DATE/TIME
1: Tiffany Messier	10/16/12 13:00	1: [signature]	10/16/12
2:		2:	3:00
3:		3:	

SPECIAL INSTRUCTIONS/COMMENTS:

SHIPMENT METHOD
OUT / / VIA:
IN / / VIA:
CLIENT FedEx UPS MAIL COURIER
GREYHOUND OTHER _____

PROJECT INFORMATION
PROJECT NAME:
PROJECT #:
SITE ADDRESS:
SEND REPORT TO:
INVOICE TO:
(IF DIFFERENT FROM ABOVE)
QUOTE #: _____ PO#: _____

RECEIPT
Total # of Containers 24

Turnaround Time Request
☒ Standard 5 Business Days
○ 2 Business Day Rush
○ Next Business Day Rush
○ Same Day Rush **(auth req.)**
○ Other _____

STATE PROGRAM (if any): _____
E-mail? Y / N; Fax? Y / N
DATA PACKAGE: I II III IV

SAMPLES RECEIVED AFTER 3PM OR ON SATURDAY ARE CONSIDERED RECEIVED THE NEXT BUSINESS DAY. IF TURNAROUND TIME IS NOT INDICATED, AES WILL PROCEED WITH STANDARD TAT OF SAMPLES. SAMPLES ARE DISPOSED 30 DAYS AFTER REPORT COMPLETION UNLESS OTHER ARRANGEMENTS ARE MADE.

MATRIX CODES: A = Air GW = Groundwater SE = Sediment SO = Soil SW = Surface Water W = Water (Blanks) DW = Drinking Water (Blanks) O = Other (specify) WW = Waste Water
PRESERVATIVE CODES: H+I = Hydrochloric acid + ice I = Ice only N = Nitric acid S+I = Sulfuric acid + ice S/M+I = Sodium Bisulfate/Methanol + ice O = Other (specify) NA = None

White Copy - Original; Yellow Copy - Client

Analytical Environmental Services, Inc

Date: 22-Oct-12

Client: Genesis Project, Inc.
Project: Vogue Cleaners
Lab ID: 1210E17

Case Narrative

Sample Receiving Nonconformance:

A Trip Blank was provided but not listed on the Chain of Custody. Trip blank analyzed at no cost to the client.

Volatile Organic Compounds Analysis by Method 8260B:

Percent recovery for the internal standard compound 1,4-Dichlorobenzene-d4 on sample 1210E17-004A was outside control limits biased low due to suspected matrix interference.

Analytical Environmental Services, Inc

Date: 22-Oct-12

Client:	Genesis Project, Inc.	**Client Sample ID:**	SB-2 0-2
Project Name:	Vogue Cleaners	**Collection Date:**	10/16/2012 12:25:00 PM
Lab ID:	1210E17-001	**Matrix:**	Soil

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5035)**				
1,1,1-Trichloroethane	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
1,1,2,2-Tetrachloroethane	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
1,1,2-Trichloroethane	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
1,1-Dichloroethane	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
1,1-Dichloroethene	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
1,2,4-Trichlorobenzene	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
1,2-Dibromo-3-chloropropane	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
1,2-Dibromoethane	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
1,2-Dichlorobenzene	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
1,2-Dichloroethane	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
1,2-Dichloropropane	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
1,3-Dichlorobenzene	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
1,4-Dichlorobenzene	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
2-Butanone	BRL	0.035		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
2-Hexanone	BRL	0.0071		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
4-Methyl-2-pentanone	BRL	0.0071		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
Acetone	0.089	0.071		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
Benzene	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
Bromodichloromethane	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
Bromoform	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
Bromomethane	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
Carbon disulfide	BRL	0.0071		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
Carbon tetrachloride	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
Chlorobenzene	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
Chloroethane	BRL	0.0071		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
Chloroform	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
Chloromethane	BRL	0.0071		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
cis-1,2-Dichloroethene	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
cis-1,3-Dichloropropene	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
Cyclohexane	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
Dibromochloromethane	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
Dichlorodifluoromethane	BRL	0.0071		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
Ethylbenzene	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
Freon-113	BRL	0.0071		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
Isopropylbenzene	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
m,p-Xylene	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
Methyl acetate	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
Methyl tert-butyl ether	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
Methylcyclohexane	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
Methylene chloride	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
o-Xylene	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 21:50	MD

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc **Date:** 22-Oct-12

Client:	Genesis Project, Inc.	**Client Sample ID:**	SB-2 0-2
Project Name:	Vogue Cleaners	**Collection Date:**	10/16/2012 12:25:00 PM
Lab ID:	1210E17-001	**Matrix:**	Soil

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5035)**				
Styrene	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
Tetrachloroethene	0.042	0.0035		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
Toluene	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
trans-1,2-Dichloroethene	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
trans-1,3-Dichloropropene	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
Trichloroethene	0.010	0.0035		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
Trichlorofluoromethane	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
Vinyl chloride	BRL	0.0071		mg/Kg-dry	167926	1	10/18/2012 21:50	MD
Surr: 4-Bromofluorobenzene	84.5	56.5-134		%REC	167926	1	10/18/2012 21:50	MD
Surr: Dibromofluoromethane	108	71.8-135		%REC	167926	1	10/18/2012 21:50	MD
Surr: Toluene-d8	95.4	77.1-117		%REC	167926	1	10/18/2012 21:50	MD
PERCENT MOISTURE D2216								
Percent Moisture	18.5	0		wt%	R231349	1	10/19/2012 11:30	AS

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 22-Oct-12

Client:	Genesis Project, Inc.	**Client Sample ID:**	SB-3 0-2
Project Name:	Vogue Cleaners	**Collection Date:**	10/16/2012 12:00:00 PM
Lab ID:	1210E17-002	**Matrix:**	Soil

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5035)**				
1,1,1-Trichloroethane	BRL	0.0034		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
1,1,2,2-Tetrachloroethane	BRL	0.0034		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
1,1,2-Trichloroethane	BRL	0.0034		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
1,1-Dichloroethane	BRL	0.0034		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
1,1-Dichloroethene	BRL	0.0034		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
1,2,4-Trichlorobenzene	BRL	0.0034		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
1,2-Dibromo-3-chloropropane	BRL	0.0034		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
1,2-Dibromoethane	BRL	0.0034		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
1,2-Dichlorobenzene	BRL	0.0034		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
1,2-Dichloroethane	BRL	0.0034		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
1,2-Dichloropropane	BRL	0.0034		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
1,3-Dichlorobenzene	BRL	0.0034		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
1,4-Dichlorobenzene	BRL	0.0034		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
2-Butanone	BRL	0.034		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
2-Hexanone	BRL	0.0068		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
4-Methyl-2-pentanone	BRL	0.0068		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
Acetone	BRL	0.068		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
Benzene	BRL	0.0034		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
Bromodichloromethane	BRL	0.0034		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
Bromoform	BRL	0.0034		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
Bromomethane	BRL	0.0034		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
Carbon disulfide	BRL	0.0068		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
Carbon tetrachloride	BRL	0.0034		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
Chlorobenzene	BRL	0.0034		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
Chloroethane	BRL	0.0068		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
Chloroform	BRL	0.0034		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
Chloromethane	BRL	0.0068		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
cis-1,2-Dichloroethene	BRL	0.0034		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
cis-1,3-Dichloropropene	BRL	0.0034		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
Cyclohexane	BRL	0.0034		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
Dibromochloromethane	BRL	0.0034		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
Dichlorodifluoromethane	BRL	0.0068		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
Ethylbenzene	BRL	0.0034		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
Freon-113	BRL	0.0068		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
Isopropylbenzene	BRL	0.0034		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
m,p-Xylene	BRL	0.0034		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
Methyl acetate	BRL	0.0034		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
Methyl tert-butyl ether	BRL	0.0034		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
Methylcyclohexane	BRL	0.0034		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
Methylene chloride	BRL	0.0034		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
o-Xylene	BRL	0.0034		mg/Kg-dry	167926	1	10/18/2012 22:17	MD

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc **Date:** 22-Oct-12

Client:	Genesis Project, Inc.	**Client Sample ID:**	SB-3 0-2
Project Name:	Vogue Cleaners	**Collection Date:**	10/16/2012 12:00:00 PM
Lab ID:	1210E17-002	**Matrix:**	Soil

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5035)**				
Styrene	BRL	0.0034		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
Tetrachloroethene	BRL	0.0034		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
Toluene	BRL	0.0034		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
trans-1,2-Dichloroethene	BRL	0.0034		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
trans-1,3-Dichloropropene	BRL	0.0034		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
Trichloroethene	BRL	0.0034		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
Trichlorofluoromethane	BRL	0.0034		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
Vinyl chloride	BRL	0.0068		mg/Kg-dry	167926	1	10/18/2012 22:17	MD
Surr: 4-Bromofluorobenzene	84.8	56.5-134		%REC	167926	1	10/18/2012 22:17	MD
Surr: Dibromofluoromethane	109	71.8-135		%REC	167926	1	10/18/2012 22:17	MD
Surr: Toluene-d8	91.6	77.1-117		%REC	167926	1	10/18/2012 22:17	MD
PERCENT MOISTURE D2216								
Percent Moisture	12.3	0		wt%	R231349	1	10/19/2012 11:30	AS

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 22-Oct-12

Client:	Genesis Project, Inc.	**Client Sample ID:**	SB-3 2-4
Project Name:	Vogue Cleaners	**Collection Date:**	10/16/2012 12:05:00 PM
Lab ID:	1210E17-003	**Matrix:**	Soil

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5035)**				
1,1,1-Trichloroethane	BRL	0.0036		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
1,1,2,2-Tetrachloroethane	BRL	0.0036		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
1,1,2-Trichloroethane	BRL	0.0036		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
1,1-Dichloroethane	BRL	0.0036		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
1,1-Dichloroethene	BRL	0.0036		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
1,2,4-Trichlorobenzene	BRL	0.0036		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
1,2-Dibromo-3-chloropropane	BRL	0.0036		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
1,2-Dibromoethane	BRL	0.0036		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
1,2-Dichlorobenzene	BRL	0.0036		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
1,2-Dichloroethane	BRL	0.0036		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
1,2-Dichloropropane	BRL	0.0036		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
1,3-Dichlorobenzene	BRL	0.0036		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
1,4-Dichlorobenzene	BRL	0.0036		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
2-Butanone	BRL	0.036		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
2-Hexanone	BRL	0.0072		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
4-Methyl-2-pentanone	BRL	0.0072		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
Acetone	BRL	0.072		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
Benzene	BRL	0.0036		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
Bromodichloromethane	BRL	0.0036		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
Bromoform	BRL	0.0036		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
Bromomethane	BRL	0.0036		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
Carbon disulfide	BRL	0.0072		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
Carbon tetrachloride	BRL	0.0036		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
Chlorobenzene	BRL	0.0036		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
Chloroethane	BRL	0.0072		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
Chloroform	BRL	0.0036		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
Chloromethane	BRL	0.0072		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
cis-1,2-Dichloroethene	BRL	0.0036		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
cis-1,3-Dichloropropene	BRL	0.0036		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
Cyclohexane	BRL	0.0036		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
Dibromochloromethane	BRL	0.0036		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
Dichlorodifluoromethane	BRL	0.0072		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
Ethylbenzene	BRL	0.0036		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
Freon-113	BRL	0.0072		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
Isopropylbenzene	BRL	0.0036		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
m,p-Xylene	BRL	0.0036		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
Methyl acetate	BRL	0.0036		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
Methyl tert-butyl ether	BRL	0.0036		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
Methylcyclohexane	BRL	0.0036		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
Methylene chloride	BRL	0.0036		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
o-Xylene	BRL	0.0036		mg/Kg-dry	167926	1	10/18/2012 22:44	MD

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc **Date:** 22-Oct-12

Client:	Genesis Project, Inc.	**Client Sample ID:**	SB-3 2-4
Project Name:	Vogue Cleaners	**Collection Date:**	10/16/2012 12:05:00 PM
Lab ID:	1210E17-003	**Matrix:**	Soil

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5035)**				
Styrene	BRL	0.0036		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
Tetrachloroethene	0.0038	0.0036		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
Toluene	BRL	0.0036		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
trans-1,2-Dichloroethene	BRL	0.0036		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
trans-1,3-Dichloropropene	BRL	0.0036		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
Trichloroethene	BRL	0.0036		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
Trichlorofluoromethane	BRL	0.0036		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
Vinyl chloride	BRL	0.0072		mg/Kg-dry	167926	1	10/18/2012 22:44	MD
Surr: 4-Bromofluorobenzene	84.7	56.5-134		%REC	167926	1	10/18/2012 22:44	MD
Surr: Dibromofluoromethane	112	71.8-135		%REC	167926	1	10/18/2012 22:44	MD
Surr: Toluene-d8	95.2	77.1-117		%REC	167926	1	10/18/2012 22:44	MD
PERCENT MOISTURE D2216								
Percent Moisture	16.2	0		wt%	R231349	1	10/19/2012 11:30	AS

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 22-Oct-12

Client:	Genesis Project, Inc.	**Client Sample ID:**	SB-4 0-2
Project Name:	Vogue Cleaners	**Collection Date:**	10/16/2012 12:10:00 PM
Lab ID:	1210E17-004	**Matrix:**	Soil

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5035)**				
1,1,1-Trichloroethane	BRL	0.0029		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
1,1,2,2-Tetrachloroethane	BRL	0.0029		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
1,1,2-Trichloroethane	BRL	0.0029		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
1,1-Dichloroethane	BRL	0.0029		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
1,1-Dichloroethene	BRL	0.0029		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
1,2,4-Trichlorobenzene	BRL	0.0029		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
1,2-Dibromo-3-chloropropane	BRL	0.0029		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
1,2-Dibromoethane	BRL	0.0029		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
1,2-Dichlorobenzene	BRL	0.0029		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
1,2-Dichloroethane	BRL	0.0029		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
1,2-Dichloropropane	BRL	0.0029		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
1,3-Dichlorobenzene	BRL	0.0029		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
1,4-Dichlorobenzene	BRL	0.0029		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
2-Butanone	BRL	0.029		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
2-Hexanone	BRL	0.0057		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
4-Methyl-2-pentanone	BRL	0.0057		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
Acetone	BRL	0.057		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
Benzene	BRL	0.0029		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
Bromodichloromethane	BRL	0.0029		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
Bromoform	BRL	0.0029		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
Bromomethane	BRL	0.0029		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
Carbon disulfide	BRL	0.0057		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
Carbon tetrachloride	BRL	0.0029		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
Chlorobenzene	BRL	0.0029		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
Chloroethane	BRL	0.0057		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
Chloroform	BRL	0.0029		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
Chloromethane	BRL	0.0057		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
cis-1,2-Dichloroethene	BRL	0.0029		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
cis-1,3-Dichloropropene	BRL	0.0029		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
Cyclohexane	BRL	0.0029		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
Dibromochloromethane	BRL	0.0029		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
Dichlorodifluoromethane	BRL	0.0057		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
Ethylbenzene	BRL	0.0029		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
Freon-113	BRL	0.0057		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
Isopropylbenzene	BRL	0.0029		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
m,p-Xylene	BRL	0.0029		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
Methyl acetate	BRL	0.0029		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
Methyl tert-butyl ether	BRL	0.0029		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
Methylcyclohexane	BRL	0.0029		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
Methylene chloride	BRL	0.0029		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
o-Xylene	BRL	0.0029		mg/Kg-dry	167926	1	10/20/2012 00:08	MD

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc **Date:** 22-Oct-12

Client:	Genesis Project, Inc.	**Client Sample ID:**	SB-4 0-2
Project Name:	Vogue Cleaners	**Collection Date:**	10/16/2012 12:10:00 PM
Lab ID:	1210E17-004	**Matrix:**	Soil

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5035)**				
Styrene	BRL	0.0029		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
Tetrachloroethene	0.0077	0.0029		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
Toluene	BRL	0.0029		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
trans-1,2-Dichloroethene	BRL	0.0029		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
trans-1,3-Dichloropropene	BRL	0.0029		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
Trichloroethene	BRL	0.0029		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
Trichlorofluoromethane	BRL	0.0029		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
Vinyl chloride	BRL	0.0057		mg/Kg-dry	167926	1	10/20/2012 00:08	MD
Surr: 4-Bromofluorobenzene	77.1	56.5-134		%REC	167926	1	10/20/2012 00:08	MD
Surr: Dibromofluoromethane	111	71.8-135		%REC	167926	1	10/20/2012 00:08	MD
Surr: Toluene-d8	95.6	77.1-117		%REC	167926	1	10/20/2012 00:08	MD
PERCENT MOISTURE D2216								
Percent Moisture	13.4	0		wt%	R231349	1	10/19/2012 11:30	AS

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 22-Oct-12

Client:	Genesis Project, Inc.	**Client Sample ID:**	SB-6 0-2
Project Name:	Vogue Cleaners	**Collection Date:**	10/16/2012 12:15:00 PM
Lab ID:	1210E17-005	**Matrix:**	Soil

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5035)**				
1,1,1-Trichloroethane	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
1,1,2,2-Tetrachloroethane	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
1,1,2-Trichloroethane	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
1,1-Dichloroethane	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
1,1-Dichloroethene	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
1,2,4-Trichlorobenzene	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
1,2-Dibromo-3-chloropropane	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
1,2-Dibromoethane	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
1,2-Dichlorobenzene	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
1,2-Dichloroethane	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
1,2-Dichloropropane	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
1,3-Dichlorobenzene	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
1,4-Dichlorobenzene	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
2-Butanone	BRL	0.035		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
2-Hexanone	BRL	0.0069		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
4-Methyl-2-pentanone	BRL	0.0069		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
Acetone	BRL	0.069		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
Benzene	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
Bromodichloromethane	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
Bromoform	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
Bromomethane	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
Carbon disulfide	BRL	0.0069		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
Carbon tetrachloride	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
Chlorobenzene	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
Chloroethane	BRL	0.0069		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
Chloroform	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
Chloromethane	BRL	0.0069		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
cis-1,2-Dichloroethene	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
cis-1,3-Dichloropropene	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
Cyclohexane	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
Dibromochloromethane	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
Dichlorodifluoromethane	BRL	0.0069		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
Ethylbenzene	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
Freon-113	BRL	0.0069		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
Isopropylbenzene	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
m,p-Xylene	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
Methyl acetate	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
Methyl tert-butyl ether	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
Methylcyclohexane	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
Methylene chloride	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
o-Xylene	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 23:38	MD

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc **Date:** 22-Oct-12

Client:	Genesis Project, Inc.	**Client Sample ID:**	SB-6 0-2
Project Name:	Vogue Cleaners	**Collection Date:**	10/16/2012 12:15:00 PM
Lab ID:	1210E17-005	**Matrix:**	Soil

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5035)**				
Styrene	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
Tetrachloroethene	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
Toluene	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
trans-1,2-Dichloroethene	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
trans-1,3-Dichloropropene	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
Trichloroethene	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
Trichlorofluoromethane	BRL	0.0035		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
Vinyl chloride	BRL	0.0069		mg/Kg-dry	167926	1	10/18/2012 23:38	MD
Surr: 4-Bromofluorobenzene	87.7	56.5-134		%REC	167926	1	10/18/2012 23:38	MD
Surr: Dibromofluoromethane	114	71.8-135		%REC	167926	1	10/18/2012 23:38	MD
Surr: Toluene-d8	98.9	77.1-117		%REC	167926	1	10/18/2012 23:38	MD
PERCENT MOISTURE D2216								
Percent Moisture	15.3	0		wt%	R231349	1	10/19/2012 11:30	AS

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 22-Oct-12

Client:	Genesis Project, Inc.	**Client Sample ID:**	SB-7 0-2
Project Name:	Vogue Cleaners	**Collection Date:**	10/16/2012 12:20:00 PM
Lab ID:	1210E17-006	**Matrix:**	Soil

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5035)**				
1,1,1-Trichloroethane	BRL	0.0041		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
1,1,2,2-Tetrachloroethane	BRL	0.0041		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
1,1,2-Trichloroethane	BRL	0.0041		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
1,1-Dichloroethane	BRL	0.0041		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
1,1-Dichloroethene	BRL	0.0041		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
1,2,4-Trichlorobenzene	BRL	0.0041		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
1,2-Dibromo-3-chloropropane	BRL	0.0041		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
1,2-Dibromoethane	BRL	0.0041		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
1,2-Dichlorobenzene	BRL	0.0041		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
1,2-Dichloroethane	BRL	0.0041		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
1,2-Dichloropropane	BRL	0.0041		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
1,3-Dichlorobenzene	BRL	0.0041		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
1,4-Dichlorobenzene	BRL	0.0041		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
2-Butanone	BRL	0.041		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
2-Hexanone	BRL	0.0081		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
4-Methyl-2-pentanone	BRL	0.0081		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
Acetone	BRL	0.081		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
Benzene	BRL	0.0041		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
Bromodichloromethane	BRL	0.0041		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
Bromoform	BRL	0.0041		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
Bromomethane	BRL	0.0041		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
Carbon disulfide	BRL	0.0081		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
Carbon tetrachloride	BRL	0.0041		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
Chlorobenzene	BRL	0.0041		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
Chloroethane	BRL	0.0081		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
Chloroform	BRL	0.0041		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
Chloromethane	BRL	0.0081		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
cis-1,2-Dichloroethene	BRL	0.0041		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
cis-1,3-Dichloropropene	BRL	0.0041		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
Cyclohexane	BRL	0.0041		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
Dibromochloromethane	BRL	0.0041		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
Dichlorodifluoromethane	BRL	0.0081		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
Ethylbenzene	BRL	0.0041		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
Freon-113	BRL	0.0081		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
Isopropylbenzene	BRL	0.0041		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
m,p-Xylene	BRL	0.0041		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
Methyl acetate	BRL	0.0041		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
Methyl tert-butyl ether	BRL	0.0041		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
Methylcyclohexane	BRL	0.0041		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
Methylene chloride	BRL	0.0041		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
o-Xylene	BRL	0.0041		mg/Kg-dry	167926	1	10/19/2012 00:06	MD

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc **Date:** 22-Oct-12

Client:	Genesis Project, Inc.	**Client Sample ID:**	SB-7 0-2
Project Name:	Vogue Cleaners	**Collection Date:**	10/16/2012 12:20:00 PM
Lab ID:	1210E17-006	**Matrix:**	Soil

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5035)**				
Styrene	BRL	0.0041		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
Tetrachloroethene	BRL	0.0041		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
Toluene	BRL	0.0041		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
trans-1,2-Dichloroethene	BRL	0.0041		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
trans-1,3-Dichloropropene	BRL	0.0041		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
Trichloroethene	BRL	0.0041		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
Trichlorofluoromethane	BRL	0.0041		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
Vinyl chloride	BRL	0.0081		mg/Kg-dry	167926	1	10/19/2012 00:06	MD
Surr: 4-Bromofluorobenzene	87.6	56.5-134		%REC	167926	1	10/19/2012 00:06	MD
Surr: Dibromofluoromethane	110	71.8-135		%REC	167926	1	10/19/2012 00:06	MD
Surr: Toluene-d8	95.5	77.1-117		%REC	167926	1	10/19/2012 00:06	MD
PERCENT MOISTURE D2216								
Percent Moisture	17.1	0		wt%	R231349	1	10/19/2012 11:30	AS

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 22-Oct-12

Client:	Genesis Project, Inc.	**Client Sample ID:**	TRIP BLANK
Project Name:	Vogue Cleaners	**Collection Date:**	10/16/2012
Lab ID:	1210E17-007	**Matrix:**	Aqueous

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5030B)**				
1,1,1-Trichloroethane	BRL	5.0		ug/L	167944	1	10/20/2012 18:17	YT
1,1,2,2-Tetrachloroethane	BRL	5.0		ug/L	167944	1	10/20/2012 18:17	YT
1,1,2-Trichloroethane	BRL	5.0		ug/L	167944	1	10/20/2012 18:17	YT
1,1-Dichloroethane	BRL	5.0		ug/L	167944	1	10/20/2012 18:17	YT
1,1-Dichloroethene	BRL	5.0		ug/L	167944	1	10/20/2012 18:17	YT
1,2,4-Trichlorobenzene	BRL	5.0		ug/L	167944	1	10/20/2012 18:17	YT
1,2-Dibromo-3-chloropropane	BRL	5.0		ug/L	167944	1	10/20/2012 18:17	YT
1,2-Dibromoethane	BRL	5.0		ug/L	167944	1	10/20/2012 18:17	YT
1,2-Dichlorobenzene	BRL	5.0		ug/L	167944	1	10/20/2012 18:17	YT
1,2-Dichloroethane	BRL	5.0		ug/L	167944	1	10/20/2012 18:17	YT
1,2-Dichloropropane	BRL	5.0		ug/L	167944	1	10/20/2012 18:17	YT
1,3-Dichlorobenzene	BRL	5.0		ug/L	167944	1	10/20/2012 18:17	YT
1,4-Dichlorobenzene	BRL	5.0		ug/L	167944	1	10/20/2012 18:17	YT
2-Butanone	BRL	50		ug/L	167944	1	10/20/2012 18:17	YT
2-Hexanone	BRL	10		ug/L	167944	1	10/20/2012 18:17	YT
4-Methyl-2-pentanone	BRL	10		ug/L	167944	1	10/20/2012 18:17	YT
Acetone	BRL	50		ug/L	167944	1	10/20/2012 18:17	YT
Benzene	BRL	5.0		ug/L	167944	1	10/20/2012 18:17	YT
Bromodichloromethane	BRL	5.0		ug/L	167944	1	10/20/2012 18:17	YT
Bromoform	BRL	5.0		ug/L	167944	1	10/20/2012 18:17	YT
Bromomethane	BRL	5.0		ug/L	167944	1	10/20/2012 18:17	YT
Carbon disulfide	BRL	5.0		ug/L	167944	1	10/20/2012 18:17	YT
Carbon tetrachloride	BRL	5.0		ug/L	167944	1	10/20/2012 18:17	YT
Chlorobenzene	BRL	5.0		ug/L	167944	1	10/20/2012 18:17	YT
Chloroethane	BRL	10		ug/L	167944	1	10/20/2012 18:17	YT
Chloroform	BRL	5.0		ug/L	167944	1	10/20/2012 18:17	YT
Chloromethane	BRL	10		ug/L	167944	1	10/20/2012 18:17	YT
cis-1,2-Dichloroethene	BRL	5.0		ug/L	167944	1	10/20/2012 18:17	YT
cis-1,3-Dichloropropene	BRL	5.0		ug/L	167944	1	10/20/2012 18:17	YT
Cyclohexane	BRL	5.0		ug/L	167944	1	10/20/2012 18:17	YT
Dibromochloromethane	BRL	5.0		ug/L	167944	1	10/20/2012 18:17	YT
Dichlorodifluoromethane	BRL	10		ug/L	167944	1	10/20/2012 18:17	YT
Ethylbenzene	BRL	5.0		ug/L	167944	1	10/20/2012 18:17	YT
Freon-113	BRL	10		ug/L	167944	1	10/20/2012 18:17	YT
Isopropylbenzene	BRL	5.0		ug/L	167944	1	10/20/2012 18:17	YT
m,p-Xylene	BRL	5.0		ug/L	167944	1	10/20/2012 18:17	YT
Methyl acetate	BRL	5.0		ug/L	167944	1	10/20/2012 18:17	YT
Methyl tert-butyl ether	BRL	5.0		ug/L	167944	1	10/20/2012 18:17	YT
Methylcyclohexane	BRL	5.0		ug/L	167944	1	10/20/2012 18:17	YT
Methylene chloride	BRL	5.0		ug/L	167944	1	10/20/2012 18:17	YT
o-Xylene	BRL	5.0		ug/L	167944	1	10/20/2012 18:17	YT

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc **Date:** 22-Oct-12

Client:	Genesis Project, Inc.	**Client Sample ID:**	TRIP BLANK
Project Name:	Vogue Cleaners	**Collection Date:**	10/16/2012
Lab ID:	1210E17-007	**Matrix:**	Aqueous

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5030B)**				
Styrene	BRL	5.0		ug/L	167944	1	10/20/2012 18:17	YT
Tetrachloroethene	BRL	5.0		ug/L	167944	1	10/20/2012 18:17	YT
Toluene	BRL	5.0		ug/L	167944	1	10/20/2012 18:17	YT
trans-1,2-Dichloroethene	BRL	5.0		ug/L	167944	1	10/20/2012 18:17	YT
trans-1,3-Dichloropropene	BRL	5.0		ug/L	167944	1	10/20/2012 18:17	YT
Trichloroethene	BRL	5.0		ug/L	167944	1	10/20/2012 18:17	YT
Trichlorofluoromethane	BRL	5.0		ug/L	167944	1	10/20/2012 18:17	YT
Vinyl chloride	BRL	2.0		ug/L	167944	1	10/20/2012 18:17	YT
Surr: 4-Bromofluorobenzene	87.2	64.6-123		%REC	167944	1	10/20/2012 18:17	YT
Surr: Dibromofluoromethane	109	76.6-133		%REC	167944	1	10/20/2012 18:17	YT
Surr: Toluene-d8	104	77.8-120		%REC	167944	1	10/20/2012 18:17	YT

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Client: Genesis Project, Inc.
Project Name: Vogue Cleaners
Workorder: 1210E17

ANALYTICAL QC SUMMARY REPORT

BatchID: **167926**

Sample ID: **MB-167926** Client ID: Units: **mg/Kg** Prep Date: **10/18/2012** Run No: **231252**
SampleType: **MBLK** TestCode: **TCL VOLATILE ORGANICS SW8260B** BatchID: **167926** Analysis Date: **10/18/2012** Seq No: **4843649**

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	BRL	0.0050	0	0	0	0	0	0	0	0	
1,1,2,2-Tetrachloroethane	BRL	0.0050	0	0	0	0	0	0	0	0	
1,1,2-Trichloroethane	BRL	0.0050	0	0	0	0	0	0	0	0	
1,1-Dichloroethane	BRL	0.0050	0	0	0	0	0	0	0	0	
1,1-Dichloroethene	BRL	0.0050	0	0	0	0	0	0	0	0	
1,2,4-Trichlorobenzene	BRL	0.0050	0	0	0	0	0	0	0	0	
1,2-Dibromo-3-chloropropane	BRL	0.0050	0	0	0	0	0	0	0	0	
1,2-Dibromoethane	BRL	0.0050	0	0	0	0	0	0	0	0	
1,2-Dichlorobenzene	BRL	0.0050	0	0	0	0	0	0	0	0	
1,2-Dichloroethane	BRL	0.0050	0	0	0	0	0	0	0	0	
1,2-Dichloropropane	BRL	0.0050	0	0	0	0	0	0	0	0	
1,3-Dichlorobenzene	BRL	0.0050	0	0	0	0	0	0	0	0	
1,4-Dichlorobenzene	BRL	0.0050	0	0	0	0	0	0	0	0	
2-Butanone	BRL	0.050	0	0	0	0	0	0	0	0	
2-Hexanone	BRL	0.010	0	0	0	0	0	0	0	0	
4-Methyl-2-pentanone	BRL	0.010	0	0	0	0	0	0	0	0	
Acetone	BRL	0.10	0	0	0	0	0	0	0	0	
Benzene	BRL	0.0050	0	0	0	0	0	0	0	0	
Bromodichloromethane	BRL	0.0050	0	0	0	0	0	0	0	0	
Bromoform	BRL	0.0050	0	0	0	0	0	0	0	0	
Bromomethane	BRL	0.0050	0	0	0	0	0	0	0	0	
Carbon disulfide	BRL	0.010	0	0	0	0	0	0	0	0	
Carbon tetrachloride	BRL	0.0050	0	0	0	0	0	0	0	0	
Chlorobenzene	BRL	0.0050	0	0	0	0	0	0	0	0	
Chloroethane	BRL	0.010	0	0	0	0	0	0	0	0	
Chloroform	BRL	0.0050	0	0	0	0	0	0	0	0	
Chloromethane	BRL	0.010	0	0	0	0	0	0	0	0	

Qualifiers:

>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Genesis Project, Inc.
Project Name: Vogue Cleaners
Workorder: 1210E17

ANALYTICAL QC SUMMARY REPORT

BatchID: 167926

Sample ID: **MB-167926** Client ID: Units: **mg/Kg** Prep Date: **10/18/2012** Run No: **231252**
SampleType: **MBLK** TestCode: **TCL VOLATILE ORGANICS SW8260B** BatchID: **167926** Analysis Date: **10/18/2012** Seq No: **4843649**

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
cis-1,2-Dichloroethene	BRL	0.0050	0	0	0	0	0	0	0	0	
cis-1,3-Dichloropropene	BRL	0.0050	0	0	0	0	0	0	0	0	
Cyclohexane	BRL	0.0050	0	0	0	0	0	0	0	0	
Dibromochloromethane	BRL	0.0050	0	0	0	0	0	0	0	0	
Dichlorodifluoromethane	BRL	0.010	0	0	0	0	0	0	0	0	
Ethylbenzene	BRL	0.0050	0	0	0	0	0	0	0	0	
Freon-113	BRL	0.010	0	0	0	0	0	0	0	0	
Isopropylbenzene	BRL	0.0050	0	0	0	0	0	0	0	0	
m,p-Xylene	BRL	0.0050	0	0	0	0	0	0	0	0	
Methyl acetate	BRL	0.0050	0	0	0	0	0	0	0	0	
Methyl tert-butyl ether	BRL	0.0050	0	0	0	0	0	0	0	0	
Methylcyclohexane	BRL	0.0050	0	0	0	0	0	0	0	0	
Methylene chloride	BRL	0.0050	0	0	0	0	0	0	0	0	
o-Xylene	BRL	0.0050	0	0	0	0	0	0	0	0	
Styrene	BRL	0.0050	0	0	0	0	0	0	0	0	
Tetrachloroethene	BRL	0.0050	0	0	0	0	0	0	0	0	
Toluene	BRL	0.0050	0	0	0	0	0	0	0	0	
trans-1,2-Dichloroethene	BRL	0.0050	0	0	0	0	0	0	0	0	
trans-1,3-Dichloropropene	BRL	0.0050	0	0	0	0	0	0	0	0	
Trichloroethene	BRL	0.0050	0	0	0	0	0	0	0	0	
Trichlorofluoromethane	BRL	0.0050	0	0	0	0	0	0	0	0	
Vinyl chloride	BRL	0.010	0	0	0	0	0	0	0	0	
Surr: 4-Bromofluorobenzene	0.04392	0	0.05	0	87.8	56.5	134	0	0	0	
Surr: Dibromofluoromethane	0.05255	0	0.05	0	105	71.8	135	0	0	0	
Surr: Toluene-d8	0.04648	0	0.05	0	93	77.1	117	0	0	0	

Qualifiers:

>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Genesis Project, Inc.
Project Name: Vogue Cleaners
Workorder: 1210E17

ANALYTICAL QC SUMMARY REPORT

BatchID: 167926

Sample ID: **LCS-167926** Client ID: Units: **mg/Kg** Prep Date: **10/18/2012** Run No: **231252**
SampleType: **LCS** TestCode: **TCL VOLATILE ORGANICS SW8260B** BatchID: **167926** Analysis Date: **10/18/2012** Seq No: **4843655**

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
1,1-Dichloroethene	0.06036	0.0050	0.05	0	121	60	140	0	0	0	
Benzene	0.05159	0.0050	0.05	0	103	70	130	0	0	0	
Chlorobenzene	0.04620	0.0050	0.05	0	92.4	70	130	0	0	0	
Toluene	0.05168	0.0050	0.05	0	103	70	130	0	0	0	
Trichloroethene	0.05244	0.0050	0.05	0	105	70	130	0	0	0	
Surr: 4-Bromofluorobenzene	0.05267	0	0.05	0	105	56.5	134	0	0	0	
Surr: Dibromofluoromethane	0.05376	0	0.05	0	108	71.8	135	0	0	0	
Surr: Toluene-d8	0.05016	0	0.05	0	100	77.1	117	0	0	0	

Sample ID: **1210E17-006AMS** Client ID: **SB-7 0-2** Units: **mg/Kg-dry** Prep Date: **10/18/2012** Run No: **231608**
SampleType: **MS** TestCode: **TCL VOLATILE ORGANICS SW8260B** BatchID: **167926** Analysis Date: **10/24/2012** Seq No: **4850809**

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
1,1-Dichloroethene	0.07615	0.0060	0.0603	0	126	51	159	0	0	0	
Benzene	0.07243	0.0060	0.0603	0	120	67.6	139	0	0	0	
Chlorobenzene	0.06867	0.0060	0.0603	0	114	73.6	135	0	0	0	
Toluene	0.07390	0.0060	0.0603	0	123	63.5	140	0	0	0	
Trichloroethene	0.07496	0.0060	0.0603	0	124	67.6	145	0	0	0	
Surr: 4-Bromofluorobenzene	0.06351	0	0.0603	0	105	56.5	134	0	0	0	
Surr: Dibromofluoromethane	0.06484	0	0.0603	0	108	71.8	135	0	0	0	
Surr: Toluene-d8	0.06148	0	0.0603	0	102	77.1	117	0	0	0	

Sample ID: **1210E17-006AMSD** Client ID: **SB-7 0-2** Units: **mg/Kg-dry** Prep Date: **10/18/2012** Run No: **231608**
SampleType: **MSD** TestCode: **TCL VOLATILE ORGANICS SW8260B** BatchID: **167926** Analysis Date: **10/24/2012** Seq No: **4850812**

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
1,1-Dichloroethene	0.07340	0.0060	0.0603	0	122	51	159	0.07615	3.68	25.7	
Benzene	0.07127	0.0060	0.0603	0	118	67.6	139	0.07243	1.61	18.5	

Qualifiers:

>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Genesis Project, Inc.
Project Name: Vogue Cleaners
Workorder: 1210E17

ANALYTICAL QC SUMMARY REPORT

BatchID: **167926**

Sample ID: **1210E17-006AMSD** Client ID: **SB-7 0-2** Units: **mg/Kg-dry** Prep Date: **10/18/2012** Run No: **231608**
SampleType: **MSD** TestCode: **TCL VOLATILE ORGANICS SW8260B** BatchID: **167926** Analysis Date: **10/24/2012** Seq No: **4850812**

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
Chlorobenzene	0.06894	0.0060	0.0603	0	114	73.6	135	0.06867	0.403	18.5	
Toluene	0.07069	0.0060	0.0603	0	117	63.5	140	0.07390	4.44	18.8	
Trichloroethene	0.07191	0.0060	0.0603	0	119	67.6	145	0.07496	4.15	20.7	
Surr: 4-Bromofluorobenzene	0.06421	0	0.0603	0	106	56.5	134	0.06351	0	0	
Surr: Dibromofluoromethane	0.06352	0	0.0603	0	105	71.8	135	0.06484	0	0	
Surr: Toluene-d8	0.05920	0	0.0603	0	98.2	77.1	117	0.06148	0	0	

Qualifiers:

>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Genesis Project, Inc.
Project Name: Vogue Cleaners
Workorder: 1210E17

ANALYTICAL QC SUMMARY REPORT

BatchID: 167944

Sample ID: **MB-167944** Client ID: Units: **ug/L** Prep Date: **10/18/2012** Run No: **231267**
SampleType: **MBLK** TestCode: **TCL VOLATILE ORGANICS SW8260B** BatchID: **167944** Analysis Date: **10/18/2012** Seq No: **4843177**

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	BRL	5.0	0	0	0	0	0	0	0	0	
1,1,2,2-Tetrachloroethane	BRL	5.0	0	0	0	0	0	0	0	0	
1,1,2-Trichloroethane	BRL	5.0	0	0	0	0	0	0	0	0	
1,1-Dichloroethane	BRL	5.0	0	0	0	0	0	0	0	0	
1,1-Dichloroethene	BRL	5.0	0	0	0	0	0	0	0	0	
1,2,4-Trichlorobenzene	BRL	5.0	0	0	0	0	0	0	0	0	
1,2-Dibromo-3-chloropropane	BRL	5.0	0	0	0	0	0	0	0	0	
1,2-Dibromoethane	BRL	5.0	0	0	0	0	0	0	0	0	
1,2-Dichlorobenzene	BRL	5.0	0	0	0	0	0	0	0	0	
1,2-Dichloroethane	BRL	5.0	0	0	0	0	0	0	0	0	
1,2-Dichloropropane	BRL	5.0	0	0	0	0	0	0	0	0	
1,3-Dichlorobenzene	BRL	5.0	0	0	0	0	0	0	0	0	
1,4-Dichlorobenzene	BRL	5.0	0	0	0	0	0	0	0	0	
2-Butanone	BRL	50	0	0	0	0	0	0	0	0	
2-Hexanone	BRL	10	0	0	0	0	0	0	0	0	
4-Methyl-2-pentanone	BRL	10	0	0	0	0	0	0	0	0	
Acetone	BRL	50	0	0	0	0	0	0	0	0	
Benzene	BRL	5.0	0	0	0	0	0	0	0	0	
Bromodichloromethane	BRL	5.0	0	0	0	0	0	0	0	0	
Bromoform	BRL	5.0	0	0	0	0	0	0	0	0	
Bromomethane	BRL	5.0	0	0	0	0	0	0	0	0	
Carbon disulfide	BRL	5.0	0	0	0	0	0	0	0	0	
Carbon tetrachloride	BRL	5.0	0	0	0	0	0	0	0	0	
Chlorobenzene	BRL	5.0	0	0	0	0	0	0	0	0	
Chloroethane	BRL	10	0	0	0	0	0	0	0	0	
Chloroform	BRL	5.0	0	0	0	0	0	0	0	0	
Chloromethane	BRL	10	0	0	0	0	0	0	0	0	

Qualifiers:

>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Genesis Project, Inc.
Project Name: Vogue Cleaners
Workorder: 1210E17

ANALYTICAL QC SUMMARY REPORT

BatchID: 167944

Sample ID: **MB-167944** Client ID: Units: **ug/L** Prep Date: **10/18/2012** Run No: **231267**
SampleType: **MBLK** TestCode: **TCL VOLATILE ORGANICS SW8260B** BatchID: **167944** Analysis Date: **10/18/2012** Seq No: **4843177**

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
cis-1,2-Dichloroethene	BRL	5.0	0	0	0	0	0	0	0	0	
cis-1,3-Dichloropropene	BRL	5.0	0	0	0	0	0	0	0	0	
Cyclohexane	BRL	5.0	0	0	0	0	0	0	0	0	
Dibromochloromethane	BRL	5.0	0	0	0	0	0	0	0	0	
Dichlorodifluoromethane	BRL	10	0	0	0	0	0	0	0	0	
Ethylbenzene	BRL	5.0	0	0	0	0	0	0	0	0	
Freon-113	BRL	10	0	0	0	0	0	0	0	0	
Isopropylbenzene	BRL	5.0	0	0	0	0	0	0	0	0	
m,p-Xylene	BRL	5.0	0	0	0	0	0	0	0	0	
Methyl acetate	BRL	5.0	0	0	0	0	0	0	0	0	
Methyl tert-butyl ether	BRL	5.0	0	0	0	0	0	0	0	0	
Methylcyclohexane	BRL	5.0	0	0	0	0	0	0	0	0	
Methylene chloride	BRL	5.0	0	0	0	0	0	0	0	0	
o-Xylene	BRL	5.0	0	0	0	0	0	0	0	0	
Styrene	BRL	5.0	0	0	0	0	0	0	0	0	
Tetrachloroethene	BRL	5.0	0	0	0	0	0	0	0	0	
Toluene	BRL	5.0	0	0	0	0	0	0	0	0	
trans-1,2-Dichloroethene	BRL	5.0	0	0	0	0	0	0	0	0	
trans-1,3-Dichloropropene	BRL	5.0	0	0	0	0	0	0	0	0	
Trichloroethene	BRL	5.0	0	0	0	0	0	0	0	0	
Trichlorofluoromethane	BRL	5.0	0	0	0	0	0	0	0	0	
Vinyl chloride	BRL	2.0	0	0	0	0	0	0	0	0	
Surr: 4-Bromofluorobenzene	50.47	0	50	0	101	64.6	123	0	0	0	
Surr: Dibromofluoromethane	49.70	0	50	0	99.4	76.6	133	0	0	0	
Surr: Toluene-d8	47.42	0	50	0	94.8	77.8	120	0	0	0	

Qualifiers:

>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Genesis Project, Inc.
Project Name: Vogue Cleaners
Workorder: 1210E17

ANALYTICAL QC SUMMARY REPORT

BatchID: **167944**

Sample ID: **LCS-167944** Client ID: Units: **ug/L** Prep Date: **10/18/2012** Run No: **231320**
SampleType: **LCS** TestCode: **TCL VOLATILE ORGANICS SW8260B** BatchID: **167944** Analysis Date: **10/19/2012** Seq No: **4843721**

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
1,1-Dichloroethene	67.36	5.0	50	0	135	60	140	0	0	0	
Benzene	51.17	5.0	50	0	102	70	130	0	0	0	
Chlorobenzene	47.62	5.0	50	0	95.2	70	130	0	0	0	
Toluene	49.24	5.0	50	0	98.5	70	130	0	0	0	
Trichloroethene	48.61	5.0	50	0	97.2	70	130	0	0	0	
Surr: 4-Bromofluorobenzene	51.12	0	50	0	102	64.6	123	0	0	0	
Surr: Dibromofluoromethane	53.39	0	50	0	107	76.6	133	0	0	0	
Surr: Toluene-d8	52.53	0	50	0	105	77.8	120	0	0	0	

Sample ID: **1210F98-006AMS** Client ID: Units: **ug/L** Prep Date: **10/18/2012** Run No: **231320**
SampleType: **MS** TestCode: **TCL VOLATILE ORGANICS SW8260B** BatchID: **167944** Analysis Date: **10/19/2012** Seq No: **4843723**

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
1,1-Dichloroethene	69.82	5.0	50	0	140	50.1	179	0	0	0	
Benzene	52.90	5.0	50	0	106	61.2	150	0	0	0	
Chlorobenzene	47.32	5.0	50	0	94.6	72.1	140	0	0	0	
Toluene	52.27	5.0	50	0	105	58.7	154	0	0	0	
Trichloroethene	52.68	5.0	50	0	105	68.3	149	0	0	0	
Surr: 4-Bromofluorobenzene	50.51	0	50	0	101	64.6	123	0	0	0	
Surr: Dibromofluoromethane	56.32	0	50	0	113	76.6	133	0	0	0	
Surr: Toluene-d8	55.17	0	50	0	110	77.8	120	0	0	0	

Sample ID: **1210F98-006AMSD** Client ID: Units: **ug/L** Prep Date: **10/18/2012** Run No: **231320**
SampleType: **MSD** TestCode: **TCL VOLATILE ORGANICS SW8260B** BatchID: **167944** Analysis Date: **10/19/2012** Seq No: **4843724**

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
1,1-Dichloroethene	70.91	5.0	50	0	142	50.1	179	69.82	1.55	23.3	
Benzene	51.79	5.0	50	0	104	61.2	150	52.90	2.12	19	

Qualifiers:

>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Analytical Environmental Services, Inc

Date: 26-Oct-12

Client: Genesis Project, Inc.
Project Name: Vogue Cleaners
Workorder: 1210E17

ANALYTICAL QC SUMMARY REPORT

BatchID: 167944

Sample ID: **1210F98-006AMSD** Client ID: Units: **ug/L** Prep Date: **10/18/2012** Run No: **231320**
SampleType: **MSD** TestCode: **TCL VOLATILE ORGANICS SW8260B** BatchID: **167944** Analysis Date: **10/19/2012** Seq No: **4843724**

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
Chlorobenzene	46.24	5.0	50	0	92.5	72.1	140	47.32	2.31	21.5	
Toluene	50.88	5.0	50	0	102	58.7	154	52.27	2.7	20	
Trichloroethene	50.86	5.0	50	0	102	68.3	149	52.68	3.52	17.7	
Surr: 4-Bromofluorobenzene	52.20	0	50	0	104	64.6	123	50.51	0	0	
Surr: Dibromofluoromethane	54.70	0	50	0	109	76.6	133	56.32	0	0	
Surr: Toluene-d8	53.16	0	50	0	106	77.8	120	55.17	0	0	

Qualifiers:

>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

AES

ANALYTICAL ENVIRONMENTAL SERVICES, INC.

November 01, 2012

Tiffany Messier
Genesis Project, Inc.
1258 Concord Rd. SE
Smyrna GA 30080

TEL: (770) 319-7217
FAX: (770) 319-7219

RE: Vogue Cleaners

Dear Tiffany Messier: Order No: 1210O64

Analytical Environmental Services, Inc. received 2 samples on 10/30/2012 10:00:00 AM for the analyses presented in following report.

No problems were encountered during the analyses. Additionally, all results for the associated Quality Control samples were within EPA and/or AES established limits. Any discrepancies associated with the analyses contained herein will be noted and submitted in the form of a project Case Narrative.
AES' certifications are as follows:
-NELAC/Florida Certification number E87582 for analysis of Environmental Water, soil/hazardous waste, and Drinking Water Microbiology, effective 07/01/12-06/30/13.
-AIHA Certification ID #100671 for Industrial Hygiene samples (Organics, Inorganics), Environmental Lead (Paint, Soil, Dust Wipes, Air), and Environmental Microbiology (Fungal) effective until 09/01/13.

These results relate only to the items tested. This report may only be reproduced in full.

If you have any questions regarding these test results, please feel free to call.

James Forrest
Project Manager

3785 PRESIDENTIAL PARKWAY • ATLANTA, GEORGIA 30340 • TEL: (770) 457-8177 • FAX: (770)457-8188

ANALYTICAL ENVIRONMENTAL SERVICES, INC
3785 Presidential Parkway, Atlanta GA 30340-3704
AES TEL.: (770) 457-8177 / TOLL-FREE (800) 972-4889 / FAX: (770) 457-8188

CHAIN OF CUSTODY

Work Order: 1210064

Date: 10/29/12 Page 1 of 1

COMPANY: Genesis Project Inc

ADDRESS: 1258 Concord Rd SE Smyrna GA, 30080

PHONE: 770-319-7217

FAX: 770-319-7214

SAMPLED BY: William Mitchell

SIGNATURE:

ANALYSIS REQUESTED: Total VOCs

PRESERVATION (See codes): H+I

Visit our website www.aesatlanta.com to check on the status of your results, place bottle orders, etc.

#	SAMPLE ID	SAMPLED DATE	SAMPLED TIME	Grab	Composite	Matrix (See codes)	H+I	REMARKS	No # of Containers
1	POD-1	10/29/12	1930	X		GW	Y		2
2	MW-8	10/29/12	2020	X		GW	Y		2
3									
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									

RELINQUISHED BY	DATE/TIME	RECEIVED BY	DATE/TIME
1:		1: Latoya P	10/30/12 10:00am
2:	10/30/12 10:00	2:	
3:		3:	

SPECIAL INSTRUCTIONS/COMMENTS:

SHIPMENT METHOD
OUT / / VIA:
IN / / VIA:
CLIENT FedEx UPS MAIL COURIER
GREYHOUND OTHER

PROJECT INFORMATION
PROJECT NAME: Vogue Cleaners
PROJECT #:
SITE ADDRESS:
SEND REPORT TO: tmessier@genproject.com mmitchell@genproject.com
INVOICE TO: (IF DIFFERENT FROM ABOVE)
QUOTE #: PO#:

RECEIPT
Total # of Containers: 4

Turnaround Time Request
- Standard 5 Business Days
- 2 Business Day Rush
- Next Business Day Rush
- Same Day Rush (auth req.)
- Other

STATE PROGRAM (if any):
E-mail? Y / N; Fax? Y / N
DATA PACKAGE: I II III IV

SAMPLES RECEIVED AFTER 3PM OR ON SATURDAY ARE CONSIDERED RECEIVED THE NEXT BUSINESS DAY. IF TURNAROUND TIME IS NOT INDICATED, AES WILL PROCEED WITH STANDARD TAT OF SAMPLES.
SAMPLES ARE DISPOSED 30 DAYS AFTER REPORT COMPLETION UNLESS OTHER ARRANGEMENTS ARE MADE.

MATRIX CODES: A = Air GW = Groundwater SE = Sediment SO = Soil SW = Surface Water W = Water (Blanks) DW = Drinking Water (Blanks) O = Other (specify) WW = Waste Water
PRESERVATIVE CODES: H+I = Hydrochloric acid + ice I = Ice only N = Nitric acid S+I = Sulfuric acid + ice S/M+I = Sodium Bisulfate/Methanol + ice O = Other (specify) NA = None

White Copy - Original; Yellow Copy - Client

Analytical Environmental Services, Inc **Date:** 1-Nov-12

Client:	Genesis Project, Inc.	**Client Sample ID:**	POD-1
Project Name:	Vogue Cleaners	**Collection Date:**	10/29/2012 7:30:00 PM
Lab ID:	1210O64-001	**Matrix:**	Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5030B)**				
1,1,1-Trichloroethane	BRL	5.0		ug/L	168348	1	10/30/2012 21:05	NP
1,1,2,2-Tetrachloroethane	BRL	5.0		ug/L	168348	1	10/30/2012 21:05	NP
1,1,2-Trichloroethane	BRL	5.0		ug/L	168348	1	10/30/2012 21:05	NP
1,1-Dichloroethane	BRL	5.0		ug/L	168348	1	10/30/2012 21:05	NP
1,1-Dichloroethene	BRL	5.0		ug/L	168348	1	10/30/2012 21:05	NP
1,2,4-Trichlorobenzene	BRL	5.0		ug/L	168348	1	10/30/2012 21:05	NP
1,2-Dibromo-3-chloropropane	BRL	5.0		ug/L	168348	1	10/30/2012 21:05	NP
1,2-Dibromoethane	BRL	5.0		ug/L	168348	1	10/30/2012 21:05	NP
1,2-Dichlorobenzene	BRL	5.0		ug/L	168348	1	10/30/2012 21:05	NP
1,2-Dichloroethane	BRL	5.0		ug/L	168348	1	10/30/2012 21:05	NP
1,2-Dichloropropane	BRL	5.0		ug/L	168348	1	10/30/2012 21:05	NP
1,3-Dichlorobenzene	BRL	5.0		ug/L	168348	1	10/30/2012 21:05	NP
1,4-Dichlorobenzene	BRL	5.0		ug/L	168348	1	10/30/2012 21:05	NP
2-Butanone	BRL	50		ug/L	168348	1	10/30/2012 21:05	NP
2-Hexanone	BRL	10		ug/L	168348	1	10/30/2012 21:05	NP
4-Methyl-2-pentanone	BRL	10		ug/L	168348	1	10/30/2012 21:05	NP
Acetone	BRL	50		ug/L	168348	1	10/30/2012 21:05	NP
Benzene	BRL	5.0		ug/L	168348	1	10/30/2012 21:05	NP
Bromodichloromethane	BRL	5.0		ug/L	168348	1	10/30/2012 21:05	NP
Bromoform	BRL	5.0		ug/L	168348	1	10/30/2012 21:05	NP
Bromomethane	BRL	5.0		ug/L	168348	1	10/30/2012 21:05	NP
Carbon disulfide	BRL	5.0		ug/L	168348	1	10/30/2012 21:05	NP
Carbon tetrachloride	BRL	5.0		ug/L	168348	1	10/30/2012 21:05	NP
Chlorobenzene	BRL	5.0		ug/L	168348	1	10/30/2012 21:05	NP
Chloroethane	BRL	10		ug/L	168348	1	10/30/2012 21:05	NP
Chloroform	BRL	5.0		ug/L	168348	1	10/30/2012 21:05	NP
Chloromethane	BRL	10		ug/L	168348	1	10/30/2012 21:05	NP
cis-1,2-Dichloroethene	BRL	5.0		ug/L	168348	1	10/30/2012 21:05	NP
cis-1,3-Dichloropropene	BRL	5.0		ug/L	168348	1	10/30/2012 21:05	NP
Cyclohexane	BRL	5.0		ug/L	168348	1	10/30/2012 21:05	NP
Dibromochloromethane	BRL	5.0		ug/L	168348	1	10/30/2012 21:05	NP
Dichlorodifluoromethane	BRL	10		ug/L	168348	1	10/30/2012 21:05	NP
Ethylbenzene	BRL	5.0		ug/L	168348	1	10/30/2012 21:05	NP
Freon-113	BRL	10		ug/L	168348	1	10/30/2012 21:05	NP
Isopropylbenzene	BRL	5.0		ug/L	168348	1	10/30/2012 21:05	NP
m,p-Xylene	BRL	5.0		ug/L	168348	1	10/30/2012 21:05	NP
Methyl acetate	BRL	5.0		ug/L	168348	1	10/30/2012 21:05	NP
Methyl tert-butyl ether	BRL	5.0		ug/L	168348	1	10/30/2012 21:05	NP
Methylcyclohexane	BRL	5.0		ug/L	168348	1	10/30/2012 21:05	NP
Methylene chloride	BRL	5.0		ug/L	168348	1	10/30/2012 21:05	NP
o-Xylene	BRL	5.0		ug/L	168348	1	10/30/2012 21:05	NP

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc **Date:** 1-Nov-12

Client:	Genesis Project, Inc.	**Client Sample ID:**	POD-1
Project Name:	Vogue Cleaners	**Collection Date:**	10/29/2012 7:30:00 PM
Lab ID:	1210O64-001	**Matrix:**	Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5030B)**				
Styrene	BRL	5.0		ug/L	168348	1	10/30/2012 21:05	NP
Tetrachloroethene	6.1	5.0		ug/L	168348	1	10/30/2012 21:05	NP
Toluene	BRL	5.0		ug/L	168348	1	10/30/2012 21:05	NP
trans-1,2-Dichloroethene	BRL	5.0		ug/L	168348	1	10/30/2012 21:05	NP
trans-1,3-Dichloropropene	BRL	5.0		ug/L	168348	1	10/30/2012 21:05	NP
Trichloroethene	BRL	5.0		ug/L	168348	1	10/30/2012 21:05	NP
Trichlorofluoromethane	BRL	5.0		ug/L	168348	1	10/30/2012 21:05	NP
Vinyl chloride	BRL	2.0		ug/L	168348	1	10/30/2012 21:05	NP
Surr: 4-Bromofluorobenzene	87.2	64.6-123		%REC	168348	1	10/30/2012 21:05	NP
Surr: Dibromofluoromethane	109	76.6-133		%REC	168348	1	10/30/2012 21:05	NP
Surr: Toluene-d8	102	77.8-120		%REC	168348	1	10/30/2012 21:05	NP

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc **Date:** 1-Nov-12

Client:	Genesis Project, Inc.	**Client Sample ID:**	MW-8
Project Name:	Vogue Cleaners	**Collection Date:**	10/29/2012 8:20:00 PM
Lab ID:	1210O64-002	**Matrix:**	Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5030B)**				
1,1,1-Trichloroethane	BRL	5.0		ug/L	168348	1	10/30/2012 21:34	NP
1,1,2,2-Tetrachloroethane	BRL	5.0		ug/L	168348	1	10/30/2012 21:34	NP
1,1,2-Trichloroethane	BRL	5.0		ug/L	168348	1	10/30/2012 21:34	NP
1,1-Dichloroethane	BRL	5.0		ug/L	168348	1	10/30/2012 21:34	NP
1,1-Dichloroethene	BRL	5.0		ug/L	168348	1	10/30/2012 21:34	NP
1,2,4-Trichlorobenzene	BRL	5.0		ug/L	168348	1	10/30/2012 21:34	NP
1,2-Dibromo-3-chloropropane	BRL	5.0		ug/L	168348	1	10/30/2012 21:34	NP
1,2-Dibromoethane	BRL	5.0		ug/L	168348	1	10/30/2012 21:34	NP
1,2-Dichlorobenzene	BRL	5.0		ug/L	168348	1	10/30/2012 21:34	NP
1,2-Dichloroethane	BRL	5.0		ug/L	168348	1	10/30/2012 21:34	NP
1,2-Dichloropropane	BRL	5.0		ug/L	168348	1	10/30/2012 21:34	NP
1,3-Dichlorobenzene	BRL	5.0		ug/L	168348	1	10/30/2012 21:34	NP
1,4-Dichlorobenzene	BRL	5.0		ug/L	168348	1	10/30/2012 21:34	NP
2-Butanone	BRL	50		ug/L	168348	1	10/30/2012 21:34	NP
2-Hexanone	BRL	10		ug/L	168348	1	10/30/2012 21:34	NP
4-Methyl-2-pentanone	BRL	10		ug/L	168348	1	10/30/2012 21:34	NP
Acetone	BRL	50		ug/L	168348	1	10/30/2012 21:34	NP
Benzene	BRL	5.0		ug/L	168348	1	10/30/2012 21:34	NP
Bromodichloromethane	BRL	5.0		ug/L	168348	1	10/30/2012 21:34	NP
Bromoform	BRL	5.0		ug/L	168348	1	10/30/2012 21:34	NP
Bromomethane	BRL	5.0		ug/L	168348	1	10/30/2012 21:34	NP
Carbon disulfide	BRL	5.0		ug/L	168348	1	10/30/2012 21:34	NP
Carbon tetrachloride	BRL	5.0		ug/L	168348	1	10/30/2012 21:34	NP
Chlorobenzene	BRL	5.0		ug/L	168348	1	10/30/2012 21:34	NP
Chloroethane	BRL	10		ug/L	168348	1	10/30/2012 21:34	NP
Chloroform	BRL	5.0		ug/L	168348	1	10/30/2012 21:34	NP
Chloromethane	BRL	10		ug/L	168348	1	10/30/2012 21:34	NP
cis-1,2-Dichloroethene	19	5.0		ug/L	168348	1	10/30/2012 21:34	NP
cis-1,3-Dichloropropene	BRL	5.0		ug/L	168348	1	10/30/2012 21:34	NP
Cyclohexane	BRL	5.0		ug/L	168348	1	10/30/2012 21:34	NP
Dibromochloromethane	BRL	5.0		ug/L	168348	1	10/30/2012 21:34	NP
Dichlorodifluoromethane	BRL	10		ug/L	168348	1	10/30/2012 21:34	NP
Ethylbenzene	BRL	5.0		ug/L	168348	1	10/30/2012 21:34	NP
Freon-113	BRL	10		ug/L	168348	1	10/30/2012 21:34	NP
Isopropylbenzene	BRL	5.0		ug/L	168348	1	10/30/2012 21:34	NP
m,p-Xylene	BRL	5.0		ug/L	168348	1	10/30/2012 21:34	NP
Methyl acetate	BRL	5.0		ug/L	168348	1	10/30/2012 21:34	NP
Methyl tert-butyl ether	BRL	5.0		ug/L	168348	1	10/30/2012 21:34	NP
Methylcyclohexane	BRL	5.0		ug/L	168348	1	10/30/2012 21:34	NP
Methylene chloride	BRL	5.0		ug/L	168348	1	10/30/2012 21:34	NP
o-Xylene	BRL	5.0		ug/L	168348	1	10/30/2012 21:34	NP

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc **Date:** 1-Nov-12

Client:	Genesis Project, Inc.	**Client Sample ID:**	MW-8
Project Name:	Vogue Cleaners	**Collection Date:**	10/29/2012 8:20:00 PM
Lab ID:	1210O64-002	**Matrix:**	Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5030B)**				
Styrene	BRL	5.0		ug/L	168348	1	10/30/2012 21:34	NP
Tetrachloroethene	980	500		ug/L	168348	100	10/30/2012 20:36	NP
Toluene	BRL	5.0		ug/L	168348	1	10/30/2012 21:34	NP
trans-1,2-Dichloroethene	BRL	5.0		ug/L	168348	1	10/30/2012 21:34	NP
trans-1,3-Dichloropropene	BRL	5.0		ug/L	168348	1	10/30/2012 21:34	NP
Trichloroethene	120	5.0		ug/L	168348	1	10/30/2012 21:34	NP
Trichlorofluoromethane	BRL	5.0		ug/L	168348	1	10/30/2012 21:34	NP
Vinyl chloride	BRL	2.0		ug/L	168348	1	10/30/2012 21:34	NP
Surr: 4-Bromofluorobenzene	88	64.6-123		%REC	168348	1	10/30/2012 21:34	NP
Surr: 4-Bromofluorobenzene	89.9	64.6-123		%REC	168348	100	10/30/2012 20:36	NP
Surr: Dibromofluoromethane	103	76.6-133		%REC	168348	1	10/30/2012 21:34	NP
Surr: Dibromofluoromethane	104	76.6-133		%REC	168348	100	10/30/2012 20:36	NP
Surr: Toluene-d8	96.6	77.8-120		%REC	168348	1	10/30/2012 21:34	NP
Surr: Toluene-d8	97.4	77.8-120		%REC	168348	100	10/30/2012 20:36	NP

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc.

Sample/Cooler Receipt Checklist

Client Genesis Project Work Order Number 1210064

Checklist completed by [signature] 10/30/2012
Signature Date

Carrier name: FedEx __ UPS __ Courier __ Client ✓ US Mail __ Other _____

Shipping container/cooler in good condition?	Yes ✓	No __	Not Present __
Custody seals intact on shipping container/cooler?	Yes __	No __	Not Present ✓
Custody seals intact on sample bottles?	Yes __	No __	Not Present ✓
Container/Temp Blank temperature in compliance? (4°C±2)*	Yes ✓	No __	

Cooler #1 3.0 Cooler #2 _____ Cooler #3 _____ Cooler #4 _____ Cooler#5 _____ Cooler #6 _____

Chain of custody present?	Yes ✓	No __
Chain of custody signed when relinquished and received?	Yes ✓	No __
Chain of custody agrees with sample labels?	Yes ✓	No __
Samples in proper container/bottle?	Yes ✓	No __
Sample containers intact?	Yes ✓	No __
Sufficient sample volume for indicated test?	Yes ✓	No __
All samples received within holding time?	Yes ✓	No __
Was TAT marked on the COC?	Yes ✓	No __
Proceed with Standard TAT as per project history?	Yes __	No __ Not Applicable ✓

Water - VOA vials have zero headspace? No VOA vials submitted __ Yes ✓ No __

Water - pH acceptable upon receipt? Yes ✓ No __ Not Applicable __

Adjusted? _____ Checked by _____

Sample Condition: Good ✓ Other(Explain) _____

(For diffusive samples or AIHA lead) Is a known blank included? Yes __ No ✓

See Case Narrative for resolution of the Non-Conformance.

* Samples do not have to comply with the given range for certain parameters.

\L\Quality Assurance\Checklists Procedures Sign-Off Templates\Checklists\Sample Receipt Checklists\Sample_Cooler_Receipt_Checklist

Analytical Environmental Services, Inc

Date: 1-Nov-12

Client: Genesis Project, Inc.
Project Name: Vogue Cleaners
Workorder: 1210O64

ANALYTICAL QC SUMMARY REPORT

BatchID: 168348

Sample ID: **MB-168348** Client ID: Units: **ug/L** Prep Date: **10/29/2012** Run No: **231894**
SampleType: **MBLK** TestCode: **TCL VOLATILE ORGANICS SW8260B** BatchID: **168348** Analysis Date: **10/29/2012** Seq No: **4857201**

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	BRL	5.0	0	0	0	0	0	0	0	0	
1,1,2,2-Tetrachloroethane	BRL	5.0	0	0	0	0	0	0	0	0	
1,1,2-Trichloroethane	BRL	5.0	0	0	0	0	0	0	0	0	
1,1-Dichloroethane	BRL	5.0	0	0	0	0	0	0	0	0	
1,1-Dichloroethene	BRL	5.0	0	0	0	0	0	0	0	0	
1,2,4-Trichlorobenzene	BRL	5.0	0	0	0	0	0	0	0	0	
1,2-Dibromo-3-chloropropane	BRL	5.0	0	0	0	0	0	0	0	0	
1,2-Dibromoethane	BRL	5.0	0	0	0	0	0	0	0	0	
1,2-Dichlorobenzene	BRL	5.0	0	0	0	0	0	0	0	0	
1,2-Dichloroethane	BRL	5.0	0	0	0	0	0	0	0	0	
1,2-Dichloropropane	BRL	5.0	0	0	0	0	0	0	0	0	
1,3-Dichlorobenzene	BRL	5.0	0	0	0	0	0	0	0	0	
1,4-Dichlorobenzene	BRL	5.0	0	0	0	0	0	0	0	0	
2-Butanone	BRL	50	0	0	0	0	0	0	0	0	
2-Hexanone	BRL	10	0	0	0	0	0	0	0	0	
4-Methyl-2-pentanone	BRL	10	0	0	0	0	0	0	0	0	
Acetone	BRL	50	0	0	0	0	0	0	0	0	
Benzene	BRL	5.0	0	0	0	0	0	0	0	0	
Bromodichloromethane	BRL	5.0	0	0	0	0	0	0	0	0	
Bromoform	BRL	5.0	0	0	0	0	0	0	0	0	
Bromomethane	BRL	5.0	0	0	0	0	0	0	0	0	
Carbon disulfide	BRL	5.0	0	0	0	0	0	0	0	0	
Carbon tetrachloride	BRL	5.0	0	0	0	0	0	0	0	0	
Chlorobenzene	BRL	5.0	0	0	0	0	0	0	0	0	
Chloroethane	BRL	10	0	0	0	0	0	0	0	0	
Chloroform	BRL	5.0	0	0	0	0	0	0	0	0	
Chloromethane	BRL	10	0	0	0	0	0	0	0	0	

Qualifiers:

>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Analytical Environmental Services, Inc

Date: 1-Nov-12

Client: Genesis Project, Inc.
Project Name: Vogue Cleaners
Workorder: 1210O64

ANALYTICAL QC SUMMARY REPORT

BatchID: 168348

Sample ID: **MB-168348** Client ID: Units: **ug/L** Prep Date: **10/29/2012** Run No: **231894**
SampleType: **MBLK** TestCode: **TCL VOLATILE ORGANICS SW8260B** BatchID: **168348** Analysis Date: **10/29/2012** Seq No: **4857201**

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
cis-1,2-Dichloroethene	BRL	5.0	0	0	0	0	0	0	0	0	
cis-1,3-Dichloropropene	BRL	5.0	0	0	0	0	0	0	0	0	
Cyclohexane	BRL	5.0	0	0	0	0	0	0	0	0	
Dibromochloromethane	BRL	5.0	0	0	0	0	0	0	0	0	
Dichlorodifluoromethane	BRL	10	0	0	0	0	0	0	0	0	
Ethylbenzene	BRL	5.0	0	0	0	0	0	0	0	0	
Freon-113	BRL	10	0	0	0	0	0	0	0	0	
Isopropylbenzene	BRL	5.0	0	0	0	0	0	0	0	0	
m,p-Xylene	BRL	5.0	0	0	0	0	0	0	0	0	
Methyl acetate	BRL	5.0	0	0	0	0	0	0	0	0	
Methyl tert-butyl ether	BRL	5.0	0	0	0	0	0	0	0	0	
Methylcyclohexane	BRL	5.0	0	0	0	0	0	0	0	0	
Methylene chloride	BRL	5.0	0	0	0	0	0	0	0	0	
o-Xylene	BRL	5.0	0	0	0	0	0	0	0	0	
Styrene	BRL	5.0	0	0	0	0	0	0	0	0	
Tetrachloroethene	BRL	5.0	0	0	0	0	0	0	0	0	
Toluene	BRL	5.0	0	0	0	0	0	0	0	0	
trans-1,2-Dichloroethene	BRL	5.0	0	0	0	0	0	0	0	0	
trans-1,3-Dichloropropene	BRL	5.0	0	0	0	0	0	0	0	0	
Trichloroethene	BRL	5.0	0	0	0	0	0	0	0	0	
Trichlorofluoromethane	BRL	5.0	0	0	0	0	0	0	0	0	
Vinyl chloride	BRL	2.0	0	0	0	0	0	0	0	0	
Surr: 4-Bromofluorobenzene	45.42	0	50	0	90.8	64.6	123	0	0	0	
Surr: Dibromofluoromethane	51.43	0	50	0	103	76.6	133	0	0	0	
Surr: Toluene-d8	49.43	0	50	0	98.9	77.8	120	0	0	0	

Qualifiers:

>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Analytical Environmental Services, Inc

Date: 1-Nov-12

Client: Genesis Project, Inc.
Project Name: Vogue Cleaners
Workorder: 1210O64

ANALYTICAL QC SUMMARY REPORT

BatchID: 168348

Sample ID: **LCS-168348** Client ID: Units: **ug/L** Prep Date: **10/29/2012** Run No: **231894**
SampleType: **LCS** TestCode: **TCL VOLATILE ORGANICS SW8260B** BatchID: **168348** Analysis Date: **10/29/2012** Seq No: **4857198**

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
1,1-Dichloroethene	52.91	5.0	50	0	106	60	140	0	0	0	
Benzene	51.69	5.0	50	0	103	70	130	0	0	0	
Chlorobenzene	46.12	5.0	50	0	92.2	70	130	0	0	0	
Toluene	52.09	5.0	50	0	104	70	130	0	0	0	
Trichloroethene	51.29	5.0	50	0	103	70	130	0	0	0	
Surr: 4-Bromofluorobenzene	51.00	0	50	0	102	64.6	123	0	0	0	
Surr: Dibromofluoromethane	51.57	0	50	0	103	76.6	133	0	0	0	
Surr: Toluene-d8	50.49	0	50	0	101	77.8	120	0	0	0	

Sample ID: **1210L84-004AMS** Client ID: Units: **ug/L** Prep Date: **10/29/2012** Run No: **231939**
SampleType: **MS** TestCode: **TCL VOLATILE ORGANICS SW8260B** BatchID: **168348** Analysis Date: **10/30/2012** Seq No: **4857481**

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
1,1-Dichloroethene	68.27	5.0	50	0	137	50.1	179	0	0	0	
Benzene	59.94	5.0	50	0	120	61.2	150	0	0	0	
Chlorobenzene	53.11	5.0	50	0	106	72.1	140	0	0	0	
Toluene	60.46	5.0	50	0	121	58.7	154	0	0	0	
Trichloroethene	69.14	5.0	50	5.390	128	68.3	149	0	0	0	
Surr: 4-Bromofluorobenzene	50.46	0	50	0	101	64.6	123	0	0	0	
Surr: Dibromofluoromethane	49.93	0	50	0	99.9	76.6	133	0	0	0	
Surr: Toluene-d8	48.52	0	50	0	97	77.8	120	0	0	0	

Sample ID: **1210L84-004AMSD** Client ID: Units: **ug/L** Prep Date: **10/29/2012** Run No: **231939**
SampleType: **MSD** TestCode: **TCL VOLATILE ORGANICS SW8260B** BatchID: **168348** Analysis Date: **10/30/2012** Seq No: **4857482**

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
1,1-Dichloroethene	69.76	5.0	50	0	140	50.1	179	68.27	2.16	23.3	
Benzene	61.04	5.0	50	0	122	61.2	150	59.94	1.82	19	

Qualifiers:

>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Analytical Environmental Services, Inc

Date: 1-Nov-12

Client: Genesis Project, Inc.
Project Name: Vogue Cleaners
Workorder: 1210O64

ANALYTICAL QC SUMMARY REPORT

BatchID: 168348

Sample ID: **1210L84-004AMSD** Client ID: Units: **ug/L** Prep Date: **10/29/2012** Run No: **231939**
SampleType: **MSD** TestCode: **TCL VOLATILE ORGANICS SW8260B** BatchID: **168348** Analysis Date: **10/30/2012** Seq No: **4857482**

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
Chlorobenzene	53.28	5.0	50	0	107	72.1	140	53.11	0.32	21.5	
Toluene	62.54	5.0	50	0	125	58.7	154	60.46	3.38	20	
Trichloroethene	69.79	5.0	50	5.390	129	68.3	149	69.14	0.936	17.7	
Surr: 4-Bromofluorobenzene	50.80	0	50	0	102	64.6	123	50.46	0	0	
Surr: Dibromofluoromethane	53.17	0	50	0	106	76.6	133	49.93	0	0	
Surr: Toluene-d8	50.86	0	50	0	102	77.8	120	48.52	0	0	

Qualifiers:

>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Analytical Environmental Services, Inc **Date:** 21-Feb-13

Client:	Genesis Project, Inc.	**Client Sample ID:**	SB-24R 0-2'
Project Name:	Vogue Cleaners	**Collection Date:**	2/12/2013 1:00:00 PM
Lab ID:	1302A46-001	**Matrix:**	Soil

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5035)**				
1,1,1-Trichloroethane	BRL	0.0060		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
1,1,2,2-Tetrachloroethane	BRL	0.0060		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
1,1,2-Trichloroethane	BRL	0.0060		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
1,1-Dichloroethane	BRL	0.0060		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
1,1-Dichloroethene	BRL	0.0060		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
1,2,4-Trichlorobenzene	BRL	0.0060		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
1,2-Dibromo-3-chloropropane	BRL	0.0060		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
1,2-Dibromoethane	BRL	0.0060		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
1,2-Dichlorobenzene	BRL	0.0060		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
1,2-Dichloroethane	BRL	0.0060		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
1,2-Dichloropropane	BRL	0.0060		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
1,3-Dichlorobenzene	BRL	0.0060		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
1,4-Dichlorobenzene	BRL	0.0060		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
2-Butanone	BRL	0.060		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
2-Hexanone	BRL	0.012		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
4-Methyl-2-pentanone	BRL	0.012		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
Acetone	0.24	0.12		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
Benzene	BRL	0.0060		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
Bromodichloromethane	BRL	0.0060		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
Bromoform	BRL	0.0060		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
Bromomethane	BRL	0.0060		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
Carbon disulfide	BRL	0.012		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
Carbon tetrachloride	BRL	0.0060		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
Chlorobenzene	BRL	0.0060		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
Chloroethane	BRL	0.012		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
Chloroform	BRL	0.0060		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
Chloromethane	BRL	0.012		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
cis-1,2-Dichloroethene	BRL	0.0060		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
cis-1,3-Dichloropropene	BRL	0.0060		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
Cyclohexane	BRL	0.0060		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
Dibromochloromethane	BRL	0.0060		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
Dichlorodifluoromethane	BRL	0.012		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
Ethylbenzene	BRL	0.0060		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
Freon-113	BRL	0.012		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
Isopropylbenzene	BRL	0.0060		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
m,p-Xylene	BRL	0.0060		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
Methyl acetate	BRL	0.0060		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
Methyl tert-butyl ether	BRL	0.0060		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
Methylcyclohexane	BRL	0.0060		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
Methylene chloride	BRL	0.024		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
o-Xylene	BRL	0.0060		mg/Kg-dry	172598	1	02/20/2013 14:08	MD

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc **Date:** 21-Feb-13

Client:	Genesis Project, Inc.	**Client Sample ID:**	SB-24R 0-2'
Project Name:	Vogue Cleaners	**Collection Date:**	2/12/2013 1:00:00 PM
Lab ID:	1302A46-001	**Matrix:**	Soil

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5035)**				
Styrene	BRL	0.0060		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
Tetrachloroethene	1.7	0.16		mg/Kg-dry	172418	50	02/19/2013 15:48	GK
Toluene	BRL	0.0060		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
trans-1,2-Dichloroethene	BRL	0.0060		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
trans-1,3-Dichloropropene	BRL	0.0060		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
Trichloroethene	BRL	0.0060		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
Trichlorofluoromethane	BRL	0.0060		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
Vinyl chloride	BRL	0.012		mg/Kg-dry	172598	1	02/20/2013 14:08	MD
Surr: 4-Bromofluorobenzene	71.4	63.8-133		%REC	172598	1	02/20/2013 14:08	MD
Surr: 4-Bromofluorobenzene	92.3	63.8-133		%REC	172418	50	02/19/2013 15:48	GK
Surr: Dibromofluoromethane	110	74.3-130		%REC	172598	1	02/20/2013 14:08	MD
Surr: Dibromofluoromethane	101	74.3-130		%REC	172418	50	02/19/2013 15:48	GK
Surr: Toluene-d8	92.4	72.8-122		%REC	172598	1	02/20/2013 14:08	MD
Surr: Toluene-d8	96.1	72.8-122		%REC	172418	50	02/19/2013 15:48	GK
PERCENT MOISTURE D2216								
Percent Moisture	6.28	0		wt%	R238676	1	02/19/2013 11:00	AS

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

AES

ANALYTICAL ENVIRONMENTAL SERVICES, INC.

January 11, 2013

Tiffany Messier
Genesis Project, Inc.
1258 Concord Rd. SE
Smyrna GA 30080

TEL: (770) 319-7217
FAX: (770) 319-7219

RE: Vogue

Dear Tiffany Messier: Order No: 1301407

Analytical Environmental Services, Inc. received 4 samples on 1/7/2013 2:45:00 PM for the analyses presented in following report.

No problems were encountered during the analyses. Additionally, all results for the associated Quality Control samples were within EPA and/or AES established limits. Any discrepancies associated with the analyses contained herein will be noted and submitted in the form of a project Case Narrative.
AES' certifications are as follows:
-NELAC/Florida Certification number E87582 for analysis of Environmental Water, soil/hazardous waste, and Drinking Water Microbiology, effective 07/01/12-06/30/13.
-AIHA Certification ID #100671 for Industrial Hygiene samples (Organics, Inorganics), Environmental Lead (Paint, Soil, Dust Wipes, Air), and Environmental Microbiology (Fungal) effective until 09/01/13.

These results relate only to the items tested. This report may only be reproduced in full.

If you have any questions regarding these test results, please feel free to call.

Dorothy deBruyn
Project Manager

3785 PRESIDENTIAL PARKWAY • ATLANTA, GEORGIA 30340 • TEL: (770) 457-8177 • FAX: (770)457-8188

ANALYTICAL ENVIRONMENTAL SERVICES, INC
3785 Presidential Parkway, Atlanta GA 30340-3704
AES TEL.: (770) 457-8177 / TOLL-FREE (800) 972-4889 / FAX: (770) 457-8188

CHAIN OF CUSTODY

Work Order: 1301407

Date: 1/7/13 Page 1 of 1

COMPANY: Genesis Project Inc

ADDRESS: 1257 Concord Rd Smyrna GA 30080

PHONE: 770-319-7217

FAX: 770-319-7219

SAMPLED BY: Will Mitchell

SIGNATURE:

ANALYSIS REQUESTED: Total VOCs

Visit our website www.aesatlanta.com to check on the status of your results, place bottle orders, etc.

#	SAMPLE ID	SAMPLED DATE	SAMPLED TIME	Grab	Composite	Matrix (See codes)	PRESERVATION (See codes) HCl	REMARKS	No # of Containers
1	MW-8D	1/3/13	1525	X		GW	X		2
2	MW-8	1/4/13	1130	X		↓	↓		↓
3	MW-2	↓	1350	X		↓	↓		↓
4	POD-1	1/4/13	1655	X		GW	X		2
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									

RELINQUISHED BY	DATE/TIME	RECEIVED BY	DATE/TIME
1: [signature]	1/7/13 1445	1: [signature]	1/7/13
2:		2:	2:45
3:		3:	

SPECIAL INSTRUCTIONS/COMMENTS:

SHIPMENT METHOD
OUT / / VIA:
IN / / VIA:
CLIENT FedEx UPS MAIL COURIER
GREYHOUND OTHER _____

PROJECT INFORMATION
PROJECT NAME: Vogue
PROJECT #:
SITE ADDRESS:
SEND REPORT TO: mmitchell@genproject.com tmessiere@genproject.com
INVOICE TO: (IF DIFFERENT FROM ABOVE)
QUOTE #: PO#:

RECEIPT
Total # of Containers: 8

Turnaround Time Request
- [x] Standard 5 Business Days
- [ ] 2 Business Day Rush
- [ ] Next Business Day Rush
- [ ] Same Day Rush (auth req.)
- [ ] Other _____

STATE PROGRAM (if any): _____
E-mail? Y / N; Fax? Y / N
DATA PACKAGE: I II III IV

SAMPLES RECEIVED AFTER 3PM OR ON SATURDAY ARE CONSIDERED RECEIVED THE NEXT BUSINESS DAY. IF TURNAROUND TIME IS NOT INDICATED, AES WILL PROCEED WITH STANDARD TAT OF SAMPLES. SAMPLES ARE DISPOSED 30 DAYS AFTER REPORT COMPLETION UNLESS OTHER ARRANGEMENTS ARE MADE.

MATRIX CODES: A = Air GW = Groundwater SE = Sediment SO = Soil SW = Surface Water W = Water (Blanks) DW = Drinking Water (Blanks) O = Other (specify) WW = Waste Water

PRESERVATIVE CODES: H+I = Hydrochloric acid + ice I = Ice only N = Nitric acid S+I = Sulfuric acid + ice S/M+I = Sodium Bisulfate/Methanol + ice O = Other (specify) NA = None

White Copy - Original; Yellow Copy - Client

Analytical Environmental Services, Inc

Date: 11-Jan-13

Client: Genesis Project, Inc.
Project: Vogue
Lab ID: 1301407

Case Narrative

Volatile Organic Compounds Analysis by Method 8260B:

Due to sample matrix, sample 1301407-002A required dilution during preparation and/or analysis resulting in elevated reporting limits.

Trichloroethene values for the QC samples 1301407-002AMS/MSD are "E" qualified indicating estimated values over linear calibration range due to the level of target analyte present in the unspiked sample.

Analytical Environmental Services, Inc **Date:** 11-Jan-13

Client:	Genesis Project, Inc.	**Client Sample ID:**	MW-8D
Project Name:	Vogue	**Collection Date:**	1/3/2013 3:25:00 PM
Lab ID:	1301407-001	**Matrix:**	Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5030B)**				
1,1,1-Trichloroethane	BRL	5.0		ug/L	171009	1	01/09/2013 23:21	GK
1,1,2,2-Tetrachloroethane	BRL	5.0		ug/L	171009	1	01/09/2013 23:21	GK
1,1,2-Trichloroethane	BRL	5.0		ug/L	171009	1	01/09/2013 23:21	GK
1,1-Dichloroethane	BRL	5.0		ug/L	171009	1	01/09/2013 23:21	GK
1,1-Dichloroethene	BRL	5.0		ug/L	171009	1	01/09/2013 23:21	GK
1,2,4-Trichlorobenzene	BRL	5.0		ug/L	171009	1	01/09/2013 23:21	GK
1,2-Dibromo-3-chloropropane	BRL	5.0		ug/L	171009	1	01/09/2013 23:21	GK
1,2-Dibromoethane	BRL	5.0		ug/L	171009	1	01/09/2013 23:21	GK
1,2-Dichlorobenzene	BRL	5.0		ug/L	171009	1	01/09/2013 23:21	GK
1,2-Dichloroethane	BRL	5.0		ug/L	171009	1	01/09/2013 23:21	GK
1,2-Dichloropropane	BRL	5.0		ug/L	171009	1	01/09/2013 23:21	GK
1,3-Dichlorobenzene	BRL	5.0		ug/L	171009	1	01/09/2013 23:21	GK
1,4-Dichlorobenzene	BRL	5.0		ug/L	171009	1	01/09/2013 23:21	GK
2-Butanone	BRL	50		ug/L	171009	1	01/09/2013 23:21	GK
2-Hexanone	BRL	10		ug/L	171009	1	01/09/2013 23:21	GK
4-Methyl-2-pentanone	BRL	10		ug/L	171009	1	01/09/2013 23:21	GK
Acetone	BRL	50		ug/L	171009	1	01/08/2013 17:30	YT
Benzene	BRL	5.0		ug/L	171009	1	01/09/2013 23:21	GK
Bromodichloromethane	BRL	5.0		ug/L	171009	1	01/09/2013 23:21	GK
Bromoform	BRL	5.0		ug/L	171009	1	01/09/2013 23:21	GK
Bromomethane	BRL	5.0		ug/L	171009	1	01/09/2013 23:21	GK
Carbon disulfide	BRL	5.0		ug/L	171009	1	01/09/2013 23:21	GK
Carbon tetrachloride	BRL	5.0		ug/L	171009	1	01/09/2013 23:21	GK
Chlorobenzene	BRL	5.0		ug/L	171009	1	01/09/2013 23:21	GK
Chloroethane	BRL	10		ug/L	171009	1	01/09/2013 23:21	GK
Chloroform	BRL	5.0		ug/L	171009	1	01/09/2013 23:21	GK
Chloromethane	BRL	10		ug/L	171009	1	01/09/2013 23:21	GK
cis-1,2-Dichloroethene	BRL	5.0		ug/L	171009	1	01/09/2013 23:21	GK
cis-1,3-Dichloropropene	BRL	5.0		ug/L	171009	1	01/09/2013 23:21	GK
Cyclohexane	BRL	5.0		ug/L	171009	1	01/09/2013 23:21	GK
Dibromochloromethane	BRL	5.0		ug/L	171009	1	01/09/2013 23:21	GK
Dichlorodifluoromethane	BRL	10		ug/L	171009	1	01/09/2013 23:21	GK
Ethylbenzene	BRL	5.0		ug/L	171009	1	01/09/2013 23:21	GK
Freon-113	BRL	10		ug/L	171009	1	01/09/2013 23:21	GK
Isopropylbenzene	BRL	5.0		ug/L	171009	1	01/09/2013 23:21	GK
m,p-Xylene	BRL	5.0		ug/L	171009	1	01/09/2013 23:21	GK
Methyl acetate	BRL	5.0		ug/L	171009	1	01/09/2013 23:21	GK
Methyl tert-butyl ether	BRL	5.0		ug/L	171009	1	01/09/2013 23:21	GK
Methylcyclohexane	BRL	5.0		ug/L	171009	1	01/09/2013 23:21	GK
Methylene chloride	BRL	5.0		ug/L	171009	1	01/09/2013 23:21	GK
o-Xylene	BRL	5.0		ug/L	171009	1	01/09/2013 23:21	GK

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc **Date:** 11-Jan-13

Client:	Genesis Project, Inc.	**Client Sample ID:**	MW-8D
Project Name:	Vogue	**Collection Date:**	1/3/2013 3:25:00 PM
Lab ID:	1301407-001	**Matrix:**	Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5030B)**				
Styrene	BRL	5.0		ug/L	171009	1	01/09/2013 23:21	GK
Tetrachloroethene	BRL	5.0		ug/L	171009	1	01/09/2013 23:21	GK
Toluene	BRL	5.0		ug/L	171009	1	01/09/2013 23:21	GK
trans-1,2-Dichloroethene	BRL	5.0		ug/L	171009	1	01/09/2013 23:21	GK
trans-1,3-Dichloropropene	BRL	5.0		ug/L	171009	1	01/09/2013 23:21	GK
Trichloroethene	BRL	5.0		ug/L	171009	1	01/09/2013 23:21	GK
Trichlorofluoromethane	BRL	5.0		ug/L	171009	1	01/09/2013 23:21	GK
Vinyl chloride	BRL	2.0		ug/L	171009	1	01/09/2013 23:21	GK
Surr: 4-Bromofluorobenzene	88.6	64.6-123		%REC	171009	1	01/08/2013 17:30	YT
Surr: 4-Bromofluorobenzene	91.8	64.6-123		%REC	171009	1	01/09/2013 23:21	GK
Surr: Dibromofluoromethane	95	76.6-133		%REC	171009	1	01/09/2013 23:21	GK
Surr: Dibromofluoromethane	97	76.6-133		%REC	171009	1	01/08/2013 17:30	YT
Surr: Toluene-d8	93.2	77.8-120		%REC	171009	1	01/09/2013 23:21	GK
Surr: Toluene-d8	104	77.8-120		%REC	171009	1	01/08/2013 17:30	YT

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc **Date:** 11-Jan-13

Client:	Genesis Project, Inc.	**Client Sample ID:**	MW-8
Project Name:	Vogue	**Collection Date:**	1/4/2013 11:30:00 AM
Lab ID:	1301407-002	**Matrix:**	Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5030B)**				
1,1,1-Trichloroethane	BRL	50		ug/L	171009	10	01/08/2013 17:01	YT
1,1,2,2-Tetrachloroethane	BRL	50		ug/L	171009	10	01/08/2013 17:01	YT
1,1,2-Trichloroethane	BRL	50		ug/L	171009	10	01/08/2013 17:01	YT
1,1-Dichloroethane	BRL	50		ug/L	171009	10	01/08/2013 17:01	YT
1,1-Dichloroethene	BRL	50		ug/L	171009	10	01/08/2013 17:01	YT
1,2,4-Trichlorobenzene	BRL	50		ug/L	171009	10	01/08/2013 17:01	YT
1,2-Dibromo-3-chloropropane	BRL	50		ug/L	171009	10	01/08/2013 17:01	YT
1,2-Dibromoethane	BRL	50		ug/L	171009	10	01/08/2013 17:01	YT
1,2-Dichlorobenzene	BRL	50		ug/L	171009	10	01/08/2013 17:01	YT
1,2-Dichloroethane	BRL	50		ug/L	171009	10	01/08/2013 17:01	YT
1,2-Dichloropropane	BRL	50		ug/L	171009	10	01/08/2013 17:01	YT
1,3-Dichlorobenzene	BRL	50		ug/L	171009	10	01/08/2013 17:01	YT
1,4-Dichlorobenzene	BRL	50		ug/L	171009	10	01/08/2013 17:01	YT
2-Butanone	BRL	500		ug/L	171009	10	01/08/2013 17:01	YT
2-Hexanone	BRL	100		ug/L	171009	10	01/08/2013 17:01	YT
4-Methyl-2-pentanone	BRL	100		ug/L	171009	10	01/08/2013 17:01	YT
Acetone	BRL	500		ug/L	171009	10	01/08/2013 17:01	YT
Benzene	BRL	50		ug/L	171009	10	01/08/2013 17:01	YT
Bromodichloromethane	BRL	50		ug/L	171009	10	01/08/2013 17:01	YT
Bromoform	BRL	50		ug/L	171009	10	01/08/2013 17:01	YT
Bromomethane	BRL	50		ug/L	171009	10	01/08/2013 17:01	YT
Carbon disulfide	BRL	50		ug/L	171009	10	01/08/2013 17:01	YT
Carbon tetrachloride	BRL	50		ug/L	171009	10	01/08/2013 17:01	YT
Chlorobenzene	BRL	50		ug/L	171009	10	01/08/2013 17:01	YT
Chloroethane	BRL	100		ug/L	171009	10	01/08/2013 17:01	YT
Chloroform	BRL	50		ug/L	171009	10	01/08/2013 17:01	YT
Chloromethane	BRL	100		ug/L	171009	10	01/08/2013 17:01	YT
cis-1,2-Dichloroethene	530	50		ug/L	171009	10	01/08/2013 17:01	YT
cis-1,3-Dichloropropene	BRL	50		ug/L	171009	10	01/08/2013 17:01	YT
Cyclohexane	BRL	50		ug/L	171009	10	01/08/2013 17:01	YT
Dibromochloromethane	BRL	50		ug/L	171009	10	01/08/2013 17:01	YT
Dichlorodifluoromethane	BRL	100		ug/L	171009	10	01/08/2013 17:01	YT
Ethylbenzene	BRL	50		ug/L	171009	10	01/08/2013 17:01	YT
Freon-113	BRL	100		ug/L	171009	10	01/08/2013 17:01	YT
Isopropylbenzene	BRL	50		ug/L	171009	10	01/08/2013 17:01	YT
m,p-Xylene	BRL	50		ug/L	171009	10	01/08/2013 17:01	YT
Methyl acetate	BRL	50		ug/L	171009	10	01/08/2013 17:01	YT
Methyl tert-butyl ether	BRL	50		ug/L	171009	10	01/08/2013 17:01	YT
Methylcyclohexane	BRL	50		ug/L	171009	10	01/08/2013 17:01	YT
Methylene chloride	BRL	50		ug/L	171009	10	01/08/2013 17:01	YT
o-Xylene	BRL	50		ug/L	171009	10	01/08/2013 17:01	YT

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc **Date:** 11-Jan-13

Client:	Genesis Project, Inc.	**Client Sample ID:**	MW-8
Project Name:	Vogue	**Collection Date:**	1/4/2013 11:30:00 AM
Lab ID:	1301407-002	**Matrix:**	Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5030B)**				
Styrene	BRL	50		ug/L	171009	10	01/08/2013 17:01	YT
Tetrachloroethene	27000	2500		ug/L	171009	500	01/09/2013 17:50	GK
Toluene	BRL	50		ug/L	171009	10	01/08/2013 17:01	YT
trans-1,2-Dichloroethene	BRL	50		ug/L	171009	10	01/08/2013 17:01	YT
trans-1,3-Dichloropropene	BRL	50		ug/L	171009	10	01/08/2013 17:01	YT
Trichloroethene	1800	50		ug/L	171009	10	01/08/2013 17:01	YT
Trichlorofluoromethane	BRL	50		ug/L	171009	10	01/08/2013 17:01	YT
Vinyl chloride	BRL	20		ug/L	171009	10	01/08/2013 17:01	YT
Surr: 4-Bromofluorobenzene	85.2	64.6-123		%REC	171009	500	01/09/2013 17:50	GK
Surr: 4-Bromofluorobenzene	90.1	64.6-123		%REC	171009	10	01/08/2013 17:01	YT
Surr: Dibromofluoromethane	80.6	76.6-133		%REC	171009	500	01/09/2013 17:50	GK
Surr: Dibromofluoromethane	98.3	76.6-133		%REC	171009	10	01/08/2013 17:01	YT
Surr: Toluene-d8	94.3	77.8-120		%REC	171009	500	01/09/2013 17:50	GK
Surr: Toluene-d8	100	77.8-120		%REC	171009	10	01/08/2013 17:01	YT

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc **Date:** 11-Jan-13

Client:	Genesis Project, Inc.	**Client Sample ID:**	MW-2
Project Name:	Vogue	**Collection Date:**	1/4/2013 1:50:00 PM
Lab ID:	1301407-003	**Matrix:**	Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5030B)**				
1,1,1-Trichloroethane	BRL	5.0		ug/L	171009	1	01/08/2013 17:57	YT
1,1,2,2-Tetrachloroethane	BRL	5.0		ug/L	171009	1	01/08/2013 17:57	YT
1,1,2-Trichloroethane	BRL	5.0		ug/L	171009	1	01/08/2013 17:57	YT
1,1-Dichloroethane	BRL	5.0		ug/L	171009	1	01/08/2013 17:57	YT
1,1-Dichloroethene	BRL	5.0		ug/L	171009	1	01/08/2013 17:57	YT
1,2,4-Trichlorobenzene	BRL	5.0		ug/L	171009	1	01/08/2013 17:57	YT
1,2-Dibromo-3-chloropropane	BRL	5.0		ug/L	171009	1	01/08/2013 17:57	YT
1,2-Dibromoethane	BRL	5.0		ug/L	171009	1	01/08/2013 17:57	YT
1,2-Dichlorobenzene	BRL	5.0		ug/L	171009	1	01/08/2013 17:57	YT
1,2-Dichloroethane	BRL	5.0		ug/L	171009	1	01/08/2013 17:57	YT
1,2-Dichloropropane	BRL	5.0		ug/L	171009	1	01/08/2013 17:57	YT
1,3-Dichlorobenzene	BRL	5.0		ug/L	171009	1	01/08/2013 17:57	YT
1,4-Dichlorobenzene	BRL	5.0		ug/L	171009	1	01/08/2013 17:57	YT
2-Butanone	BRL	50		ug/L	171009	1	01/08/2013 17:57	YT
2-Hexanone	BRL	10		ug/L	171009	1	01/08/2013 17:57	YT
4-Methyl-2-pentanone	BRL	10		ug/L	171009	1	01/08/2013 17:57	YT
Acetone	BRL	50		ug/L	171009	1	01/08/2013 17:57	YT
Benzene	BRL	5.0		ug/L	171009	1	01/08/2013 17:57	YT
Bromodichloromethane	BRL	5.0		ug/L	171009	1	01/08/2013 17:57	YT
Bromoform	BRL	5.0		ug/L	171009	1	01/08/2013 17:57	YT
Bromomethane	BRL	5.0		ug/L	171009	1	01/08/2013 17:57	YT
Carbon disulfide	BRL	5.0		ug/L	171009	1	01/08/2013 17:57	YT
Carbon tetrachloride	BRL	5.0		ug/L	171009	1	01/08/2013 17:57	YT
Chlorobenzene	BRL	5.0		ug/L	171009	1	01/08/2013 17:57	YT
Chloroethane	BRL	10		ug/L	171009	1	01/08/2013 17:57	YT
Chloroform	BRL	5.0		ug/L	171009	1	01/08/2013 17:57	YT
Chloromethane	BRL	10		ug/L	171009	1	01/08/2013 17:57	YT
cis-1,2-Dichloroethene	BRL	5.0		ug/L	171009	1	01/08/2013 17:57	YT
cis-1,3-Dichloropropene	BRL	5.0		ug/L	171009	1	01/08/2013 17:57	YT
Cyclohexane	BRL	5.0		ug/L	171009	1	01/08/2013 17:57	YT
Dibromochloromethane	BRL	5.0		ug/L	171009	1	01/08/2013 17:57	YT
Dichlorodifluoromethane	BRL	10		ug/L	171009	1	01/08/2013 17:57	YT
Ethylbenzene	BRL	5.0		ug/L	171009	1	01/08/2013 17:57	YT
Freon-113	BRL	10		ug/L	171009	1	01/08/2013 17:57	YT
Isopropylbenzene	BRL	5.0		ug/L	171009	1	01/08/2013 17:57	YT
m,p-Xylene	BRL	5.0		ug/L	171009	1	01/08/2013 17:57	YT
Methyl acetate	BRL	5.0		ug/L	171009	1	01/08/2013 17:57	YT
Methyl tert-butyl ether	BRL	5.0		ug/L	171009	1	01/08/2013 17:57	YT
Methylcyclohexane	BRL	5.0		ug/L	171009	1	01/08/2013 17:57	YT
Methylene chloride	BRL	5.0		ug/L	171009	1	01/08/2013 17:57	YT
o-Xylene	BRL	5.0		ug/L	171009	1	01/08/2013 17:57	YT

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc **Date:** 11-Jan-13

Client:	Genesis Project, Inc.	**Client Sample ID:**	MW-2
Project Name:	Vogue	**Collection Date:**	1/4/2013 1:50:00 PM
Lab ID:	1301407-003	**Matrix:**	Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5030B)**				
Styrene	BRL	5.0		ug/L	171009	1	01/08/2013 17:57	YT
Tetrachloroethene	BRL	5.0		ug/L	171009	1	01/08/2013 17:57	YT
Toluene	BRL	5.0		ug/L	171009	1	01/08/2013 17:57	YT
trans-1,2-Dichloroethene	BRL	5.0		ug/L	171009	1	01/08/2013 17:57	YT
trans-1,3-Dichloropropene	BRL	5.0		ug/L	171009	1	01/08/2013 17:57	YT
Trichloroethene	BRL	5.0		ug/L	171009	1	01/08/2013 17:57	YT
Trichlorofluoromethane	BRL	5.0		ug/L	171009	1	01/08/2013 17:57	YT
Vinyl chloride	BRL	2.0		ug/L	171009	1	01/08/2013 17:57	YT
Surr: 4-Bromofluorobenzene	90.4	64.6-123		%REC	171009	1	01/08/2013 17:57	YT
Surr: Dibromofluoromethane	96.9	76.6-133		%REC	171009	1	01/08/2013 17:57	YT
Surr: Toluene-d8	103	77.8-120		%REC	171009	1	01/08/2013 17:57	YT

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc **Date:** 11-Jan-13

Client:	Genesis Project, Inc.	**Client Sample ID:**	POD-1
Project Name:	Vogue	**Collection Date:**	1/4/2013 4:55:00 PM
Lab ID:	1301407-004	**Matrix:**	Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5030B)**				
1,1,1-Trichloroethane	BRL	5.0		ug/L	171009	1	01/08/2013 18:26	YT
1,1,2,2-Tetrachloroethane	BRL	5.0		ug/L	171009	1	01/08/2013 18:26	YT
1,1,2-Trichloroethane	BRL	5.0		ug/L	171009	1	01/08/2013 18:26	YT
1,1-Dichloroethane	BRL	5.0		ug/L	171009	1	01/08/2013 18:26	YT
1,1-Dichloroethene	BRL	5.0		ug/L	171009	1	01/08/2013 18:26	YT
1,2,4-Trichlorobenzene	BRL	5.0		ug/L	171009	1	01/08/2013 18:26	YT
1,2-Dibromo-3-chloropropane	BRL	5.0		ug/L	171009	1	01/08/2013 18:26	YT
1,2-Dibromoethane	BRL	5.0		ug/L	171009	1	01/08/2013 18:26	YT
1,2-Dichlorobenzene	BRL	5.0		ug/L	171009	1	01/08/2013 18:26	YT
1,2-Dichloroethane	BRL	5.0		ug/L	171009	1	01/08/2013 18:26	YT
1,2-Dichloropropane	BRL	5.0		ug/L	171009	1	01/08/2013 18:26	YT
1,3-Dichlorobenzene	BRL	5.0		ug/L	171009	1	01/08/2013 18:26	YT
1,4-Dichlorobenzene	BRL	5.0		ug/L	171009	1	01/08/2013 18:26	YT
2-Butanone	BRL	50		ug/L	171009	1	01/08/2013 18:26	YT
2-Hexanone	BRL	10		ug/L	171009	1	01/08/2013 18:26	YT
4-Methyl-2-pentanone	BRL	10		ug/L	171009	1	01/08/2013 18:26	YT
Acetone	BRL	50		ug/L	171009	1	01/08/2013 18:26	YT
Benzene	BRL	5.0		ug/L	171009	1	01/08/2013 18:26	YT
Bromodichloromethane	BRL	5.0		ug/L	171009	1	01/08/2013 18:26	YT
Bromoform	BRL	5.0		ug/L	171009	1	01/08/2013 18:26	YT
Bromomethane	BRL	5.0		ug/L	171009	1	01/08/2013 18:26	YT
Carbon disulfide	BRL	5.0		ug/L	171009	1	01/08/2013 18:26	YT
Carbon tetrachloride	BRL	5.0		ug/L	171009	1	01/08/2013 18:26	YT
Chlorobenzene	BRL	5.0		ug/L	171009	1	01/08/2013 18:26	YT
Chloroethane	BRL	10		ug/L	171009	1	01/08/2013 18:26	YT
Chloroform	BRL	5.0		ug/L	171009	1	01/08/2013 18:26	YT
Chloromethane	BRL	10		ug/L	171009	1	01/08/2013 18:26	YT
cis-1,2-Dichloroethene	5.4	5.0		ug/L	171009	1	01/08/2013 18:26	YT
cis-1,3-Dichloropropene	BRL	5.0		ug/L	171009	1	01/08/2013 18:26	YT
Cyclohexane	BRL	5.0		ug/L	171009	1	01/08/2013 18:26	YT
Dibromochloromethane	BRL	5.0		ug/L	171009	1	01/08/2013 18:26	YT
Dichlorodifluoromethane	BRL	10		ug/L	171009	1	01/08/2013 18:26	YT
Ethylbenzene	BRL	5.0		ug/L	171009	1	01/08/2013 18:26	YT
Freon-113	BRL	10		ug/L	171009	1	01/08/2013 18:26	YT
Isopropylbenzene	BRL	5.0		ug/L	171009	1	01/08/2013 18:26	YT
m,p-Xylene	BRL	5.0		ug/L	171009	1	01/08/2013 18:26	YT
Methyl acetate	BRL	5.0		ug/L	171009	1	01/08/2013 18:26	YT
Methyl tert-butyl ether	BRL	5.0		ug/L	171009	1	01/08/2013 18:26	YT
Methylcyclohexane	BRL	5.0		ug/L	171009	1	01/08/2013 18:26	YT
Methylene chloride	BRL	5.0		ug/L	171009	1	01/08/2013 18:26	YT
o-Xylene	BRL	5.0		ug/L	171009	1	01/08/2013 18:26	YT

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc **Date:** 11-Jan-13

Client:	Genesis Project, Inc.	**Client Sample ID:**	POD-1
Project Name:	Vogue	**Collection Date:**	1/4/2013 4:55:00 PM
Lab ID:	1301407-004	**Matrix:**	Groundwater

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5030B)**				
Styrene	BRL	5.0		ug/L	171009	1	01/08/2013 18:26	YT
Tetrachloroethene	110	5.0		ug/L	171009	1	01/08/2013 18:26	YT
Toluene	BRL	5.0		ug/L	171009	1	01/08/2013 18:26	YT
trans-1,2-Dichloroethene	BRL	5.0		ug/L	171009	1	01/08/2013 18:26	YT
trans-1,3-Dichloropropene	BRL	5.0		ug/L	171009	1	01/08/2013 18:26	YT
Trichloroethene	8.3	5.0		ug/L	171009	1	01/08/2013 18:26	YT
Trichlorofluoromethane	BRL	5.0		ug/L	171009	1	01/08/2013 18:26	YT
Vinyl chloride	BRL	2.0		ug/L	171009	1	01/08/2013 18:26	YT
Surr: 4-Bromofluorobenzene	88.3	64.6-123		%REC	171009	1	01/08/2013 18:26	YT
Surr: Dibromofluoromethane	96.3	76.6-133		%REC	171009	1	01/08/2013 18:26	YT
Surr: Toluene-d8	101	77.8-120		%REC	171009	1	01/08/2013 18:26	YT

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc.

Sample/Cooler Receipt Checklist

Client Genesis Work Order Number 1301407

Checklist completed by [signature] 1/7/13
Signature Date

Carrier name: FedEx __ UPS __ Courier __ Client ✓ US Mail __ Other _____

Shipping container/cooler in good condition? Yes ✓ No __ Not Present __

Custody seals intact on shipping container/cooler? Yes __ No __ Not Present ✓

Custody seals intact on sample bottles? Yes __ No __ Not Present ✓

Container/Temp Blank temperature in compliance? (4°C±2)* Yes ✓ No __

Cooler #1 3.1° Cooler #2 _____ Cooler #3 _____ Cooler #4 _____ Cooler#5 _____ Cooler #6 _____

Chain of custody present? Yes ✓ No __

Chain of custody signed when relinquished and received? Yes ✓ No __

Chain of custody agrees with sample labels? Yes ✓ No __

Samples in proper container/bottle? Yes ✓ No __

Sample containers intact? Yes ✓ No __

Sufficient sample volume for indicated test? Yes ✓ No __

All samples received within holding time? Yes ✓ No __

Was TAT marked on the COC? Yes ✓ No __

Proceed with Standard TAT as per project history? Yes __ No __ Not Applicable ✓

Water - VOA vials have zero headspace? No VOA vials submitted __ Yes ✓ No __

Water - pH acceptable upon receipt? Yes ✓ No __ Not Applicable __

Adjusted? _____ Checked by _____

Sample Condition: Good ✓ Other(Explain) _____

(For diffusive samples or AIHA lead) Is a known blank included? Yes __ No ✓

See Case Narrative for resolution of the Non-Conformance.

* Samples do not have to comply with the given range for certain parameters.

\L\Quality Assurance\Checklists Procedures Sign-Off Templates\Checklists\Sample Receipt Checklists\Sample_Cooler_Receipt_Checklist

Analytical Environmental Services, Inc

Date: 11-Jan-13

Client: Genesis Project, Inc.
Project: Vogue
Lab Order: 1301407

Dates Report

Lab Sample ID	Client Sample ID	Collection Date	Matrix	Test Name	TCLP Date	Prep Date	Analysis Date
1301407-001A	MW-8D	1/3/2013 3:25:00PM	Groundwater	TCL VOLATILE ORGANICS		01/08/2013	01/08/2013
1301407-001A	MW-8D	1/3/2013 3:25:00PM	Groundwater	TCL VOLATILE ORGANICS		01/08/2013	01/09/2013
1301407-002A	MW-8	1/4/2013 11:30:00AM	Groundwater	TCL VOLATILE ORGANICS		01/08/2013	01/08/2013
1301407-002A	MW-8	1/4/2013 11:30:00AM	Groundwater	TCL VOLATILE ORGANICS		01/08/2013	01/09/2013
1301407-003A	MW-2	1/4/2013 1:50:00PM	Groundwater	TCL VOLATILE ORGANICS		01/08/2013	01/08/2013
1301407-004A	POD-1	1/4/2013 4:55:00PM	Groundwater	TCL VOLATILE ORGANICS		01/08/2013	01/08/2013

Client: Genesis Project, Inc.
Project Name: Vogue
Workorder: 1301407

ANALYTICAL QC SUMMARY REPORT

BatchID: **171009**

Sample ID: **MB-171009** Client ID: Units: **ug/L** Prep Date: **01/08/2013** Run No: **236184**
SampleType: **MBLK** TestCode: **TCL VOLATILE ORGANICS SW8260B** BatchID: **171009** Analysis Date: **01/08/2013** Seq No: **4946367**

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	BRL	5.0	0	0	0	0	0	0	0	0	
1,1,2,2-Tetrachloroethane	BRL	5.0	0	0	0	0	0	0	0	0	
1,1,2-Trichloroethane	BRL	5.0	0	0	0	0	0	0	0	0	
1,1-Dichloroethane	BRL	5.0	0	0	0	0	0	0	0	0	
1,1-Dichloroethene	BRL	5.0	0	0	0	0	0	0	0	0	
1,2,4-Trichlorobenzene	BRL	5.0	0	0	0	0	0	0	0	0	
1,2-Dibromo-3-chloropropane	BRL	5.0	0	0	0	0	0	0	0	0	
1,2-Dibromoethane	BRL	5.0	0	0	0	0	0	0	0	0	
1,2-Dichlorobenzene	BRL	5.0	0	0	0	0	0	0	0	0	
1,2-Dichloroethane	BRL	5.0	0	0	0	0	0	0	0	0	
1,2-Dichloropropane	BRL	5.0	0	0	0	0	0	0	0	0	
1,3-Dichlorobenzene	BRL	5.0	0	0	0	0	0	0	0	0	
1,4-Dichlorobenzene	BRL	5.0	0	0	0	0	0	0	0	0	
2-Butanone	BRL	50	0	0	0	0	0	0	0	0	
2-Hexanone	BRL	10	0	0	0	0	0	0	0	0	
4-Methyl-2-pentanone	BRL	10	0	0	0	0	0	0	0	0	
Acetone	BRL	50	0	0	0	0	0	0	0	0	
Benzene	BRL	5.0	0	0	0	0	0	0	0	0	
Bromodichloromethane	BRL	5.0	0	0	0	0	0	0	0	0	
Bromoform	BRL	5.0	0	0	0	0	0	0	0	0	
Bromomethane	BRL	5.0	0	0	0	0	0	0	0	0	
Carbon disulfide	BRL	5.0	0	0	0	0	0	0	0	0	
Carbon tetrachloride	BRL	5.0	0	0	0	0	0	0	0	0	
Chlorobenzene	BRL	5.0	0	0	0	0	0	0	0	0	
Chloroethane	BRL	10	0	0	0	0	0	0	0	0	
Chloroform	BRL	5.0	0	0	0	0	0	0	0	0	
Chloromethane	BRL	10	0	0	0	0	0	0	0	0	

Qualifiers:

>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Genesis Project, Inc.
Project Name: Vogue
Workorder: 1301407

ANALYTICAL QC SUMMARY REPORT

BatchID: 171009

Sample ID: **MB-171009** Client ID: Units: **ug/L** Prep Date: **01/08/2013** Run No: **236184**
SampleType: **MBLK** TestCode: **TCL VOLATILE ORGANICS SW8260B** BatchID: **171009** Analysis Date: **01/08/2013** Seq No: **4946367**

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
cis-1,2-Dichloroethene	BRL	5.0	0	0	0	0	0	0	0	0	
cis-1,3-Dichloropropene	BRL	5.0	0	0	0	0	0	0	0	0	
Cyclohexane	BRL	5.0	0	0	0	0	0	0	0	0	
Dibromochloromethane	BRL	5.0	0	0	0	0	0	0	0	0	
Dichlorodifluoromethane	BRL	10	0	0	0	0	0	0	0	0	
Ethylbenzene	BRL	5.0	0	0	0	0	0	0	0	0	
Freon-113	BRL	10	0	0	0	0	0	0	0	0	
Isopropylbenzene	BRL	5.0	0	0	0	0	0	0	0	0	
m,p-Xylene	BRL	5.0	0	0	0	0	0	0	0	0	
Methyl acetate	BRL	5.0	0	0	0	0	0	0	0	0	
Methyl tert-butyl ether	BRL	5.0	0	0	0	0	0	0	0	0	
Methylcyclohexane	BRL	5.0	0	0	0	0	0	0	0	0	
Methylene chloride	BRL	5.0	0	0	0	0	0	0	0	0	
o-Xylene	BRL	5.0	0	0	0	0	0	0	0	0	
Styrene	BRL	5.0	0	0	0	0	0	0	0	0	
Tetrachloroethene	BRL	5.0	0	0	0	0	0	0	0	0	
Toluene	BRL	5.0	0	0	0	0	0	0	0	0	
trans-1,2-Dichloroethene	BRL	5.0	0	0	0	0	0	0	0	0	
trans-1,3-Dichloropropene	BRL	5.0	0	0	0	0	0	0	0	0	
Trichloroethene	BRL	5.0	0	0	0	0	0	0	0	0	
Trichlorofluoromethane	BRL	5.0	0	0	0	0	0	0	0	0	
Vinyl chloride	BRL	2.0	0	0	0	0	0	0	0	0	
Surr: 4-Bromofluorobenzene	44.60	0	50	0	89.2	64.6	123	0	0	0	
Surr: Dibromofluoromethane	48.41	0	50	0	96.8	76.6	133	0	0	0	
Surr: Toluene-d8	51.79	0	50	0	104	77.8	120	0	0	0	

Qualifiers:

>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Genesis Project, Inc.
Project Name: Vogue
Workorder: 1301407

ANALYTICAL QC SUMMARY REPORT

BatchID: 171009

Sample ID: **LCS-171009** Client ID: Units: **ug/L** Prep Date: **01/08/2013** Run No: **236184**
SampleType: **LCS** TestCode: **TCL VOLATILE ORGANICS SW8260B** BatchID: **171009** Analysis Date: **01/08/2013** Seq No: **4946370**

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
1,1-Dichloroethene	65.13	5.0	50	0	130	61.1	142	0	0	0	
Benzene	49.75	5.0	50	0	99.5	73.5	130	0	0	0	
Chlorobenzene	50.67	5.0	50	0	101	72.4	123	0	0	0	
Toluene	50.46	5.0	50	0	101	73.6	130	0	0	0	
Trichloroethene	48.92	5.0	50	0	97.8	70	135	0	0	0	
Surr: 4-Bromofluorobenzene	48.52	0	50	0	97	64.6	123	0	0	0	
Surr: Dibromofluoromethane	48.62	0	50	0	97.2	76.6	133	0	0	0	
Surr: Toluene-d8	51.01	0	50	0	102	77.8	120	0	0	0	

Sample ID: **1301407-002AMS** Client ID: **MW-8** Units: **ug/L** Prep Date: **01/08/2013** Run No: **236184**
SampleType: **MS** TestCode: **TCL VOLATILE ORGANICS SW8260B** BatchID: **171009** Analysis Date: **01/08/2013** Seq No: **4946393**

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
1,1-Dichloroethene	633.4	50	500	0	127	60	168	0	0	0	
Benzene	522.6	50	500	0	105	66.6	148	0	0	0	
Chlorobenzene	526.2	50	500	0	105	71.9	135	0	0	0	
Toluene	513.1	50	500	0	103	68	149	0	0	0	
Trichloroethene	2262	50	500	1808	90.8	71.1	154	0	0	0	E
Surr: 4-Bromofluorobenzene	493.5	0	500	0	98.7	64.6	123	0	0	0	
Surr: Dibromofluoromethane	480.7	0	500	0	96.1	76.6	133	0	0	0	
Surr: Toluene-d8	489.0	0	500	0	97.8	77.8	120	0	0	0	

Sample ID: **1301407-002AMSD** Client ID: **MW-8** Units: **ug/L** Prep Date: **01/08/2013** Run No: **236184**
SampleType: **MSD** TestCode: **TCL VOLATILE ORGANICS SW8260B** BatchID: **171009** Analysis Date: **01/08/2013** Seq No: **4946397**

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
1,1-Dichloroethene	649.3	50	500	0	130	60	168	633.4	2.48	18.6	
Benzene	514.9	50	500	0	103	66.6	148	522.6	1.48	20	

Qualifiers:

>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Genesis Project, Inc.
Project Name: Vogue
Workorder: 1301407

ANALYTICAL QC SUMMARY REPORT

BatchID: **171009**

Sample ID: **1301407-002AMSD** Client ID: **MW-8** Units: **ug/L** Prep Date: **01/08/2013** Run No: **236184**
SampleType: **MSD** TestCode: **TCL VOLATILE ORGANICS SW8260B** BatchID: **171009** Analysis Date: **01/08/2013** Seq No: **4946397**

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
Chlorobenzene	509.6	50	500	0	102	71.9	135	526.2	3.21	20	
Toluene	508.7	50	500	0	102	68	149	513.1	0.861	20	
Trichloroethene	2228	50	500	1808	83.9	71.1	154	2262	1.55	20	E
Surr: 4-Bromofluorobenzene	490.9	0	500	0	98.2	64.6	123	493.5	0	0	
Surr: Dibromofluoromethane	498.0	0	500	0	99.6	76.6	133	480.7	0	0	
Surr: Toluene-d8	505.1	0	500	0	101	77.8	120	489.0	0	0	

Qualifiers:

>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

AES

ANALYTICAL ENVIRONMENTAL SERVICES, INC.

March 08, 2013

Tiffany Messier
Genesis Project, Inc.
1258 Concord Rd. SE
Smyrna GA 30016

TEL: (770) 319-7217
FAX: (770) 319-7219

RE: Vogue Cleaners

Dear Tiffany Messier: Order No: 1303086

Analytical Environmental Services, Inc. received 12 samples on 3/1/2013 12:15:00 PM for the analyses presented in following report.

No problems were encountered during the analyses. Additionally, all results for the associated Quality Control samples were within EPA and/or AES established limits. Any discrepancies associated with the analyses contained herein will be noted and submitted in the form of a project Case Narrative.
AES' certifications are as follows:
-NELAC/Florida Certification number E87582 for analysis of Environmental Water, soil/hazardous waste, and Drinking Water Microbiology, effective 07/01/12-06/30/13.
-AIHA Certification ID #100671 for Industrial Hygiene samples (Organics, Inorganics), Environmental Lead (Paint, Soil, Dust Wipes, Air), and Environmental Microbiology (Fungal) effective until 09/01/13.

These results relate only to the items tested. This report may only be reproduced in full.

If you have any questions regarding these test results, please feel free to call.

Dorothy deBruyn
Project Manager

3785 PRESIDENTIAL PARKWAY • ATLANTA, GEORGIA 30340 • TEL: (770) 457-8177 • FAX: (770)457-8188

CHAIN OF CUSTODY

Work Order: 1303004

ANALYTICAL ENVIRONMENTAL SERVICES, INC
3785 Presidential Parkway, Atlanta GA 30340-3704
TEL.: (770) 457-8177 / TOLL-FREE (800) 972-4889 / FAX: (770) 457-8188

Date: 2/28/13 Page 1 of 1

COMPANY: Genesis Project, INC.
ADDRESS: 1258 Concord Road Smyrna, GA 30016
PHONE: 770/319-7217
FAX: 770/319-7219
SAMPLED BY: John Love & Will Mitchell
SIGNATURE:

ANALYSIS REQUESTED: Total VOCs

Visit our website www.aesatlanta.com to check on the status of your results, place bottle orders, etc.

#	SAMPLE ID	SAMPLED DATE	SAMPLED TIME	Grab	Composite	Matrix (See codes)	PRESERVATION (See codes)	REMARKS	No # of Containers
1	MW-1	2/28/13	12:00	X			X		2
2	MW-2	2/27/13	15:00	X			X		2
3	MW-4	2/27/13	10:30	X			X		2
4	MW-5	2/27/13	1530	X			X		2
5	MW-6	2/28/13	10:20	X			X		2
6	MW-7	2/28/13	11:40	X			X		2
7	MW-8	2/28/13	15:15	X			X		2
8	MW-8D	2/26/13	17:45	X			X		2
9	MW-12D	2/27/13	17:35	X			X		2
10	MW-22	2/27/13	1430	X			X		2
11	POD-1	2/27/13	1830	X			X		2
12									
13									
14									

RELINQUISHED BY	DATE/TIME	RECEIVED BY	DATE/TIME
1:	2/28/13 1700	1:	2/28/13 1700
2:	3/1/13 1215	2:	3/1/13 1215
3:		3:	

SPECIAL INSTRUCTIONS/COMMENTS:

SHIPMENT METHOD
OUT / / VIA:
IN VIA:
CLIENT FedEx UPS MAIL COURIER
GREYHOUND OTHER_____

PROJECT INFORMATION
PROJECT NAME: Vogue Cleaners
PROJECT #:
SITE ADDRESS:
SEND REPORT TO: Tiffany Meissier
INVOICE TO:
(IF DIFFERENT FROM ABOVE)
QUOTE #:_____ PO#:_____

RECEIPT
Total # of Containers 22

Turnaround Time Request
- ⊗ Standard 5 Business Days
- ○ 2 Business Day Rush
- ○ Next Business Day Rush
- ○ Same Day Rush (auth req.)
- ○ Other _____

STATE PROGRAM (if any): _____
E-mail? Y / N; Fax? Y / N
DATA PACKAGE: I II III IV

SAMPLES RECEIVED AFTER 3PM OR ON SATURDAY ARE CONSIDERED RECEIVED THE NEXT BUSINESS DAY. IF TURNAROUND TIME IS NOT INDICATED, AES WILL PROCEED WITH STANDARD TAT OF SAMPLES.
SAMPLES ARE DISPOSED 30 DAYS AFTER REPORT COMPLETION UNLESS OTHER ARRANGEMENTS ARE MADE.

MATRIX CODES: A = Air GW = Groundwater SE = Sediment SO = Soil SW = Surface Water W = Water (Blanks) DW = Drinking Water (Blanks) O = Other (specify) WW = Waste Water
PRESERVATIVE CODES: H+I = Hydrochloric acid + ice I = Ice only N = Nitric acid S+I = Sulfuric acid + ice S/M+I = Sodium Bisulfate/Methanol + ice O = Other (specify) NA = None

White Copy - Original; Yellow Copy - Client

Analytical Environmental Services, Inc

Date: 8-Mar-13

Client:	Genesis Project, Inc.	**Client Sample ID:**	MW-1
Project Name:	Vogue Cleaners	**Collection Date:**	2/28/2013 12:00:00 PM
Lab ID:	1303086-001	**Matrix:**	Aqueous

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5030B)**				
1,1,1-Trichloroethane	BRL	5.0		ug/L	173092	1	03/04/2013 20:51	YT
1,1,2,2-Tetrachloroethane	BRL	5.0		ug/L	173092	1	03/04/2013 20:51	YT
1,1,2-Trichloroethane	BRL	5.0		ug/L	173092	1	03/04/2013 20:51	YT
1,1-Dichloroethane	BRL	5.0		ug/L	173092	1	03/04/2013 20:51	YT
1,1-Dichloroethene	BRL	5.0		ug/L	173092	1	03/04/2013 20:51	YT
1,2,4-Trichlorobenzene	BRL	5.0		ug/L	173092	1	03/04/2013 20:51	YT
1,2-Dibromo-3-chloropropane	BRL	5.0		ug/L	173092	1	03/04/2013 20:51	YT
1,2-Dibromoethane	BRL	5.0		ug/L	173092	1	03/04/2013 20:51	YT
1,2-Dichlorobenzene	BRL	5.0		ug/L	173092	1	03/04/2013 20:51	YT
1,2-Dichloroethane	BRL	5.0		ug/L	173092	1	03/04/2013 20:51	YT
1,2-Dichloropropane	BRL	5.0		ug/L	173092	1	03/04/2013 20:51	YT
1,3-Dichlorobenzene	BRL	5.0		ug/L	173092	1	03/04/2013 20:51	YT
1,4-Dichlorobenzene	BRL	5.0		ug/L	173092	1	03/04/2013 20:51	YT
2-Butanone	BRL	50		ug/L	173092	1	03/04/2013 20:51	YT
2-Hexanone	BRL	10		ug/L	173092	1	03/04/2013 20:51	YT
4-Methyl-2-pentanone	BRL	10		ug/L	173092	1	03/04/2013 20:51	YT
Acetone	BRL	50		ug/L	173092	1	03/04/2013 20:51	YT
Benzene	10	5.0		ug/L	173092	1	03/04/2013 20:51	YT
Bromodichloromethane	BRL	5.0		ug/L	173092	1	03/04/2013 20:51	YT
Bromoform	BRL	5.0		ug/L	173092	1	03/04/2013 20:51	YT
Bromomethane	BRL	5.0		ug/L	173092	1	03/04/2013 20:51	YT
Carbon disulfide	BRL	5.0		ug/L	173092	1	03/04/2013 20:51	YT
Carbon tetrachloride	BRL	5.0		ug/L	173092	1	03/04/2013 20:51	YT
Chlorobenzene	BRL	5.0		ug/L	173092	1	03/04/2013 20:51	YT
Chloroethane	BRL	10		ug/L	173092	1	03/04/2013 20:51	YT
Chloroform	BRL	5.0		ug/L	173092	1	03/04/2013 20:51	YT
Chloromethane	BRL	10		ug/L	173092	1	03/04/2013 20:51	YT
cis-1,2-Dichloroethene	BRL	5.0		ug/L	173092	1	03/04/2013 20:51	YT
cis-1,3-Dichloropropene	BRL	5.0		ug/L	173092	1	03/04/2013 20:51	YT
Cyclohexane	BRL	5.0		ug/L	173092	1	03/04/2013 20:51	YT
Dibromochloromethane	BRL	5.0		ug/L	173092	1	03/04/2013 20:51	YT
Dichlorodifluoromethane	BRL	10		ug/L	173092	1	03/04/2013 20:51	YT
Ethylbenzene	BRL	5.0		ug/L	173092	1	03/04/2013 20:51	YT
Freon-113	BRL	10		ug/L	173092	1	03/04/2013 20:51	YT
Isopropylbenzene	BRL	5.0		ug/L	173092	1	03/04/2013 20:51	YT
m,p-Xylene	BRL	5.0		ug/L	173092	1	03/04/2013 20:51	YT
Methyl acetate	BRL	5.0		ug/L	173092	1	03/04/2013 20:51	YT
Methyl tert-butyl ether	BRL	5.0		ug/L	173092	1	03/04/2013 20:51	YT
Methylcyclohexane	BRL	5.0		ug/L	173092	1	03/04/2013 20:51	YT
Methylene chloride	BRL	5.0		ug/L	173092	1	03/04/2013 20:51	YT
o-Xylene	BRL	5.0		ug/L	173092	1	03/04/2013 20:51	YT

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc **Date:** 8-Mar-13

Client:	Genesis Project, Inc.	**Client Sample ID:**	MW-1
Project Name:	Vogue Cleaners	**Collection Date:**	2/28/2013 12:00:00 PM
Lab ID:	1303086-001	**Matrix:**	Aqueous

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5030B)**				
Styrene	BRL	5.0		ug/L	173092	1	03/04/2013 20:51	YT
Tetrachloroethene	BRL	5.0		ug/L	173092	1	03/04/2013 20:51	YT
Toluene	BRL	5.0		ug/L	173092	1	03/04/2013 20:51	YT
trans-1,2-Dichloroethene	BRL	5.0		ug/L	173092	1	03/04/2013 20:51	YT
trans-1,3-Dichloropropene	BRL	5.0		ug/L	173092	1	03/04/2013 20:51	YT
Trichloroethene	BRL	5.0		ug/L	173092	1	03/04/2013 20:51	YT
Trichlorofluoromethane	BRL	5.0		ug/L	173092	1	03/04/2013 20:51	YT
Vinyl chloride	BRL	2.0		ug/L	173092	1	03/04/2013 20:51	YT
Surr: 4-Bromofluorobenzene	92.7	64.6-123		%REC	173092	1	03/04/2013 20:51	YT
Surr: Dibromofluoromethane	94.1	76.6-133		%REC	173092	1	03/04/2013 20:51	YT
Surr: Toluene-d8	93.5	77.8-120		%REC	173092	1	03/04/2013 20:51	YT

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 8-Mar-13

Client:	Genesis Project, Inc.	**Client Sample ID:**	MW-2
Project Name:	Vogue Cleaners	**Collection Date:**	2/27/2013 3:00:00 PM
Lab ID:	1303086-002	**Matrix:**	Aqueous

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5030B)**				
1,1,1-Trichloroethane	BRL	5.0		ug/L	173092	1	03/06/2013 18:10	GK
1,1,2,2-Tetrachloroethane	BRL	5.0		ug/L	173092	1	03/06/2013 18:10	GK
1,1,2-Trichloroethane	BRL	5.0		ug/L	173092	1	03/06/2013 18:10	GK
1,1-Dichloroethane	BRL	5.0		ug/L	173092	1	03/06/2013 18:10	GK
1,1-Dichloroethene	BRL	5.0		ug/L	173092	1	03/06/2013 18:10	GK
1,2,4-Trichlorobenzene	BRL	5.0		ug/L	173092	1	03/06/2013 18:10	GK
1,2-Dibromo-3-chloropropane	BRL	5.0		ug/L	173092	1	03/06/2013 18:10	GK
1,2-Dibromoethane	BRL	5.0		ug/L	173092	1	03/06/2013 18:10	GK
1,2-Dichlorobenzene	BRL	5.0		ug/L	173092	1	03/06/2013 18:10	GK
1,2-Dichloroethane	BRL	5.0		ug/L	173092	1	03/06/2013 18:10	GK
1,2-Dichloropropane	BRL	5.0		ug/L	173092	1	03/06/2013 18:10	GK
1,3-Dichlorobenzene	BRL	5.0		ug/L	173092	1	03/06/2013 18:10	GK
1,4-Dichlorobenzene	BRL	5.0		ug/L	173092	1	03/06/2013 18:10	GK
2-Butanone	BRL	50		ug/L	173092	1	03/06/2013 18:10	GK
2-Hexanone	BRL	10		ug/L	173092	1	03/06/2013 18:10	GK
4-Methyl-2-pentanone	BRL	10		ug/L	173092	1	03/06/2013 18:10	GK
Acetone	96	50		ug/L	173092	1	03/06/2013 18:10	GK
Benzene	BRL	5.0		ug/L	173092	1	03/06/2013 18:10	GK
Bromodichloromethane	BRL	5.0		ug/L	173092	1	03/06/2013 18:10	GK
Bromoform	BRL	5.0		ug/L	173092	1	03/06/2013 18:10	GK
Bromomethane	BRL	5.0		ug/L	173092	1	03/06/2013 18:10	GK
Carbon disulfide	BRL	5.0		ug/L	173092	1	03/06/2013 18:10	GK
Carbon tetrachloride	BRL	5.0		ug/L	173092	1	03/06/2013 18:10	GK
Chlorobenzene	BRL	5.0		ug/L	173092	1	03/06/2013 18:10	GK
Chloroethane	BRL	10		ug/L	173092	1	03/06/2013 18:10	GK
Chloroform	BRL	5.0		ug/L	173092	1	03/06/2013 18:10	GK
Chloromethane	BRL	10		ug/L	173092	1	03/06/2013 18:10	GK
cis-1,2-Dichloroethene	BRL	5.0		ug/L	173092	1	03/06/2013 18:10	GK
cis-1,3-Dichloropropene	BRL	5.0		ug/L	173092	1	03/06/2013 18:10	GK
Cyclohexane	BRL	5.0		ug/L	173092	1	03/06/2013 18:10	GK
Dibromochloromethane	BRL	5.0		ug/L	173092	1	03/06/2013 18:10	GK
Dichlorodifluoromethane	BRL	10		ug/L	173092	1	03/06/2013 18:10	GK
Ethylbenzene	BRL	5.0		ug/L	173092	1	03/06/2013 18:10	GK
Freon-113	BRL	10		ug/L	173092	1	03/06/2013 18:10	GK
Isopropylbenzene	BRL	5.0		ug/L	173092	1	03/06/2013 18:10	GK
m,p-Xylene	BRL	5.0		ug/L	173092	1	03/06/2013 18:10	GK
Methyl acetate	BRL	5.0		ug/L	173092	1	03/06/2013 18:10	GK
Methyl tert-butyl ether	BRL	5.0		ug/L	173092	1	03/06/2013 18:10	GK
Methylcyclohexane	BRL	5.0		ug/L	173092	1	03/06/2013 18:10	GK
Methylene chloride	BRL	5.0		ug/L	173092	1	03/06/2013 18:10	GK
o-Xylene	BRL	5.0		ug/L	173092	1	03/06/2013 18:10	GK

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 8-Mar-13

Client:	Genesis Project, Inc.	**Client Sample ID:**	MW-2
Project Name:	Vogue Cleaners	**Collection Date:**	2/27/2013 3:00:00 PM
Lab ID:	1303086-002	**Matrix:**	Aqueous

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5030B)**				
Styrene	BRL	5.0		ug/L	173092	1	03/06/2013 18:10	GK
Tetrachloroethene	BRL	5.0		ug/L	173092	1	03/06/2013 18:10	GK
Toluene	BRL	5.0		ug/L	173092	1	03/06/2013 18:10	GK
trans-1,2-Dichloroethene	BRL	5.0		ug/L	173092	1	03/06/2013 18:10	GK
trans-1,3-Dichloropropene	BRL	5.0		ug/L	173092	1	03/06/2013 18:10	GK
Trichloroethene	BRL	5.0		ug/L	173092	1	03/06/2013 18:10	GK
Trichlorofluoromethane	BRL	5.0		ug/L	173092	1	03/06/2013 18:10	GK
Vinyl chloride	BRL	2.0		ug/L	173092	1	03/06/2013 18:10	GK
Surr: 4-Bromofluorobenzene	96.3	64.6-123		%REC	173092	1	03/06/2013 18:10	GK
Surr: Dibromofluoromethane	98.6	76.6-133		%REC	173092	1	03/06/2013 18:10	GK
Surr: Toluene-d8	100	77.8-120		%REC	173092	1	03/06/2013 18:10	GK

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc **Date:** 8-Mar-13

Client:	Genesis Project, Inc.	**Client Sample ID:**	MW-4
Project Name:	Vogue Cleaners	**Collection Date:**	2/27/2013 10:30:00 AM
Lab ID:	1303086-003	**Matrix:**	Aqueous

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5030B)**				
1,1,1-Trichloroethane	BRL	5.0		ug/L	173092	1	03/04/2013 21:50	YT
1,1,2,2-Tetrachloroethane	BRL	5.0		ug/L	173092	1	03/04/2013 21:50	YT
1,1,2-Trichloroethane	BRL	5.0		ug/L	173092	1	03/04/2013 21:50	YT
1,1-Dichloroethane	BRL	5.0		ug/L	173092	1	03/04/2013 21:50	YT
1,1-Dichloroethene	BRL	5.0		ug/L	173092	1	03/04/2013 21:50	YT
1,2,4-Trichlorobenzene	BRL	5.0		ug/L	173092	1	03/04/2013 21:50	YT
1,2-Dibromo-3-chloropropane	BRL	5.0		ug/L	173092	1	03/04/2013 21:50	YT
1,2-Dibromoethane	BRL	5.0		ug/L	173092	1	03/04/2013 21:50	YT
1,2-Dichlorobenzene	BRL	5.0		ug/L	173092	1	03/04/2013 21:50	YT
1,2-Dichloroethane	BRL	5.0		ug/L	173092	1	03/04/2013 21:50	YT
1,2-Dichloropropane	BRL	5.0		ug/L	173092	1	03/04/2013 21:50	YT
1,3-Dichlorobenzene	BRL	5.0		ug/L	173092	1	03/04/2013 21:50	YT
1,4-Dichlorobenzene	BRL	5.0		ug/L	173092	1	03/04/2013 21:50	YT
2-Butanone	BRL	50		ug/L	173092	1	03/04/2013 21:50	YT
2-Hexanone	BRL	10		ug/L	173092	1	03/04/2013 21:50	YT
4-Methyl-2-pentanone	BRL	10		ug/L	173092	1	03/04/2013 21:50	YT
Acetone	55	50		ug/L	173092	1	03/04/2013 21:50	YT
Benzene	BRL	5.0		ug/L	173092	1	03/04/2013 21:50	YT
Bromodichloromethane	BRL	5.0		ug/L	173092	1	03/04/2013 21:50	YT
Bromoform	BRL	5.0		ug/L	173092	1	03/04/2013 21:50	YT
Bromomethane	BRL	5.0		ug/L	173092	1	03/04/2013 21:50	YT
Carbon disulfide	BRL	5.0		ug/L	173092	1	03/04/2013 21:50	YT
Carbon tetrachloride	BRL	5.0		ug/L	173092	1	03/04/2013 21:50	YT
Chlorobenzene	BRL	5.0		ug/L	173092	1	03/04/2013 21:50	YT
Chloroethane	BRL	10		ug/L	173092	1	03/04/2013 21:50	YT
Chloroform	BRL	5.0		ug/L	173092	1	03/04/2013 21:50	YT
Chloromethane	BRL	10		ug/L	173092	1	03/04/2013 21:50	YT
cis-1,2-Dichloroethene	BRL	5.0		ug/L	173092	1	03/04/2013 21:50	YT
cis-1,3-Dichloropropene	BRL	5.0		ug/L	173092	1	03/04/2013 21:50	YT
Cyclohexane	BRL	5.0		ug/L	173092	1	03/04/2013 21:50	YT
Dibromochloromethane	BRL	5.0		ug/L	173092	1	03/04/2013 21:50	YT
Dichlorodifluoromethane	BRL	10		ug/L	173092	1	03/04/2013 21:50	YT
Ethylbenzene	BRL	5.0		ug/L	173092	1	03/04/2013 21:50	YT
Freon-113	BRL	10		ug/L	173092	1	03/04/2013 21:50	YT
Isopropylbenzene	BRL	5.0		ug/L	173092	1	03/04/2013 21:50	YT
m,p-Xylene	BRL	5.0		ug/L	173092	1	03/04/2013 21:50	YT
Methyl acetate	BRL	5.0		ug/L	173092	1	03/04/2013 21:50	YT
Methyl tert-butyl ether	BRL	5.0		ug/L	173092	1	03/04/2013 21:50	YT
Methylcyclohexane	BRL	5.0		ug/L	173092	1	03/04/2013 21:50	YT
Methylene chloride	BRL	5.0		ug/L	173092	1	03/04/2013 21:50	YT
o-Xylene	BRL	5.0		ug/L	173092	1	03/04/2013 21:50	YT

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 8-Mar-13

Client:	Genesis Project, Inc.	**Client Sample ID:**	MW-4
Project Name:	Vogue Cleaners	**Collection Date:**	2/27/2013 10:30:00 AM
Lab ID:	1303086-003	**Matrix:**	Aqueous

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5030B)**				
Styrene	BRL	5.0		ug/L	173092	1	03/04/2013 21:50	YT
Tetrachloroethene	BRL	5.0		ug/L	173092	1	03/04/2013 21:50	YT
Toluene	BRL	5.0		ug/L	173092	1	03/04/2013 21:50	YT
trans-1,2-Dichloroethene	BRL	5.0		ug/L	173092	1	03/04/2013 21:50	YT
trans-1,3-Dichloropropene	BRL	5.0		ug/L	173092	1	03/04/2013 21:50	YT
Trichloroethene	BRL	5.0		ug/L	173092	1	03/04/2013 21:50	YT
Trichlorofluoromethane	BRL	5.0		ug/L	173092	1	03/04/2013 21:50	YT
Vinyl chloride	BRL	2.0		ug/L	173092	1	03/04/2013 21:50	YT
Surr: 4-Bromofluorobenzene	88.3	64.6-123		%REC	173092	1	03/04/2013 21:50	YT
Surr: Dibromofluoromethane	108	76.6-133		%REC	173092	1	03/04/2013 21:50	YT
Surr: Toluene-d8	99.4	77.8-120		%REC	173092	1	03/04/2013 21:50	YT

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 8-Mar-13

Client:	Genesis Project, Inc.	**Client Sample ID:**	MW-5
Project Name:	Vogue Cleaners	**Collection Date:**	2/27/2013 3:30:00 PM
Lab ID:	1303086-004	**Matrix:**	Aqueous

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5030B)**				
1,1,1-Trichloroethane	BRL	5.0		ug/L	173092	1	03/04/2013 22:19	YT
1,1,2,2-Tetrachloroethane	BRL	5.0		ug/L	173092	1	03/04/2013 22:19	YT
1,1,2-Trichloroethane	BRL	5.0		ug/L	173092	1	03/04/2013 22:19	YT
1,1-Dichloroethane	BRL	5.0		ug/L	173092	1	03/04/2013 22:19	YT
1,1-Dichloroethene	BRL	5.0		ug/L	173092	1	03/04/2013 22:19	YT
1,2,4-Trichlorobenzene	BRL	5.0		ug/L	173092	1	03/04/2013 22:19	YT
1,2-Dibromo-3-chloropropane	BRL	5.0		ug/L	173092	1	03/04/2013 22:19	YT
1,2-Dibromoethane	BRL	5.0		ug/L	173092	1	03/04/2013 22:19	YT
1,2-Dichlorobenzene	BRL	5.0		ug/L	173092	1	03/04/2013 22:19	YT
1,2-Dichloroethane	BRL	5.0		ug/L	173092	1	03/04/2013 22:19	YT
1,2-Dichloropropane	BRL	5.0		ug/L	173092	1	03/04/2013 22:19	YT
1,3-Dichlorobenzene	BRL	5.0		ug/L	173092	1	03/04/2013 22:19	YT
1,4-Dichlorobenzene	BRL	5.0		ug/L	173092	1	03/04/2013 22:19	YT
2-Butanone	BRL	50		ug/L	173092	1	03/04/2013 22:19	YT
2-Hexanone	BRL	10		ug/L	173092	1	03/04/2013 22:19	YT
4-Methyl-2-pentanone	BRL	10		ug/L	173092	1	03/04/2013 22:19	YT
Acetone	100	50		ug/L	173092	1	03/04/2013 22:19	YT
Benzene	BRL	5.0		ug/L	173092	1	03/04/2013 22:19	YT
Bromodichloromethane	BRL	5.0		ug/L	173092	1	03/04/2013 22:19	YT
Bromoform	BRL	5.0		ug/L	173092	1	03/04/2013 22:19	YT
Bromomethane	BRL	5.0		ug/L	173092	1	03/04/2013 22:19	YT
Carbon disulfide	BRL	5.0		ug/L	173092	1	03/04/2013 22:19	YT
Carbon tetrachloride	BRL	5.0		ug/L	173092	1	03/04/2013 22:19	YT
Chlorobenzene	BRL	5.0		ug/L	173092	1	03/04/2013 22:19	YT
Chloroethane	BRL	10		ug/L	173092	1	03/04/2013 22:19	YT
Chloroform	BRL	5.0		ug/L	173092	1	03/04/2013 22:19	YT
Chloromethane	BRL	10		ug/L	173092	1	03/04/2013 22:19	YT
cis-1,2-Dichloroethene	BRL	5.0		ug/L	173092	1	03/04/2013 22:19	YT
cis-1,3-Dichloropropene	BRL	5.0		ug/L	173092	1	03/04/2013 22:19	YT
Cyclohexane	BRL	5.0		ug/L	173092	1	03/04/2013 22:19	YT
Dibromochloromethane	BRL	5.0		ug/L	173092	1	03/04/2013 22:19	YT
Dichlorodifluoromethane	BRL	10		ug/L	173092	1	03/04/2013 22:19	YT
Ethylbenzene	BRL	5.0		ug/L	173092	1	03/04/2013 22:19	YT
Freon-113	BRL	10		ug/L	173092	1	03/04/2013 22:19	YT
Isopropylbenzene	BRL	5.0		ug/L	173092	1	03/04/2013 22:19	YT
m,p-Xylene	BRL	5.0		ug/L	173092	1	03/04/2013 22:19	YT
Methyl acetate	BRL	5.0		ug/L	173092	1	03/04/2013 22:19	YT
Methyl tert-butyl ether	BRL	5.0		ug/L	173092	1	03/04/2013 22:19	YT
Methylcyclohexane	BRL	5.0		ug/L	173092	1	03/04/2013 22:19	YT
Methylene chloride	BRL	5.0		ug/L	173092	1	03/04/2013 22:19	YT
o-Xylene	BRL	5.0		ug/L	173092	1	03/04/2013 22:19	YT

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 8-Mar-13

Client:	Genesis Project, Inc.	**Client Sample ID:**	MW-5
Project Name:	Vogue Cleaners	**Collection Date:**	2/27/2013 3:30:00 PM
Lab ID:	1303086-004	**Matrix:**	Aqueous

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5030B)**				
Styrene	BRL	5.0		ug/L	173092	1	03/04/2013 22:19	YT
Tetrachloroethene	BRL	5.0		ug/L	173092	1	03/04/2013 22:19	YT
Toluene	BRL	5.0		ug/L	173092	1	03/04/2013 22:19	YT
trans-1,2-Dichloroethene	BRL	5.0		ug/L	173092	1	03/04/2013 22:19	YT
trans-1,3-Dichloropropene	BRL	5.0		ug/L	173092	1	03/04/2013 22:19	YT
Trichloroethene	BRL	5.0		ug/L	173092	1	03/04/2013 22:19	YT
Trichlorofluoromethane	BRL	5.0		ug/L	173092	1	03/04/2013 22:19	YT
Vinyl chloride	BRL	2.0		ug/L	173092	1	03/04/2013 22:19	YT
Surr: 4-Bromofluorobenzene	90	64.6-123		%REC	173092	1	03/04/2013 22:19	YT
Surr: Dibromofluoromethane	103	76.6-133		%REC	173092	1	03/04/2013 22:19	YT
Surr: Toluene-d8	95.5	77.8-120		%REC	173092	1	03/04/2013 22:19	YT

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 8-Mar-13

Client:	Genesis Project, Inc.	**Client Sample ID:**	MW-6
Project Name:	Vogue Cleaners	**Collection Date:**	2/28/2013 10:20:00 AM
Lab ID:	1303086-005	**Matrix:**	Aqueous

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5030B)**				
1,1,1-Trichloroethane	BRL	5.0		ug/L	173092	1	03/07/2013 01:49	NP
1,1,2,2-Tetrachloroethane	BRL	5.0		ug/L	173092	1	03/07/2013 01:49	NP
1,1,2-Trichloroethane	BRL	5.0		ug/L	173092	1	03/07/2013 01:49	NP
1,1-Dichloroethane	BRL	5.0		ug/L	173092	1	03/07/2013 01:49	NP
1,1-Dichloroethene	BRL	5.0		ug/L	173092	1	03/07/2013 01:49	NP
1,2,4-Trichlorobenzene	BRL	5.0		ug/L	173092	1	03/07/2013 01:49	NP
1,2-Dibromo-3-chloropropane	BRL	5.0		ug/L	173092	1	03/07/2013 01:49	NP
1,2-Dibromoethane	BRL	5.0		ug/L	173092	1	03/07/2013 01:49	NP
1,2-Dichlorobenzene	BRL	5.0		ug/L	173092	1	03/07/2013 01:49	NP
1,2-Dichloroethane	BRL	5.0		ug/L	173092	1	03/07/2013 01:49	NP
1,2-Dichloropropane	BRL	5.0		ug/L	173092	1	03/07/2013 01:49	NP
1,3-Dichlorobenzene	BRL	5.0		ug/L	173092	1	03/07/2013 01:49	NP
1,4-Dichlorobenzene	BRL	5.0		ug/L	173092	1	03/07/2013 01:49	NP
2-Butanone	BRL	50		ug/L	173092	1	03/07/2013 01:49	NP
2-Hexanone	BRL	10		ug/L	173092	1	03/07/2013 01:49	NP
4-Methyl-2-pentanone	BRL	10		ug/L	173092	1	03/07/2013 01:49	NP
Acetone	BRL	50		ug/L	173092	1	03/07/2013 01:49	NP
Benzene	BRL	5.0		ug/L	173092	1	03/07/2013 01:49	NP
Bromodichloromethane	BRL	5.0		ug/L	173092	1	03/07/2013 01:49	NP
Bromoform	BRL	5.0		ug/L	173092	1	03/07/2013 01:49	NP
Bromomethane	BRL	5.0		ug/L	173092	1	03/07/2013 01:49	NP
Carbon disulfide	BRL	5.0		ug/L	173092	1	03/07/2013 01:49	NP
Carbon tetrachloride	BRL	5.0		ug/L	173092	1	03/07/2013 01:49	NP
Chlorobenzene	BRL	5.0		ug/L	173092	1	03/07/2013 01:49	NP
Chloroethane	BRL	10		ug/L	173092	1	03/07/2013 01:49	NP
Chloroform	BRL	5.0		ug/L	173092	1	03/07/2013 01:49	NP
Chloromethane	BRL	10		ug/L	173092	1	03/07/2013 01:49	NP
cis-1,2-Dichloroethene	BRL	5.0		ug/L	173092	1	03/07/2013 01:49	NP
cis-1,3-Dichloropropene	BRL	5.0		ug/L	173092	1	03/07/2013 01:49	NP
Cyclohexane	BRL	5.0		ug/L	173092	1	03/07/2013 01:49	NP
Dibromochloromethane	BRL	5.0		ug/L	173092	1	03/07/2013 01:49	NP
Dichlorodifluoromethane	BRL	10		ug/L	173092	1	03/07/2013 01:49	NP
Ethylbenzene	BRL	5.0		ug/L	173092	1	03/07/2013 01:49	NP
Freon-113	BRL	10		ug/L	173092	1	03/07/2013 01:49	NP
Isopropylbenzene	BRL	5.0		ug/L	173092	1	03/07/2013 01:49	NP
m,p-Xylene	BRL	5.0		ug/L	173092	1	03/07/2013 01:49	NP
Methyl acetate	BRL	5.0		ug/L	173092	1	03/07/2013 01:49	NP
Methyl tert-butyl ether	BRL	5.0		ug/L	173092	1	03/07/2013 01:49	NP
Methylcyclohexane	BRL	5.0		ug/L	173092	1	03/07/2013 01:49	NP
Methylene chloride	BRL	5.0		ug/L	173092	1	03/07/2013 01:49	NP
o-Xylene	BRL	5.0		ug/L	173092	1	03/07/2013 01:49	NP

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 8-Mar-13

Client:	Genesis Project, Inc.	**Client Sample ID:**	MW-6
Project Name:	Vogue Cleaners	**Collection Date:**	2/28/2013 10:20:00 AM
Lab ID:	1303086-005	**Matrix:**	Aqueous

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5030B)**				
Styrene	BRL	5.0		ug/L	173092	1	03/07/2013 01:49	NP
Tetrachloroethene	BRL	5.0		ug/L	173092	1	03/07/2013 01:49	NP
Toluene	BRL	5.0		ug/L	173092	1	03/07/2013 01:49	NP
trans-1,2-Dichloroethene	BRL	5.0		ug/L	173092	1	03/07/2013 01:49	NP
trans-1,3-Dichloropropene	BRL	5.0		ug/L	173092	1	03/07/2013 01:49	NP
Trichloroethene	BRL	5.0		ug/L	173092	1	03/07/2013 01:49	NP
Trichlorofluoromethane	BRL	5.0		ug/L	173092	1	03/07/2013 01:49	NP
Vinyl chloride	BRL	2.0		ug/L	173092	1	03/07/2013 01:49	NP
Surr: 4-Bromofluorobenzene	102	64.6-123		%REC	173092	1	03/07/2013 01:49	NP
Surr: Dibromofluoromethane	97.6	76.6-133		%REC	173092	1	03/07/2013 01:49	NP
Surr: Toluene-d8	98.1	77.8-120		%REC	173092	1	03/07/2013 01:49	NP

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 8-Mar-13

Client:	Genesis Project, Inc.	**Client Sample ID:**	MW-7
Project Name:	Vogue Cleaners	**Collection Date:**	2/28/2013 11:40:00 AM
Lab ID:	1303086-006	**Matrix:**	Aqueous

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5030B)**				
1,1,1-Trichloroethane	BRL	5.0		ug/L	173092	1	03/07/2013 02:19	NP
1,1,2,2-Tetrachloroethane	BRL	5.0		ug/L	173092	1	03/07/2013 02:19	NP
1,1,2-Trichloroethane	BRL	5.0		ug/L	173092	1	03/07/2013 02:19	NP
1,1-Dichloroethane	BRL	5.0		ug/L	173092	1	03/07/2013 02:19	NP
1,1-Dichloroethene	BRL	5.0		ug/L	173092	1	03/07/2013 02:19	NP
1,2,4-Trichlorobenzene	BRL	5.0		ug/L	173092	1	03/07/2013 02:19	NP
1,2-Dibromo-3-chloropropane	BRL	5.0		ug/L	173092	1	03/07/2013 02:19	NP
1,2-Dibromoethane	BRL	5.0		ug/L	173092	1	03/07/2013 02:19	NP
1,2-Dichlorobenzene	BRL	5.0		ug/L	173092	1	03/07/2013 02:19	NP
1,2-Dichloroethane	BRL	5.0		ug/L	173092	1	03/07/2013 02:19	NP
1,2-Dichloropropane	BRL	5.0		ug/L	173092	1	03/07/2013 02:19	NP
1,3-Dichlorobenzene	BRL	5.0		ug/L	173092	1	03/07/2013 02:19	NP
1,4-Dichlorobenzene	BRL	5.0		ug/L	173092	1	03/07/2013 02:19	NP
2-Butanone	BRL	50		ug/L	173092	1	03/07/2013 02:19	NP
2-Hexanone	BRL	10		ug/L	173092	1	03/07/2013 02:19	NP
4-Methyl-2-pentanone	BRL	10		ug/L	173092	1	03/07/2013 02:19	NP
Acetone	BRL	50		ug/L	173092	1	03/07/2013 02:19	NP
Benzene	BRL	5.0		ug/L	173092	1	03/07/2013 02:19	NP
Bromodichloromethane	BRL	5.0		ug/L	173092	1	03/07/2013 02:19	NP
Bromoform	BRL	5.0		ug/L	173092	1	03/07/2013 02:19	NP
Bromomethane	BRL	5.0		ug/L	173092	1	03/07/2013 02:19	NP
Carbon disulfide	BRL	5.0		ug/L	173092	1	03/07/2013 02:19	NP
Carbon tetrachloride	BRL	5.0		ug/L	173092	1	03/07/2013 02:19	NP
Chlorobenzene	BRL	5.0		ug/L	173092	1	03/07/2013 02:19	NP
Chloroethane	BRL	10		ug/L	173092	1	03/07/2013 02:19	NP
Chloroform	BRL	5.0		ug/L	173092	1	03/07/2013 02:19	NP
Chloromethane	BRL	10		ug/L	173092	1	03/07/2013 02:19	NP
cis-1,2-Dichloroethene	BRL	5.0		ug/L	173092	1	03/07/2013 02:19	NP
cis-1,3-Dichloropropene	BRL	5.0		ug/L	173092	1	03/07/2013 02:19	NP
Cyclohexane	BRL	5.0		ug/L	173092	1	03/07/2013 02:19	NP
Dibromochloromethane	BRL	5.0		ug/L	173092	1	03/07/2013 02:19	NP
Dichlorodifluoromethane	BRL	10		ug/L	173092	1	03/07/2013 02:19	NP
Ethylbenzene	BRL	5.0		ug/L	173092	1	03/07/2013 02:19	NP
Freon-113	BRL	10		ug/L	173092	1	03/07/2013 02:19	NP
Isopropylbenzene	BRL	5.0		ug/L	173092	1	03/07/2013 02:19	NP
m,p-Xylene	BRL	5.0		ug/L	173092	1	03/07/2013 02:19	NP
Methyl acetate	BRL	5.0		ug/L	173092	1	03/07/2013 02:19	NP
Methyl tert-butyl ether	BRL	5.0		ug/L	173092	1	03/07/2013 02:19	NP
Methylcyclohexane	BRL	5.0		ug/L	173092	1	03/07/2013 02:19	NP
Methylene chloride	BRL	5.0		ug/L	173092	1	03/07/2013 02:19	NP
o-Xylene	BRL	5.0		ug/L	173092	1	03/07/2013 02:19	NP

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 8-Mar-13

Client:	Genesis Project, Inc.	**Client Sample ID:**	MW-7
Project Name:	Vogue Cleaners	**Collection Date:**	2/28/2013 11:40:00 AM
Lab ID:	1303086-006	**Matrix:**	Aqueous

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5030B)**				
Styrene	BRL	5.0		ug/L	173092	1	03/07/2013 02:19	NP
Tetrachloroethene	BRL	5.0		ug/L	173092	1	03/07/2013 02:19	NP
Toluene	BRL	5.0		ug/L	173092	1	03/07/2013 02:19	NP
trans-1,2-Dichloroethene	BRL	5.0		ug/L	173092	1	03/07/2013 02:19	NP
trans-1,3-Dichloropropene	BRL	5.0		ug/L	173092	1	03/07/2013 02:19	NP
Trichloroethene	BRL	5.0		ug/L	173092	1	03/07/2013 02:19	NP
Trichlorofluoromethane	BRL	5.0		ug/L	173092	1	03/07/2013 02:19	NP
Vinyl chloride	BRL	2.0		ug/L	173092	1	03/07/2013 02:19	NP
Surr: 4-Bromofluorobenzene	99.7	64.6-123		%REC	173092	1	03/07/2013 02:19	NP
Surr: Dibromofluoromethane	96.7	76.6-133		%REC	173092	1	03/07/2013 02:19	NP
Surr: Toluene-d8	97.2	77.8-120		%REC	173092	1	03/07/2013 02:19	NP

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 8-Mar-13

Client:	Genesis Project, Inc.	**Client Sample ID:**	MW-8
Project Name:	Vogue Cleaners	**Collection Date:**	2/28/2013 3:15:00 PM
Lab ID:	1303086-007	**Matrix:**	Aqueous

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5030B)**				
1,1,1-Trichloroethane	BRL	5.0		ug/L	173092	1	03/05/2013 17:43	YT
1,1,2,2-Tetrachloroethane	BRL	5.0		ug/L	173092	1	03/05/2013 17:43	YT
1,1,2-Trichloroethane	BRL	5.0		ug/L	173092	1	03/05/2013 17:43	YT
1,1-Dichloroethane	BRL	5.0		ug/L	173092	1	03/05/2013 17:43	YT
1,1-Dichloroethene	BRL	5.0		ug/L	173092	1	03/05/2013 17:43	YT
1,2,4-Trichlorobenzene	BRL	5.0		ug/L	173092	1	03/05/2013 17:43	YT
1,2-Dibromo-3-chloropropane	BRL	5.0		ug/L	173092	1	03/05/2013 17:43	YT
1,2-Dibromoethane	BRL	5.0		ug/L	173092	1	03/05/2013 17:43	YT
1,2-Dichlorobenzene	BRL	5.0		ug/L	173092	1	03/05/2013 17:43	YT
1,2-Dichloroethane	BRL	5.0		ug/L	173092	1	03/05/2013 17:43	YT
1,2-Dichloropropane	BRL	5.0		ug/L	173092	1	03/05/2013 17:43	YT
1,3-Dichlorobenzene	BRL	5.0		ug/L	173092	1	03/05/2013 17:43	YT
1,4-Dichlorobenzene	BRL	5.0		ug/L	173092	1	03/05/2013 17:43	YT
2-Butanone	BRL	50		ug/L	173092	1	03/05/2013 17:43	YT
2-Hexanone	BRL	10		ug/L	173092	1	03/05/2013 17:43	YT
4-Methyl-2-pentanone	BRL	10		ug/L	173092	1	03/05/2013 17:43	YT
Acetone	70	50		ug/L	173092	1	03/05/2013 17:43	YT
Benzene	BRL	5.0		ug/L	173092	1	03/05/2013 17:43	YT
Bromodichloromethane	BRL	5.0		ug/L	173092	1	03/05/2013 17:43	YT
Bromoform	BRL	5.0		ug/L	173092	1	03/05/2013 17:43	YT
Bromomethane	BRL	5.0		ug/L	173092	1	03/05/2013 17:43	YT
Carbon disulfide	BRL	5.0		ug/L	173092	1	03/05/2013 17:43	YT
Carbon tetrachloride	BRL	5.0		ug/L	173092	1	03/05/2013 17:43	YT
Chlorobenzene	BRL	5.0		ug/L	173092	1	03/05/2013 17:43	YT
Chloroethane	BRL	10		ug/L	173092	1	03/05/2013 17:43	YT
Chloroform	BRL	5.0		ug/L	173092	1	03/05/2013 17:43	YT
Chloromethane	BRL	10		ug/L	173092	1	03/05/2013 17:43	YT
cis-1,2-Dichloroethene	17	5.0		ug/L	173092	1	03/05/2013 17:43	YT
cis-1,3-Dichloropropene	BRL	5.0		ug/L	173092	1	03/05/2013 17:43	YT
Cyclohexane	BRL	5.0		ug/L	173092	1	03/05/2013 17:43	YT
Dibromochloromethane	BRL	5.0		ug/L	173092	1	03/05/2013 17:43	YT
Dichlorodifluoromethane	BRL	10		ug/L	173092	1	03/05/2013 17:43	YT
Ethylbenzene	BRL	5.0		ug/L	173092	1	03/05/2013 17:43	YT
Freon-113	BRL	10		ug/L	173092	1	03/05/2013 17:43	YT
Isopropylbenzene	BRL	5.0		ug/L	173092	1	03/05/2013 17:43	YT
m,p-Xylene	BRL	5.0		ug/L	173092	1	03/05/2013 17:43	YT
Methyl acetate	BRL	5.0		ug/L	173092	1	03/05/2013 17:43	YT
Methyl tert-butyl ether	BRL	5.0		ug/L	173092	1	03/05/2013 17:43	YT
Methylcyclohexane	BRL	5.0		ug/L	173092	1	03/05/2013 17:43	YT
Methylene chloride	BRL	5.0		ug/L	173092	1	03/05/2013 17:43	YT
o-Xylene	BRL	5.0		ug/L	173092	1	03/05/2013 17:43	YT

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc **Date:** 8-Mar-13

Client:	Genesis Project, Inc.	**Client Sample ID:**	MW-8
Project Name:	Vogue Cleaners	**Collection Date:**	2/28/2013 3:15:00 PM
Lab ID:	1303086-007	**Matrix:**	Aqueous

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5030B)**				
Styrene	BRL	5.0		ug/L	173092	1	03/05/2013 17:43	YT
Tetrachloroethene	2600	100		ug/L	173092	20	03/07/2013 19:52	GK
Toluene	BRL	5.0		ug/L	173092	1	03/05/2013 17:43	YT
trans-1,2-Dichloroethene	BRL	5.0		ug/L	173092	1	03/05/2013 17:43	YT
trans-1,3-Dichloropropene	BRL	5.0		ug/L	173092	1	03/05/2013 17:43	YT
Trichloroethene	840	100		ug/L	173092	20	03/07/2013 19:52	GK
Trichlorofluoromethane	BRL	5.0		ug/L	173092	1	03/05/2013 17:43	YT
Vinyl chloride	BRL	2.0		ug/L	173092	1	03/05/2013 17:43	YT
Surr: 4-Bromofluorobenzene	79.6	64.6-123		%REC	173092	1	03/05/2013 17:43	YT
Surr: 4-Bromofluorobenzene	95.6	64.6-123		%REC	173092	20	03/07/2013 19:52	GK
Surr: Dibromofluoromethane	100	76.6-133		%REC	173092	20	03/07/2013 19:52	GK
Surr: Dibromofluoromethane	111	76.6-133		%REC	173092	1	03/05/2013 17:43	YT
Surr: Toluene-d8	104	77.8-120		%REC	173092	20	03/07/2013 19:52	GK
Surr: Toluene-d8	98.2	77.8-120		%REC	173092	1	03/05/2013 17:43	YT

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 8-Mar-13

Client:	Genesis Project, Inc.	**Client Sample ID:**	MW-8D
Project Name:	Vogue Cleaners	**Collection Date:**	2/26/2013 5:45:00 PM
Lab ID:	1303086-008	**Matrix:**	Aqueous

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5030B)**				
1,1,1-Trichloroethane	BRL	5.0		ug/L	173092	1	03/04/2013 23:47	YT
1,1,2,2-Tetrachloroethane	BRL	5.0		ug/L	173092	1	03/04/2013 23:47	YT
1,1,2-Trichloroethane	BRL	5.0		ug/L	173092	1	03/04/2013 23:47	YT
1,1-Dichloroethane	BRL	5.0		ug/L	173092	1	03/04/2013 23:47	YT
1,1-Dichloroethene	BRL	5.0		ug/L	173092	1	03/04/2013 23:47	YT
1,2,4-Trichlorobenzene	BRL	5.0		ug/L	173092	1	03/04/2013 23:47	YT
1,2-Dibromo-3-chloropropane	BRL	5.0		ug/L	173092	1	03/04/2013 23:47	YT
1,2-Dibromoethane	BRL	5.0		ug/L	173092	1	03/04/2013 23:47	YT
1,2-Dichlorobenzene	BRL	5.0		ug/L	173092	1	03/04/2013 23:47	YT
1,2-Dichloroethane	BRL	5.0		ug/L	173092	1	03/04/2013 23:47	YT
1,2-Dichloropropane	BRL	5.0		ug/L	173092	1	03/04/2013 23:47	YT
1,3-Dichlorobenzene	BRL	5.0		ug/L	173092	1	03/04/2013 23:47	YT
1,4-Dichlorobenzene	BRL	5.0		ug/L	173092	1	03/04/2013 23:47	YT
2-Butanone	BRL	50		ug/L	173092	1	03/04/2013 23:47	YT
2-Hexanone	BRL	10		ug/L	173092	1	03/04/2013 23:47	YT
4-Methyl-2-pentanone	BRL	10		ug/L	173092	1	03/04/2013 23:47	YT
Acetone	BRL	50		ug/L	173092	1	03/04/2013 23:47	YT
Benzene	BRL	5.0		ug/L	173092	1	03/04/2013 23:47	YT
Bromodichloromethane	BRL	5.0		ug/L	173092	1	03/04/2013 23:47	YT
Bromoform	BRL	5.0		ug/L	173092	1	03/04/2013 23:47	YT
Bromomethane	BRL	5.0		ug/L	173092	1	03/04/2013 23:47	YT
Carbon disulfide	BRL	5.0		ug/L	173092	1	03/04/2013 23:47	YT
Carbon tetrachloride	BRL	5.0		ug/L	173092	1	03/04/2013 23:47	YT
Chlorobenzene	BRL	5.0		ug/L	173092	1	03/04/2013 23:47	YT
Chloroethane	BRL	10		ug/L	173092	1	03/04/2013 23:47	YT
Chloroform	BRL	5.0		ug/L	173092	1	03/04/2013 23:47	YT
Chloromethane	BRL	10		ug/L	173092	1	03/04/2013 23:47	YT
cis-1,2-Dichloroethene	BRL	5.0		ug/L	173092	1	03/04/2013 23:47	YT
cis-1,3-Dichloropropene	BRL	5.0		ug/L	173092	1	03/04/2013 23:47	YT
Cyclohexane	BRL	5.0		ug/L	173092	1	03/04/2013 23:47	YT
Dibromochloromethane	BRL	5.0		ug/L	173092	1	03/04/2013 23:47	YT
Dichlorodifluoromethane	BRL	10		ug/L	173092	1	03/04/2013 23:47	YT
Ethylbenzene	BRL	5.0		ug/L	173092	1	03/04/2013 23:47	YT
Freon-113	BRL	10		ug/L	173092	1	03/04/2013 23:47	YT
Isopropylbenzene	BRL	5.0		ug/L	173092	1	03/04/2013 23:47	YT
m,p-Xylene	BRL	5.0		ug/L	173092	1	03/04/2013 23:47	YT
Methyl acetate	BRL	5.0		ug/L	173092	1	03/04/2013 23:47	YT
Methyl tert-butyl ether	BRL	5.0		ug/L	173092	1	03/04/2013 23:47	YT
Methylcyclohexane	BRL	5.0		ug/L	173092	1	03/04/2013 23:47	YT
Methylene chloride	BRL	5.0		ug/L	173092	1	03/04/2013 23:47	YT
o-Xylene	BRL	5.0		ug/L	173092	1	03/04/2013 23:47	YT

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc **Date:** 8-Mar-13

Client:	Genesis Project, Inc.	**Client Sample ID:**	MW-8D
Project Name:	Vogue Cleaners	**Collection Date:**	2/26/2013 5:45:00 PM
Lab ID:	1303086-008	**Matrix:**	Aqueous

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5030B)**				
Styrene	BRL	5.0		ug/L	173092	1	03/04/2013 23:47	YT
Tetrachloroethene	BRL	5.0		ug/L	173092	1	03/04/2013 23:47	YT
Toluene	BRL	5.0		ug/L	173092	1	03/04/2013 23:47	YT
trans-1,2-Dichloroethene	BRL	5.0		ug/L	173092	1	03/04/2013 23:47	YT
trans-1,3-Dichloropropene	BRL	5.0		ug/L	173092	1	03/04/2013 23:47	YT
Trichloroethene	BRL	5.0		ug/L	173092	1	03/04/2013 23:47	YT
Trichlorofluoromethane	BRL	5.0		ug/L	173092	1	03/04/2013 23:47	YT
Vinyl chloride	BRL	2.0		ug/L	173092	1	03/04/2013 23:47	YT
Surr: 4-Bromofluorobenzene	80.7	64.6-123		%REC	173092	1	03/04/2013 23:47	YT
Surr: Dibromofluoromethane	104	76.6-133		%REC	173092	1	03/04/2013 23:47	YT
Surr: Toluene-d8	99.2	77.8-120		%REC	173092	1	03/04/2013 23:47	YT

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 8-Mar-13

Client:	Genesis Project, Inc.	**Client Sample ID:**	MW-12D
Project Name:	Vogue Cleaners	**Collection Date:**	2/27/2013 5:35:00 PM
Lab ID:	1303086-009	**Matrix:**	Aqueous

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5030B)**				
1,1,1-Trichloroethane	BRL	5.0		ug/L	173092	1	03/07/2013 03:20	NP
1,1,2,2-Tetrachloroethane	BRL	5.0		ug/L	173092	1	03/07/2013 03:20	NP
1,1,2-Trichloroethane	BRL	5.0		ug/L	173092	1	03/07/2013 03:20	NP
1,1-Dichloroethane	BRL	5.0		ug/L	173092	1	03/07/2013 03:20	NP
1,1-Dichloroethene	BRL	5.0		ug/L	173092	1	03/07/2013 03:20	NP
1,2,4-Trichlorobenzene	BRL	5.0		ug/L	173092	1	03/07/2013 03:20	NP
1,2-Dibromo-3-chloropropane	BRL	5.0		ug/L	173092	1	03/07/2013 03:20	NP
1,2-Dibromoethane	BRL	5.0		ug/L	173092	1	03/07/2013 03:20	NP
1,2-Dichlorobenzene	BRL	5.0		ug/L	173092	1	03/07/2013 03:20	NP
1,2-Dichloroethane	BRL	5.0		ug/L	173092	1	03/07/2013 03:20	NP
1,2-Dichloropropane	BRL	5.0		ug/L	173092	1	03/07/2013 03:20	NP
1,3-Dichlorobenzene	BRL	5.0		ug/L	173092	1	03/07/2013 03:20	NP
1,4-Dichlorobenzene	BRL	5.0		ug/L	173092	1	03/07/2013 03:20	NP
2-Butanone	BRL	50		ug/L	173092	1	03/07/2013 03:20	NP
2-Hexanone	BRL	10		ug/L	173092	1	03/07/2013 03:20	NP
4-Methyl-2-pentanone	BRL	10		ug/L	173092	1	03/07/2013 03:20	NP
Acetone	BRL	50		ug/L	173092	1	03/07/2013 03:20	NP
Benzene	BRL	5.0		ug/L	173092	1	03/07/2013 03:20	NP
Bromodichloromethane	BRL	5.0		ug/L	173092	1	03/07/2013 03:20	NP
Bromoform	BRL	5.0		ug/L	173092	1	03/07/2013 03:20	NP
Bromomethane	BRL	5.0		ug/L	173092	1	03/07/2013 03:20	NP
Carbon disulfide	BRL	5.0		ug/L	173092	1	03/07/2013 03:20	NP
Carbon tetrachloride	BRL	5.0		ug/L	173092	1	03/07/2013 03:20	NP
Chlorobenzene	BRL	5.0		ug/L	173092	1	03/07/2013 03:20	NP
Chloroethane	BRL	10		ug/L	173092	1	03/07/2013 03:20	NP
Chloroform	BRL	5.0		ug/L	173092	1	03/07/2013 03:20	NP
Chloromethane	BRL	10		ug/L	173092	1	03/07/2013 03:20	NP
cis-1,2-Dichloroethene	11	5.0		ug/L	173092	1	03/07/2013 03:20	NP
cis-1,3-Dichloropropene	BRL	5.0		ug/L	173092	1	03/07/2013 03:20	NP
Cyclohexane	BRL	5.0		ug/L	173092	1	03/07/2013 03:20	NP
Dibromochloromethane	BRL	5.0		ug/L	173092	1	03/07/2013 03:20	NP
Dichlorodifluoromethane	BRL	10		ug/L	173092	1	03/07/2013 03:20	NP
Ethylbenzene	BRL	5.0		ug/L	173092	1	03/07/2013 03:20	NP
Freon-113	BRL	10		ug/L	173092	1	03/07/2013 03:20	NP
Isopropylbenzene	BRL	5.0		ug/L	173092	1	03/07/2013 03:20	NP
m,p-Xylene	BRL	5.0		ug/L	173092	1	03/07/2013 03:20	NP
Methyl acetate	BRL	5.0		ug/L	173092	1	03/07/2013 03:20	NP
Methyl tert-butyl ether	BRL	5.0		ug/L	173092	1	03/07/2013 03:20	NP
Methylcyclohexane	BRL	5.0		ug/L	173092	1	03/07/2013 03:20	NP
Methylene chloride	BRL	5.0		ug/L	173092	1	03/07/2013 03:20	NP
o-Xylene	BRL	5.0		ug/L	173092	1	03/07/2013 03:20	NP

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 8-Mar-13

Client:	Genesis Project, Inc.	**Client Sample ID:**	MW-12D
Project Name:	Vogue Cleaners	**Collection Date:**	2/27/2013 5:35:00 PM
Lab ID:	1303086-009	**Matrix:**	Aqueous

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5030B)**				
Styrene	BRL	5.0		ug/L	173092	1	03/07/2013 03:20	NP
Tetrachloroethene	BRL	5.0		ug/L	173092	1	03/07/2013 03:20	NP
Toluene	BRL	5.0		ug/L	173092	1	03/07/2013 03:20	NP
trans-1,2-Dichloroethene	BRL	5.0		ug/L	173092	1	03/07/2013 03:20	NP
trans-1,3-Dichloropropene	BRL	5.0		ug/L	173092	1	03/07/2013 03:20	NP
Trichloroethene	BRL	5.0		ug/L	173092	1	03/07/2013 03:20	NP
Trichlorofluoromethane	BRL	5.0		ug/L	173092	1	03/07/2013 03:20	NP
Vinyl chloride	BRL	2.0		ug/L	173092	1	03/07/2013 03:20	NP
Surr: 4-Bromofluorobenzene	102	64.6-123		%REC	173092	1	03/07/2013 03:20	NP
Surr: Dibromofluoromethane	95.4	76.6-133		%REC	173092	1	03/07/2013 03:20	NP
Surr: Toluene-d8	98.1	77.8-120		%REC	173092	1	03/07/2013 03:20	NP

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 8-Mar-13

Client:	Genesis Project, Inc.	**Client Sample ID:**	MW-22
Project Name:	Vogue Cleaners	**Collection Date:**	2/27/2013 2:30:00 PM
Lab ID:	1303086-010	**Matrix:**	Aqueous

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B					**(SW5030B)**			
1,1,1-Trichloroethane	BRL	5.0		ug/L	173092	1	03/07/2013 02:49	NP
1,1,2,2-Tetrachloroethane	BRL	5.0		ug/L	173092	1	03/07/2013 02:49	NP
1,1,2-Trichloroethane	BRL	5.0		ug/L	173092	1	03/07/2013 02:49	NP
1,1-Dichloroethane	BRL	5.0		ug/L	173092	1	03/07/2013 02:49	NP
1,1-Dichloroethene	BRL	5.0		ug/L	173092	1	03/07/2013 02:49	NP
1,2,4-Trichlorobenzene	BRL	5.0		ug/L	173092	1	03/07/2013 02:49	NP
1,2-Dibromo-3-chloropropane	BRL	5.0		ug/L	173092	1	03/07/2013 02:49	NP
1,2-Dibromoethane	BRL	5.0		ug/L	173092	1	03/07/2013 02:49	NP
1,2-Dichlorobenzene	BRL	5.0		ug/L	173092	1	03/07/2013 02:49	NP
1,2-Dichloroethane	BRL	5.0		ug/L	173092	1	03/07/2013 02:49	NP
1,2-Dichloropropane	BRL	5.0		ug/L	173092	1	03/07/2013 02:49	NP
1,3-Dichlorobenzene	BRL	5.0		ug/L	173092	1	03/07/2013 02:49	NP
1,4-Dichlorobenzene	BRL	5.0		ug/L	173092	1	03/07/2013 02:49	NP
2-Butanone	BRL	50		ug/L	173092	1	03/07/2013 02:49	NP
2-Hexanone	BRL	10		ug/L	173092	1	03/07/2013 02:49	NP
4-Methyl-2-pentanone	BRL	10		ug/L	173092	1	03/07/2013 02:49	NP
Acetone	BRL	50		ug/L	173092	1	03/07/2013 02:49	NP
Benzene	BRL	5.0		ug/L	173092	1	03/07/2013 02:49	NP
Bromodichloromethane	BRL	5.0		ug/L	173092	1	03/07/2013 02:49	NP
Bromoform	BRL	5.0		ug/L	173092	1	03/07/2013 02:49	NP
Bromomethane	BRL	5.0		ug/L	173092	1	03/07/2013 02:49	NP
Carbon disulfide	BRL	5.0		ug/L	173092	1	03/07/2013 02:49	NP
Carbon tetrachloride	BRL	5.0		ug/L	173092	1	03/07/2013 02:49	NP
Chlorobenzene	BRL	5.0		ug/L	173092	1	03/07/2013 02:49	NP
Chloroethane	BRL	10		ug/L	173092	1	03/07/2013 02:49	NP
Chloroform	BRL	5.0		ug/L	173092	1	03/07/2013 02:49	NP
Chloromethane	BRL	10		ug/L	173092	1	03/07/2013 02:49	NP
cis-1,2-Dichloroethene	BRL	5.0		ug/L	173092	1	03/07/2013 02:49	NP
cis-1,3-Dichloropropene	BRL	5.0		ug/L	173092	1	03/07/2013 02:49	NP
Cyclohexane	BRL	5.0		ug/L	173092	1	03/07/2013 02:49	NP
Dibromochloromethane	BRL	5.0		ug/L	173092	1	03/07/2013 02:49	NP
Dichlorodifluoromethane	BRL	10		ug/L	173092	1	03/07/2013 02:49	NP
Ethylbenzene	BRL	5.0		ug/L	173092	1	03/07/2013 02:49	NP
Freon-113	BRL	10		ug/L	173092	1	03/07/2013 02:49	NP
Isopropylbenzene	BRL	5.0		ug/L	173092	1	03/07/2013 02:49	NP
m,p-Xylene	BRL	5.0		ug/L	173092	1	03/07/2013 02:49	NP
Methyl acetate	BRL	5.0		ug/L	173092	1	03/07/2013 02:49	NP
Methyl tert-butyl ether	BRL	5.0		ug/L	173092	1	03/07/2013 02:49	NP
Methylcyclohexane	BRL	5.0		ug/L	173092	1	03/07/2013 02:49	NP
Methylene chloride	BRL	5.0		ug/L	173092	1	03/07/2013 02:49	NP
o-Xylene	BRL	5.0		ug/L	173092	1	03/07/2013 02:49	NP

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc **Date:** 8-Mar-13

Client:	Genesis Project, Inc.	**Client Sample ID:**	MW-22
Project Name:	Vogue Cleaners	**Collection Date:**	2/27/2013 2:30:00 PM
Lab ID:	1303086-010	**Matrix:**	Aqueous

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5030B)**				
Styrene	BRL	5.0		ug/L	173092	1	03/07/2013 02:49	NP
Tetrachloroethene	BRL	5.0		ug/L	173092	1	03/07/2013 02:49	NP
Toluene	BRL	5.0		ug/L	173092	1	03/07/2013 02:49	NP
trans-1,2-Dichloroethene	BRL	5.0		ug/L	173092	1	03/07/2013 02:49	NP
trans-1,3-Dichloropropene	BRL	5.0		ug/L	173092	1	03/07/2013 02:49	NP
Trichloroethene	BRL	5.0		ug/L	173092	1	03/07/2013 02:49	NP
Trichlorofluoromethane	BRL	5.0		ug/L	173092	1	03/07/2013 02:49	NP
Vinyl chloride	BRL	2.0		ug/L	173092	1	03/07/2013 02:49	NP
Surr: 4-Bromofluorobenzene	103	64.6-123		%REC	173092	1	03/07/2013 02:49	NP
Surr: Dibromofluoromethane	96.4	76.6-133		%REC	173092	1	03/07/2013 02:49	NP
Surr: Toluene-d8	97.8	77.8-120		%REC	173092	1	03/07/2013 02:49	NP

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 8-Mar-13

Client:	Genesis Project, Inc.	**Client Sample ID:**	POD-1
Project Name:	Vogue Cleaners	**Collection Date:**	2/27/2013 6:30:00 PM
Lab ID:	1303086-011	**Matrix:**	Aqueous

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5030B)**				
1,1,1-Trichloroethane	BRL	5.0		ug/L	173092	1	03/05/2013 13:09	YT
1,1,2,2-Tetrachloroethane	BRL	5.0		ug/L	173092	1	03/05/2013 13:09	YT
1,1,2-Trichloroethane	BRL	5.0		ug/L	173092	1	03/05/2013 13:09	YT
1,1-Dichloroethane	BRL	5.0		ug/L	173092	1	03/05/2013 13:09	YT
1,1-Dichloroethene	BRL	5.0		ug/L	173092	1	03/05/2013 13:09	YT
1,2,4-Trichlorobenzene	BRL	5.0		ug/L	173092	1	03/05/2013 13:09	YT
1,2-Dibromo-3-chloropropane	BRL	5.0		ug/L	173092	1	03/05/2013 13:09	YT
1,2-Dibromoethane	BRL	5.0		ug/L	173092	1	03/05/2013 13:09	YT
1,2-Dichlorobenzene	BRL	5.0		ug/L	173092	1	03/05/2013 13:09	YT
1,2-Dichloroethane	BRL	5.0		ug/L	173092	1	03/05/2013 13:09	YT
1,2-Dichloropropane	BRL	5.0		ug/L	173092	1	03/05/2013 13:09	YT
1,3-Dichlorobenzene	BRL	5.0		ug/L	173092	1	03/05/2013 13:09	YT
1,4-Dichlorobenzene	BRL	5.0		ug/L	173092	1	03/05/2013 13:09	YT
2-Butanone	BRL	50		ug/L	173092	1	03/05/2013 13:09	YT
2-Hexanone	BRL	10		ug/L	173092	1	03/05/2013 13:09	YT
4-Methyl-2-pentanone	BRL	10		ug/L	173092	1	03/05/2013 13:09	YT
Acetone	BRL	50		ug/L	173092	1	03/05/2013 13:09	YT
Benzene	BRL	5.0		ug/L	173092	1	03/05/2013 13:09	YT
Bromodichloromethane	BRL	5.0		ug/L	173092	1	03/05/2013 13:09	YT
Bromoform	BRL	5.0		ug/L	173092	1	03/05/2013 13:09	YT
Bromomethane	BRL	5.0		ug/L	173092	1	03/05/2013 13:09	YT
Carbon disulfide	BRL	5.0		ug/L	173092	1	03/05/2013 13:09	YT
Carbon tetrachloride	BRL	5.0		ug/L	173092	1	03/05/2013 13:09	YT
Chlorobenzene	BRL	5.0		ug/L	173092	1	03/05/2013 13:09	YT
Chloroethane	BRL	10		ug/L	173092	1	03/05/2013 13:09	YT
Chloroform	BRL	5.0		ug/L	173092	1	03/05/2013 13:09	YT
Chloromethane	BRL	10		ug/L	173092	1	03/05/2013 13:09	YT
cis-1,2-Dichloroethene	BRL	5.0		ug/L	173092	1	03/05/2013 13:09	YT
cis-1,3-Dichloropropene	BRL	5.0		ug/L	173092	1	03/05/2013 13:09	YT
Cyclohexane	BRL	5.0		ug/L	173092	1	03/05/2013 13:09	YT
Dibromochloromethane	BRL	5.0		ug/L	173092	1	03/05/2013 13:09	YT
Dichlorodifluoromethane	BRL	10		ug/L	173092	1	03/05/2013 13:09	YT
Ethylbenzene	BRL	5.0		ug/L	173092	1	03/05/2013 13:09	YT
Freon-113	BRL	10		ug/L	173092	1	03/05/2013 13:09	YT
Isopropylbenzene	BRL	5.0		ug/L	173092	1	03/05/2013 13:09	YT
m,p-Xylene	BRL	5.0		ug/L	173092	1	03/05/2013 13:09	YT
Methyl acetate	BRL	5.0		ug/L	173092	1	03/05/2013 13:09	YT
Methyl tert-butyl ether	BRL	5.0		ug/L	173092	1	03/05/2013 13:09	YT
Methylcyclohexane	BRL	5.0		ug/L	173092	1	03/05/2013 13:09	YT
Methylene chloride	BRL	5.0		ug/L	173092	1	03/05/2013 13:09	YT
o-Xylene	BRL	5.0		ug/L	173092	1	03/05/2013 13:09	YT

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc **Date:** 8-Mar-13

Client:	Genesis Project, Inc.	**Client Sample ID:**	POD-1
Project Name:	Vogue Cleaners	**Collection Date:**	2/27/2013 6:30:00 PM
Lab ID:	1303086-011	**Matrix:**	Aqueous

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5030B)**				
Styrene	BRL	5.0		ug/L	173092	1	03/05/2013 13:09	YT
Tetrachloroethene	BRL	5.0		ug/L	173092	1	03/05/2013 13:09	YT
Toluene	BRL	5.0		ug/L	173092	1	03/05/2013 13:09	YT
trans-1,2-Dichloroethene	BRL	5.0		ug/L	173092	1	03/05/2013 13:09	YT
trans-1,3-Dichloropropene	BRL	5.0		ug/L	173092	1	03/05/2013 13:09	YT
Trichloroethene	BRL	5.0		ug/L	173092	1	03/05/2013 13:09	YT
Trichlorofluoromethane	BRL	5.0		ug/L	173092	1	03/05/2013 13:09	YT
Vinyl chloride	BRL	2.0		ug/L	173092	1	03/05/2013 13:09	YT
Surr: 4-Bromofluorobenzene	88.9	64.6-123		%REC	173092	1	03/05/2013 13:09	YT
Surr: Dibromofluoromethane	105	76.6-133		%REC	173092	1	03/05/2013 13:09	YT
Surr: Toluene-d8	97.4	77.8-120		%REC	173092	1	03/05/2013 13:09	YT

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc

Date: 8-Mar-13

Client:	Genesis Project, Inc.	**Client Sample ID:**	TRIP BLANK
Project Name:	Vogue Cleaners	**Collection Date:**	3/1/2013
Lab ID:	1303086-012	**Matrix:**	Aqueous

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5030B)**				
1,1,1-Trichloroethane	BRL	5.0		ug/L	173092	1	03/04/2013 19:23	YT
1,1,2,2-Tetrachloroethane	BRL	5.0		ug/L	173092	1	03/04/2013 19:23	YT
1,1,2-Trichloroethane	BRL	5.0		ug/L	173092	1	03/04/2013 19:23	YT
1,1-Dichloroethane	BRL	5.0		ug/L	173092	1	03/04/2013 19:23	YT
1,1-Dichloroethene	BRL	5.0		ug/L	173092	1	03/04/2013 19:23	YT
1,2,4-Trichlorobenzene	BRL	5.0		ug/L	173092	1	03/04/2013 19:23	YT
1,2-Dibromo-3-chloropropane	BRL	5.0		ug/L	173092	1	03/04/2013 19:23	YT
1,2-Dibromoethane	BRL	5.0		ug/L	173092	1	03/04/2013 19:23	YT
1,2-Dichlorobenzene	BRL	5.0		ug/L	173092	1	03/04/2013 19:23	YT
1,2-Dichloroethane	BRL	5.0		ug/L	173092	1	03/04/2013 19:23	YT
1,2-Dichloropropane	BRL	5.0		ug/L	173092	1	03/04/2013 19:23	YT
1,3-Dichlorobenzene	BRL	5.0		ug/L	173092	1	03/04/2013 19:23	YT
1,4-Dichlorobenzene	BRL	5.0		ug/L	173092	1	03/04/2013 19:23	YT
2-Butanone	BRL	50		ug/L	173092	1	03/04/2013 19:23	YT
2-Hexanone	BRL	10		ug/L	173092	1	03/04/2013 19:23	YT
4-Methyl-2-pentanone	BRL	10		ug/L	173092	1	03/04/2013 19:23	YT
Acetone	BRL	50		ug/L	173092	1	03/04/2013 19:23	YT
Benzene	BRL	5.0		ug/L	173092	1	03/04/2013 19:23	YT
Bromodichloromethane	BRL	5.0		ug/L	173092	1	03/04/2013 19:23	YT
Bromoform	BRL	5.0		ug/L	173092	1	03/04/2013 19:23	YT
Bromomethane	BRL	5.0		ug/L	173092	1	03/04/2013 19:23	YT
Carbon disulfide	BRL	5.0		ug/L	173092	1	03/04/2013 19:23	YT
Carbon tetrachloride	BRL	5.0		ug/L	173092	1	03/04/2013 19:23	YT
Chlorobenzene	BRL	5.0		ug/L	173092	1	03/04/2013 19:23	YT
Chloroethane	BRL	10		ug/L	173092	1	03/04/2013 19:23	YT
Chloroform	BRL	5.0		ug/L	173092	1	03/04/2013 19:23	YT
Chloromethane	BRL	10		ug/L	173092	1	03/04/2013 19:23	YT
cis-1,2-Dichloroethene	BRL	5.0		ug/L	173092	1	03/04/2013 19:23	YT
cis-1,3-Dichloropropene	BRL	5.0		ug/L	173092	1	03/04/2013 19:23	YT
Cyclohexane	BRL	5.0		ug/L	173092	1	03/04/2013 19:23	YT
Dibromochloromethane	BRL	5.0		ug/L	173092	1	03/04/2013 19:23	YT
Dichlorodifluoromethane	BRL	10		ug/L	173092	1	03/04/2013 19:23	YT
Ethylbenzene	BRL	5.0		ug/L	173092	1	03/04/2013 19:23	YT
Freon-113	BRL	10		ug/L	173092	1	03/04/2013 19:23	YT
Isopropylbenzene	BRL	5.0		ug/L	173092	1	03/04/2013 19:23	YT
m,p-Xylene	BRL	5.0		ug/L	173092	1	03/04/2013 19:23	YT
Methyl acetate	BRL	5.0		ug/L	173092	1	03/04/2013 19:23	YT
Methyl tert-butyl ether	BRL	5.0		ug/L	173092	1	03/04/2013 19:23	YT
Methylcyclohexane	BRL	5.0		ug/L	173092	1	03/04/2013 19:23	YT
Methylene chloride	BRL	5.0		ug/L	173092	1	03/04/2013 19:23	YT
o-Xylene	BRL	5.0		ug/L	173092	1	03/04/2013 19:23	YT

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc **Date:** 8-Mar-13

Client:	Genesis Project, Inc.	**Client Sample ID:**	TRIP BLANK
Project Name:	Vogue Cleaners	**Collection Date:**	3/1/2013
Lab ID:	1303086-012	**Matrix:**	Aqueous

Analyses	Result	Reporting Limit	Qual	Units	BatchID	Dilution Factor	Date Analyzed	Analyst
TCL VOLATILE ORGANICS SW8260B				**(SW5030B)**				
Styrene	BRL	5.0		ug/L	173092	1	03/04/2013 19:23	YT
Tetrachloroethene	BRL	5.0		ug/L	173092	1	03/04/2013 19:23	YT
Toluene	BRL	5.0		ug/L	173092	1	03/04/2013 19:23	YT
trans-1,2-Dichloroethene	BRL	5.0		ug/L	173092	1	03/04/2013 19:23	YT
trans-1,3-Dichloropropene	BRL	5.0		ug/L	173092	1	03/04/2013 19:23	YT
Trichloroethene	BRL	5.0		ug/L	173092	1	03/04/2013 19:23	YT
Trichlorofluoromethane	BRL	5.0		ug/L	173092	1	03/04/2013 19:23	YT
Vinyl chloride	BRL	2.0		ug/L	173092	1	03/04/2013 19:23	YT
Surr: 4-Bromofluorobenzene	91.4	64.6-123		%REC	173092	1	03/04/2013 19:23	YT
Surr: Dibromofluoromethane	99.7	76.6-133		%REC	173092	1	03/04/2013 19:23	YT
Surr: Toluene-d8	95.4	77.8-120		%REC	173092	1	03/04/2013 19:23	YT

Qualifiers:

*	Value exceeds maximum contaminant level	E	Estimated (value above quantitation range)
BRL	Below reporting limit	S	Spike Recovery outside limits due to matrix
H	Holding times for preparation or analysis exceeded	Narr	See case narrative
N	Analyte not NELAC certified	NC	Not confirmed
B	Analyte detected in the associated method blank	<	Less than Result value
>	Greater than Result value	J	Estimated value detected below Reporting Limit

Analytical Environmental Services, Inc.

Sample/Cooler Receipt Checklist

Client Genesis Pro Work Order Number 1303086

Checklist completed by [signature] 3/1/13
Signature Date

Carrier name: FedEx __ UPS __ Courier __ Client ✓ US Mail __ Other _____

Shipping container/cooler in good condition? Yes ✓ No __ Not Present __

Custody seals intact on shipping container/cooler? Yes __ No __ Not Present ✓

Custody seals intact on sample bottles? Yes __ No __ Not Present ✓

Container/Temp Blank temperature in compliance? (4°C±2)* Yes ✓ No __

Cooler #1 3.1° Cooler #2 _____ Cooler #3 _____ Cooler #4 _____ Cooler#5 _____ Cooler #6 _____

Chain of custody present? Yes ✓ No __

Chain of custody signed when relinquished and received? Yes ✓ No __

Chain of custody agrees with sample labels? Yes ✓ No __

Samples in proper container/bottle? Yes ✓ No __

Sample containers intact? Yes ✓ No __

Sufficient sample volume for indicated test? Yes ✓ No __

All samples received within holding time? Yes ✓ No __

Was TAT marked on the COC? Yes ✓ No __

Proceed with Standard TAT as per project history? Yes __ No __ Not Applicable ✓

Water - VOA vials have zero headspace? No VOA vials submitted __ Yes ✓ No __

Water - pH acceptable upon receipt? Yes ✓ No __ Not Applicable __

Adjusted? _____ Checked by _____

Sample Condition: Good ✓ Other(Explain) _____

(For diffusive samples or AIHA lead) Is a known blank included? Yes __ No ✓

See Case Narrative for resolution of the Non-Conformance.

* Samples do not have to comply with the given range for certain parameters.

\L\Quality Assurance\Checklists Procedures Sign-Off Templates\Checklists\Sample Receipt Checklists\Sample_Cooler_Receipt_Checklist

Analytical Environmental Services, Inc

Date: 8-Mar-13

Client: Genesis Project, Inc.
Project Name: Vogue Cleaners
Workorder: 1303086

ANALYTICAL QC SUMMARY REPORT

BatchID: 173092

Sample ID: **MB-173092** Client ID: Units: **ug/L** Prep Date: **03/04/2013** Run No: **239444**
SampleType: **MBLK** TestCode: **TCL VOLATILE ORGANICS SW8260B** BatchID: **173092** Analysis Date: **03/04/2013** Seq No: **5012159**

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
1,1,1-Trichloroethane	BRL	5.0	0	0	0	0	0	0	0	0	
1,1,2,2-Tetrachloroethane	BRL	5.0	0	0	0	0	0	0	0	0	
1,1,2-Trichloroethane	BRL	5.0	0	0	0	0	0	0	0	0	
1,1-Dichloroethane	BRL	5.0	0	0	0	0	0	0	0	0	
1,1-Dichloroethene	BRL	5.0	0	0	0	0	0	0	0	0	
1,2,4-Trichlorobenzene	BRL	5.0	0	0	0	0	0	0	0	0	
1,2-Dibromo-3-chloropropane	BRL	5.0	0	0	0	0	0	0	0	0	
1,2-Dibromoethane	BRL	5.0	0	0	0	0	0	0	0	0	
1,2-Dichlorobenzene	BRL	5.0	0	0	0	0	0	0	0	0	
1,2-Dichloroethane	BRL	5.0	0	0	0	0	0	0	0	0	
1,2-Dichloropropane	BRL	5.0	0	0	0	0	0	0	0	0	
1,3-Dichlorobenzene	BRL	5.0	0	0	0	0	0	0	0	0	
1,4-Dichlorobenzene	BRL	5.0	0	0	0	0	0	0	0	0	
2-Butanone	BRL	50	0	0	0	0	0	0	0	0	
2-Hexanone	BRL	10	0	0	0	0	0	0	0	0	
4-Methyl-2-pentanone	BRL	10	0	0	0	0	0	0	0	0	
Acetone	BRL	50	0	0	0	0	0	0	0	0	
Benzene	BRL	5.0	0	0	0	0	0	0	0	0	
Bromodichloromethane	BRL	5.0	0	0	0	0	0	0	0	0	
Bromoform	BRL	5.0	0	0	0	0	0	0	0	0	
Bromomethane	BRL	5.0	0	0	0	0	0	0	0	0	
Carbon disulfide	BRL	5.0	0	0	0	0	0	0	0	0	
Carbon tetrachloride	BRL	5.0	0	0	0	0	0	0	0	0	
Chlorobenzene	BRL	5.0	0	0	0	0	0	0	0	0	
Chloroethane	BRL	10	0	0	0	0	0	0	0	0	
Chloroform	BRL	5.0	0	0	0	0	0	0	0	0	
Chloromethane	BRL	10	0	0	0	0	0	0	0	0	

Qualifiers:

>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Analytical Environmental Services, Inc

Date: 8-Mar-13

Client: Genesis Project, Inc.
Project Name: Vogue Cleaners
Workorder: 1303086

ANALYTICAL QC SUMMARY REPORT

BatchID: 173092

Sample ID: **MB-173092** Client ID: Units: **ug/L** Prep Date: **03/04/2013** Run No: **239444**
SampleType: **MBLK** TestCode: **TCL VOLATILE ORGANICS SW8260B** BatchID: **173092** Analysis Date: **03/04/2013** Seq No: **5012159**

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
cis-1,2-Dichloroethene	BRL	5.0	0	0	0	0	0	0	0	0	
cis-1,3-Dichloropropene	BRL	5.0	0	0	0	0	0	0	0	0	
Cyclohexane	BRL	5.0	0	0	0	0	0	0	0	0	
Dibromochloromethane	BRL	5.0	0	0	0	0	0	0	0	0	
Dichlorodifluoromethane	BRL	10	0	0	0	0	0	0	0	0	
Ethylbenzene	BRL	5.0	0	0	0	0	0	0	0	0	
Freon-113	BRL	10	0	0	0	0	0	0	0	0	
Isopropylbenzene	BRL	5.0	0	0	0	0	0	0	0	0	
m,p-Xylene	BRL	5.0	0	0	0	0	0	0	0	0	
Methyl acetate	BRL	5.0	0	0	0	0	0	0	0	0	
Methyl tert-butyl ether	BRL	5.0	0	0	0	0	0	0	0	0	
Methylcyclohexane	BRL	5.0	0	0	0	0	0	0	0	0	
Methylene chloride	BRL	5.0	0	0	0	0	0	0	0	0	
o-Xylene	BRL	5.0	0	0	0	0	0	0	0	0	
Styrene	BRL	5.0	0	0	0	0	0	0	0	0	
Tetrachloroethene	BRL	5.0	0	0	0	0	0	0	0	0	
Toluene	BRL	5.0	0	0	0	0	0	0	0	0	
trans-1,2-Dichloroethene	BRL	5.0	0	0	0	0	0	0	0	0	
trans-1,3-Dichloropropene	BRL	5.0	0	0	0	0	0	0	0	0	
Trichloroethene	BRL	5.0	0	0	0	0	0	0	0	0	
Trichlorofluoromethane	BRL	5.0	0	0	0	0	0	0	0	0	
Vinyl chloride	BRL	2.0	0	0	0	0	0	0	0	0	
Surr: 4-Bromofluorobenzene	44.72	0	50	0	89.4	64.6	123	0	0	0	
Surr: Dibromofluoromethane	48.64	0	50	0	97.3	76.6	133	0	0	0	
Surr: Toluene-d8	47.25	0	50	0	94.5	77.8	120	0	0	0	

Qualifiers:

>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Client: Genesis Project, Inc.
Project Name: Vogue Cleaners
Workorder: 1303086

ANALYTICAL QC SUMMARY REPORT

BatchID: 173092

Sample ID: **LCS-173092** Client ID: Units: **ug/L** Prep Date: **03/04/2013** Run No: **239444**
SampleType: **LCS** TestCode: **TCL VOLATILE ORGANICS SW8260B** BatchID: **173092** Analysis Date: **03/04/2013** Seq No: **5012157**

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
1,1-Dichloroethene	53.05	5.0	50	0	106	61.1	142	0	0	0	
Benzene	49.61	5.0	50	0	99.2	73.5	130	0	0	0	
Chlorobenzene	43.07	5.0	50	0	86.1	72.4	123	0	0	0	
Toluene	44.23	5.0	50	0	88.5	73.6	130	0	0	0	
Trichloroethene	47.98	5.0	50	0	96	70	135	0	0	0	
Surr: 4-Bromofluorobenzene	53.31	0	50	0	107	64.6	123	0	0	0	
Surr: Dibromofluoromethane	48.63	0	50	0	97.3	76.6	133	0	0	0	
Surr: Toluene-d8	48.60	0	50	0	97.2	77.8	120	0	0	0	

Sample ID: **1303022-001AMS** Client ID: Units: **ug/L** Prep Date: **03/04/2013** Run No: **239568**
SampleType: **MS** TestCode: **TCL VOLATILE ORGANICS SW8260B** BatchID: **173092** Analysis Date: **03/06/2013** Seq No: **5016423**

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
1,1-Dichloroethene	2210	250	2500	0	88.4	60	168	0	0	0	
Benzene	2142	250	2500	0	85.7	66.6	148	0	0	0	
Chlorobenzene	2656	250	2500	0	106	71.9	135	0	0	0	
Toluene	1933	250	2500	0	77.3	68	149	0	0	0	
Trichloroethene	8612	250	2500	7152	58.4	71.1	154	0	0	0	S
Surr: 4-Bromofluorobenzene	2400	0	2500	0	96	64.6	123	0	0	0	
Surr: Dibromofluoromethane	2376	0	2500	0	95.1	76.6	133	0	0	0	
Surr: Toluene-d8	2268	0	2500	0	90.7	77.8	120	0	0	0	

Sample ID: **1303022-001AMSD** Client ID: Units: **ug/L** Prep Date: **03/04/2013** Run No: **239568**
SampleType: **MSD** TestCode: **TCL VOLATILE ORGANICS SW8260B** BatchID: **173092** Analysis Date: **03/06/2013** Seq No: **5016424**

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
1,1-Dichloroethene	2110	250	2500	0	84.4	60	168	2210	4.58	18.6	
Benzene	2041	250	2500	0	81.6	66.6	148	2142	4.85	20	

Qualifiers:

>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Analytical Environmental Services, Inc

Date: 8-Mar-13

Client: Genesis Project, Inc.
Project Name: Vogue Cleaners
Workorder: 1303086

ANALYTICAL QC SUMMARY REPORT

BatchID: 173092

Sample ID: **1303022-001AMSD** Client ID: Units: **ug/L** Prep Date: **03/04/2013** Run No: **239568**
SampleType: **MSD** TestCode: **TCL VOLATILE ORGANICS SW8260B** BatchID: **173092** Analysis Date: **03/06/2013** Seq No: **5016424**

Analyte	Result	RPT Limit	SPK value	SPK Ref Val	%REC	Low Limit	High Limit	RPD Ref Val	%RPD	RPD Limit	Qual
Chlorobenzene	2472	250	2500	0	98.9	71.9	135	2656	7.18	20	
Toluene	1837	250	2500	0	73.5	68	149	1933	5.09	20	
Trichloroethene	8146	250	2500	7152	39.8	71.1	154	8612	5.55	20	S
Surr: 4-Bromofluorobenzene	2285	0	2500	0	91.4	64.6	123	2400	0	0	
Surr: Dibromofluoromethane	2334	0	2500	0	93.3	76.6	133	2376	0	0	
Surr: Toluene-d8	2206	0	2500	0	88.3	77.8	120	2268	0	0	

Qualifiers:

>	Greater than Result value	<	Less than Result value	B	Analyte detected in the associated method blank
BRL	Below reporting limit	E	Estimated (value above quantitation range)	H	Holding times for preparation or analysis exceeded
J	Estimated value detected below Reporting Limit	N	Analyte not NELAC certified	R	RPD outside limits due to matrix
Rpt Lim	Reporting Limit	S	Spike Recovery outside limits due to matrix		

Analytical Report 451487

for

Genesis Project, Inc.

Project Manager: Mark Mitchell

Vogue

30-OCT-12

Collected By: Client

6017 Financial Dr., Norcross, GA 30071
Ph:(770) 449-8800 Fax:(770) 449-5477

Xenco-Houston (EPA Lab code: TX00122):
Texas (T104704215-10-6-TX), Arizona (AZ0765), Arkansas (08-039-0), Connecticut (PH-0102), Florida (E871002)
Illinois (002082), Indiana (C-TX-02), Iowa (392), Kansas (E-10380), Kentucky (45), Louisiana (03054)
New Hampshire (297408), New Jersey (TX007), New York (11763), Oklahoma (9218), Pennsylvania (68-03610)
Rhode Island (LAO00312), USDA (S-44102), DoD (L11-54)

Xenco-Atlanta (EPA Lab Code: GA00046):
Florida (E87429), North Carolina (483), South Carolina (98015), Kentucky (85), DoD (L10-135)
Louisiana (04176), USDA (P330-07-00105)

Xenco-Tampa Mobile (EPA Lab code: FL01212): Florida (E84900)
Xenco-Lakeland: Florida (E84098)
Xenco-Odessa (EPA Lab code: TX00158): Texas (T104704400-TX)
Xenco-Dallas (EPA Lab code: TX01468): Texas (T104704295-TX)
Xenco Phoenix (EPA Lab Code: AZ00901): Arizona(AZ0757)
Xenco-Phoenix Mobile (EPA Lab code: AZ00901): Arizona (AZM757)
Xenco Tucson (EPA Lab code:AZ000989): Arizona (AZ0758)

XENCO Laboratories
Florida Testing Services, LLC

30-OCT-12

Project Manager: **Mark Mitchell**
Genesis Project, Inc.
1258 Concord Road, Suite 200
Smyrna, GA 30080

Reference: XENCO Report No: **451487**
Vogue
Project Address: GA

Mark Mitchell:

We are reporting to you the results of the analyses performed on the samples received under the project name referenced above and identified with the XENCO Report Number 451487. All results being reported under this Report Number apply to the samples analyzed and properly identified with a Laboratory ID number. Subcontracted analyses are identified in this report with either the NELAC certification number of the subcontract lab in the analyst ID field, or the complete subcontracted report attached to this report.

Unless otherwise noted in a Case Narrative, all data reported in this Analytical Report are in compliance with NELAC standards. The uncertainty of measurement associated with the results of analysis reported is available upon request. Should insufficient sample be provided to the laboratory to meet the method and NELAC Matrix Duplicate and Matrix Spike requirements, then the data will be analyzed, evaluated and reported using all other available quality control measures.

The validity and integrity of this report will remain intact as long as it is accompanied by this letter and reproduced in full, unless written approval is granted by XENCO Laboratories. This report will be filed for at least 5 years in our archives after which time it will be destroyed without further notice, unless otherwise arranged with you. The samples received, and described as recorded in Report No. 451487 will be filed for 60 days, and after that time they will be properly disposed without further notice, unless otherwise arranged with you. We reserve the right to return to you any unused samples, extracts or solutions related to them if we consider so necessary (e.g., samples identified as hazardous waste, sample sizes exceeding analytical standard practices, controlled substances under regulated protocols, etc).

We thank you for selecting XENCO Laboratories to serve your analytical needs. If you have any questions concerning this report, please feel free to contact us at any time.

Respectfully,

David C. Fuller
Client Services Director

Recipient of the Prestigious Small Business Administration Award of Excellence in 1994.
Certified and approved by numerous States and Agencies.
A Small Business and Minority Status Company that delivers SERVICE and QUALITY

Houston - Dallas - Odessa - San Antonio - Tampa - Lakeland - Atlanta - Phoenix - Oklahoma - Latin America

Sample Cross Reference 451487

Genesis Project, Inc., Smyrna, GA

Vogue

Sample Id	Matrix	Date Collected	Sample Depth	Lab Sample Id
MW-8	W	10-29-12 13:16		451487-001

Hits Summary 451487

Genesis Project, Inc., Smyrna, GA

Vogue

Sample Id: **MW-8** Matrix: **Ground Water** % Moisture:

Lab Sample Id: **451487-001** Date Collected: **10.29.12 13.16**

Date Received: **10.29.12 16.10**

Analytical Method: **VOCs by SW-846 8260B** Prep Method: SW5030B

Seq Number: 899724 Date Prep: 10.29.12 16.45

Parameter	Cas Number	Result	Units	Analysis Date	Flag	Dil
m,p-Xylenes	179601-23-1	2.34	ug/L	10.29.12 16.32	J	1
o-Xylene	95-47-6	0.850	ug/L	10.29.12 16.32	J	1
Tetrachloroethene	127-18-4	5.77	ug/L	10.29.12 16.32		1
Toluene	108-88-3	0.690	ug/L	10.29.12 16.32	J	1

Certificate of Analytical Results 451487

XENCO Laboratories
Florida Testing Services, LLC

Genesis Project, Inc., Smyrna, GA

Vogue

Sample Id: **MW-8** Matrix: Ground Water Date Received: 10.29.12 16.10
Lab Sample Id: **451487-001** Date Collected: 10.29.12 13.16

Analytical Method: **VOCs by SW-846 8260B** Prep Method: SW5030B
Tech: 4124 % Moisture:
Analyst: 4124 Date Prep: 10.29.12 16.45
Seq Number: 899724

Parameter	Cas Number	Result	RL	MDL	Units	Analysis Date	Flag	Dil
1,1,1-Trichloroethane	71-55-6	U	1.00	0.160	ug/L	10.29.12 16.32	U	1
1,1,2,2-Tetrachloroethane	79-34-5	U	1.00	0.180	ug/L	10.29.12 16.32	U	1
1,1,2-Trichloro-1,2,2-Trifluoroethane	76-13-1	U	1.00	0.110	ug/L	10.29.12 16.32	U	1
1,1,2-Trichloroethane	79-00-5	U	1.00	0.250	ug/L	10.29.12 16.32	U	1
1,1-Dichloroethane	75-34-3	U	1.00	0.110	ug/L	10.29.12 16.32	U	1
1,1-Dichloroethene	75-35-4	U	1.00	0.200	ug/L	10.29.12 16.32	U	1
1,2,3-Trichlorobenzene	87-61-6	U	1.00	0.250	ug/L	10.29.12 16.32	U	1
1,2,4-Trichlorobenzene	120-82-1	U	1.00	0.170	ug/L	10.29.12 16.32	U	1
1,2-Dibromo-3-chloropropane (DBCP)	96-12-8	U	1.00	0.190	ug/L	10.29.12 16.32	U	1
1,2-Dibromoethane (EDB)	106-93-4	U	1.00	0.180	ug/L	10.29.12 16.32	U	1
1,2-Dichlorobenzene	95-50-1	U	1.00	0.140	ug/L	10.29.12 16.32	U	1
1,2-Dichloroethane	107-06-2	U	1.00	0.180	ug/L	10.29.12 16.32	U	1
1,2-Dichloropropane	78-87-5	U	1.00	0.150	ug/L	10.29.12 16.32	U	1
1,3-Dichlorobenzene	541-73-1	U	1.00	0.170	ug/L	10.29.12 16.32	U	1
1,4-Dichlorobenzene	106-46-7	U	1.00	0.170	ug/L	10.29.12 16.32	U	1
2-Butanone (MEK)	78-93-3	U	50.0	0.280	ug/L	10.29.12 16.32	U	1
2-Hexanone	591-78-6	U	50.0	0.320	ug/L	10.29.12 16.32	U	1
4-Methyl-2-pentanone (MIBK)	108-10-1	U	50.0	0.260	ug/L	10.29.12 16.32	U	1
Acetone	67-64-1	U	50.0	0.350	ug/L	10.29.12 16.32	U	1
Benzene	71-43-2	U	1.00	0.160	ug/L	10.29.12 16.32	U	1
Bromochloromethane	74-97-5	U	1.00	0.200	ug/L	10.29.12 16.32	U	1
Bromodichloromethane	75-27-4	U	1.00	0.250	ug/L	10.29.12 16.32	U	1
Bromoform	75-25-2	U	1.00	0.170	ug/L	10.29.12 16.32	U	1
Bromomethane	74-83-9	U	1.00	0.250	ug/L	10.29.12 16.32	U	1
Carbon disulfide	75-15-0	U	50.0	0.260	ug/L	10.29.12 16.32	U	1
Carbon tetrachloride	56-23-5	U	1.00	0.330	ug/L	10.29.12 16.32	U	1
Chlorobenzene	108-90-7	U	1.00	0.150	ug/L	10.29.12 16.32	U	1
Chloroethane	75-00-3	U	1.00	0.260	ug/L	10.29.12 16.32	U	1
Chloroform	67-66-3	U	1.00	0.160	ug/L	10.29.12 16.32	U	1
Chloromethane	74-87-3	U	3.00	0.250	ug/L	10.29.12 16.32	U	1
cis-1,2-Dichloroethene	156-59-2	U	1.00	0.210	ug/L	10.29.12 16.32	U	1
cis-1,3-Dichloropropene	10061-01-5	U	1.00	0.100	ug/L	10.29.12 16.32	U	1
Cyclohexane	110-82-7	U	1.00	0.150	ug/L	10.29.12 16.32	U	1
Dibromochloromethane	124-48-1	U	1.00	0.150	ug/L	10.29.12 16.32	U	1
Dichlorodifluoromethane	75-71-8	U	1.00	0.220	ug/L	10.29.12 16.32	U	1
Ethylbenzene	100-41-4	U	1.00	0.190	ug/L	10.29.12 16.32	U	1
Isopropylbenzene	98-82-8	U	1.00	0.150	ug/L	10.29.12 16.32	U	1
m,p-Xylenes	179601-23-1	**2.34**	5.00	0.510	ug/L	10.29.12 16.32	J	1
Methyl acetate	79-20-9	U	10.0	0.260	ug/L	10.29.12 16.32	U	1
Methyl tert-butyl ether	1634-04-4	U	5.00	0.180	ug/L	10.29.12 16.32	U	1
Methylcyclohexane	108-87-2	U	1.00	0.110	ug/L	10.29.12 16.32	U	1

Certificate of Analytical Results 451487

XENCO Laboratories
Florida Testing Services, LLC

Genesis Project, Inc., Smyrna, GA

Vogue

Sample Id: **MW-8** Matrix: Ground Water Date Received: 10.29.12 16.10
Lab Sample Id: **451487-001** Date Collected: 10.29.12 13.16

Analytical Method: **VOCs by SW-846 8260B** Prep Method: SW5030B
Tech: 4124 % Moisture:
Analyst: 4124 Date Prep: 10.29.12 16.45
Seq Number: 899724

Parameter	Cas Number	Result	RL	MDL	Units	Analysis Date	Flag	Dil
Methylene chloride	75-09-2	U	5.00	0.420	ug/L	10.29.12 16.32	U	1
o-Xylene	95-47-6	**0.850**	5.00	0.200	ug/L	10.29.12 16.32	J	1
Styrene	100-42-5	U	1.00	0.180	ug/L	10.29.12 16.32	U	1
Tetrachloroethene	127-18-4	**5.77**	1.00	0.160	ug/L	10.29.12 16.32		1
Toluene	108-88-3	**0.690**	1.00	0.140	ug/L	10.29.12 16.32	J	1
trans-1,2-Dichloroethene	156-60-5	U	1.00	0.210	ug/L	10.29.12 16.32	U	1
trans-1,3-Dichloropropene	10061-02-6	U	1.00	0.110	ug/L	10.29.12 16.32	U	1
Trichloroethene	79-01-6	U	1.00	0.190	ug/L	10.29.12 16.32	U	1
Trichlorofluoromethane	75-69-4	U	1.00	0.530	ug/L	10.29.12 16.32	U	1
Vinyl chloride	75-01-4	U	2.00	0.190	ug/L	10.29.12 16.32	U	1

Surrogate	Cas Number	% Recovery	Units	Limits	Analysis Date	Flag
1,2-Dichloroethane-D4	17060-07-0	136	%	53-159	10.29.12 16.32	
4-Bromofluorobenzene	460-00-4	92	%	30-186	10.29.12 16.32	
Toluene-D8	2037-26-5	93	%	70-130	10.29.12 16.32	

Flagging Criteria

X In our quality control review of the data a QC deficiency was observed and flagged as noted. MS/MSD recoveries were found to be outside of the laboratory control limits due to possible matrix /chemical interference, or a concentration of target analyte high enough to affect the recovery of the spike concentration. This condition could also affect the relative percent difference in the MS/MSD.

B A target analyte or common laboratory contaminant was identified in the method blank. Its presence indicates possible field or laboratory contamination.

D The sample(s) were diluted due to targets detected over the highest point of the calibration curve, or due to matrix interference. Dilution factors are included in the final results. The result is from a diluted sample.

E The data exceeds the upper calibration limit; therefore, the concentration is reported as estimated.

F RPD exceeded lab control limits.

J The target analyte was positively identified below the quantiation limit and above the detection limit.

U Analyte was not detected.

L The LCS data for this analytical batch was reported below the laboratory control limits for this analyte. The department supervisor and QA Director reviewed data. The samples were either reanalyzed or flagged as estimated concentrations.

H The LCS data for this analytical batch was reported above the laboratory control limits. Supporting QC Data were reviewed by the Department Supervisor and QA Director. Data were determined to be valid for reporting.

K Sample analyzed outside of recommended hold time.

JN A combination of the "N" and the "J" qualifier. The analysis indicates that the analyte is "tentatively identified" and the associated numerical value may not be consistent with the amount actually present in the environmental sample.

* Surrogate recovered outside laboratory control limit.

BRL Below Reporting Limit.

RL Reporting Limit

MDL Method Detection Limit **SDL** Sample Detection Limit **LOD** Limit of Detection

PQL Practical Quantitation Limit **MQL** Method Quantitation Limit **LOQ** Limit of Quantitation

DL Method Detection Limit

NC Non-Calculable

+ NELAC certification not offered for this compound.

***** (Next to analyte name or method description) = Outside XENCO's scope of NELAC accreditation

XENCO Laboratories
Florida Testing Services, LLC

QC Summary 451487

Genesis Project, Inc., Smyrna, GA

Vogue

Analytical Method: **VOCs by SW-846 8260B** Prep Method: SW5030B
Seq Number: 899724 Matrix: Water Date Prep: 10/29/2012
MB Sample Id: 629221-1-BLK LCS Sample Id: 629221-1-BKS LCSD Sample Id: 629221-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
1,1,1-Trichloroethane	<0.160	50.0	62.1	124	60.7	121	65-130	2	20	ug/L	10/29/12 07:59	
1,1,2,2-Tetrachloroethane	<0.180	50.0	48.2	96	49.2	98	65-130	2	20	ug/L	10/29/12 07:59	
1,1,2-Trichloro-1,2,2-Trifluoroethane	<0.110	50.0	64.7	129	63.4	127	65-130	2	20	ug/L	10/29/12 07:59	
1,1,2-Trichloroethane	<0.250	50.0	50.0	100	50.4	101	75-125	1	20	ug/L	10/29/12 07:59	
1,1-Dichloroethane	<0.110	50.0	55.6	111	54.6	109	70-135	2	20	ug/L	10/29/12 07:59	
1,1-Dichloroethene	<0.200	50.0	59.0	118	59.0	118	70-130	0	20	ug/L	10/29/12 07:59	
1,2,3-Trichlorobenzene	<0.250	50.0	48.2	96	48.3	97	55-140	0	20	ug/L	10/29/12 07:59	
1,2,4-Trichlorobenzene	<0.170	50.0	47.1	94	48.5	97	65-135	3	20	ug/L	10/29/12 07:59	
1,2-Dibromo-3-chloropropane (DBCP)	<0.190	50.0	50.4	101	49.7	99	50-130	1	20	ug/L	10/29/12 07:59	
1,2-Dibromoethane (EDB)	<0.180	50.0	55.2	110	54.4	109	80-120	1	20	ug/L	10/29/12 07:59	
1,2-Dichlorobenzene	<0.140	50.0	50.0	100	50.9	102	70-120	2	20	ug/L	10/29/12 07:59	
1,2-Dichloroethane	<0.180	50.0	59.7	119	58.5	117	70-130	2	20	ug/L	10/29/12 07:59	
1,2-Dichloropropane	<0.150	50.0	49.3	99	48.3	97	75-125	2	20	ug/L	10/29/12 07:59	
1,3-Dichlorobenzene	<0.170	50.0	50.9	102	52.2	104	75-125	3	20	ug/L	10/29/12 07:59	
1,4-Dichlorobenzene	<0.170	50.0	50.3	101	51.7	103	75-125	3	20	ug/L	10/29/12 07:59	
2-Butanone (MEK)	<0.280	100	106	106	105	105	30-150	1	20	ug/L	10/29/12 07:59	
2-Hexanone	<0.320	100	96.0	96	93.1	93	55-130	3	20	ug/L	10/29/12 07:59	
4-Methyl-2-pentanone (MIBK)	<0.260	100	100	100	98.3	98	60-135	2	20	ug/L	10/29/12 07:59	
Acetone	<0.350	100	105	105	104	104	40-140	1	20	ug/L	10/29/12 07:59	
Benzene	<0.160	50.0	49.1	98	49.1	98	80-120	0	20	ug/L	10/29/12 07:59	
Bromochloromethane	<0.200	50.0	54.5	109	52.2	104	65-130	4	20	ug/L	10/29/12 07:59	
Bromodichloromethane	<0.250	50.0	53.1	106	52.1	104	75-120	2	20	ug/L	10/29/12 07:59	
Bromoform	<0.170	50.0	52.5	105	53.0	106	70-130	1	20	ug/L	10/29/12 07:59	
Bromomethane	<0.250	50.0	60.7	121	57.1	114	30-145	6	20	ug/L	10/29/12 07:59	
Carbon disulfide	<0.260	50.0	58.0	116	57.5	115	35-160	1	20	ug/L	10/29/12 07:59	
Carbon tetrachloride	<0.330	50.0	60.0	120	58.2	116	65-140	3	20	ug/L	10/29/12 07:59	
Chlorobenzene	<0.150	50.0	51.1	102	49.8	100	80-120	3	20	ug/L	10/29/12 07:59	
Chloroethane	<0.260	50.0	56.2	112	53.6	107	60-135	5	20	ug/L	10/29/12 07:59	
Chloroform	<0.160	50.0	55.1	110	53.9	108	65-135	2	20	ug/L	10/29/12 07:59	
Chloromethane	<0.250	50.0	45.1	90	43.6	87	40-125	3	20	ug/L	10/29/12 07:59	
cis-1,2-Dichloroethene	<0.210	50.0	51.9	104	51.7	103	70-125	0	20	ug/L	10/29/12 07:59	
cis-1,3-Dichloropropene	<0.100	50.0	49.2	98	49.6	99	70-130	1	20	ug/L	10/29/12 07:59	
Cyclohexane	<0.150	50.0	50.6	101	50.1	100	65-135	1	20	ug/L	10/29/12 07:59	
Dibromochloromethane	<0.150	50.0	53.8	108	53.2	106	60-135	1	20	ug/L	10/29/12 07:59	
Dichlorodifluoromethane	<0.220	50.0	44.6	89	44.0	88	30-155	1	20	ug/L	10/29/12 07:59	
Ethylbenzene	<0.190	50.0	53.8	108	52.6	105	75-125	2	20	ug/L	10/29/12 07:59	
Isopropylbenzene	<0.150	50.0	51.4	103	54.3	109	75-125	5	20	ug/L	10/29/12 07:59	
m,p-Xylenes	<0.510	100	108	108	105	105	75-130	3	20	ug/L	10/29/12 07:59	
Methyl acetate	<0.260	50.0	47.3	95	57.1	114	65-135	19	20	ug/L	10/29/12 07:59	
Methyl tert-butyl ether	<0.180	100	120	120	118	118	65-125	2	20	ug/L	10/29/12 07:59	
Methylcyclohexane	<0.110	50.0	51.3	103	51.4	103	65-135	0	20	ug/L	10/29/12 07:59	
Methylene chloride	<0.420	50.0	48.9	98	46.0	92	55-140	6	20	ug/L	10/29/12 07:59	
o-Xylene	<0.200	50.0	52.2	104	53.1	106	80-120	2	20	ug/L	10/29/12 07:59	
Styrene	<0.180	50.0	54.1	108	52.9	106	65-135	2	20	ug/L	10/29/12 07:59	
Tetrachloroethene	<0.160	50.0	54.2	108	52.3	105	45-150	4	20	ug/L	10/29/12 07:59	
Toluene	<0.140	50.0	50.3	101	49.1	98	75-120	2	20	ug/L	10/29/12 07:59	
trans-1,2-Dichloroethene	<0.210	50.0	54.9	110	55.1	110	60-140	0	20	ug/L	10/29/12 07:59	
trans-1,3-Dichloropropene	<0.110	50.0	52.0	104	52.0	104	55-140	0	20	ug/L	10/29/12 07:59	
Trichloroethene	<0.190	50.0	51.7	103	50.8	102	70-125	2	20	ug/L	10/29/12 07:59	

QC Summary 451487

Genesis Project, Inc., Smyrna, GA

Vogue

Analytical Method: **VOCs by SW-846 8260B** Prep Method: SW5030B

Seq Number: 899724 Matrix: Water Date Prep: 10/29/2012

MB Sample Id: 629221-1-BLK LCS Sample Id: 629221-1-BKS LCSD Sample Id: 629221-1-BSD

Parameter	MB Result	Spike Amount	LCS Result	LCS %Rec	LCSD Result	LCSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Trichlorofluoromethane	<0.530	50.0	67.7	135	67.2	134	60-145	1	20	ug/L	10/29/12 07:59	
Vinyl chloride	<0.190	50.0	48.9	98	48.4	97	50-145	1	20	ug/L	10/29/12 07:59	

Surrogate	MB %Rec	MB Flag	LCS %Rec	LCS Flag	LCSD %Rec	LCSD Flag	Limits	Units	Analysis Date
1,2-Dichloroethane-D4	131		119		116		53-159	%	10/29/12 07:59
4-Bromofluorobenzene	95		98		101		30-186	%	10/29/12 07:59
Toluene-D8	95		100		99		70-130	%	10/29/12 07:59

XENCO Laboratories
Florida Testing Services, LLC

QC Summary 451487

Genesis Project, Inc., Smyrna, GA

Vogue

Analytical Method: **VOCs by SW-846 8260B** Prep Method: SW5030B
Seq Number: 899724 Matrix: Ground Water Date Prep: 10/29/2012
Parent Sample Id: 451132-014 MS Sample Id: 451132-014 S MSD Sample Id: 451132-014 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
1,1,1-Trichloroethane	<0.160	50.0	58.2	116	53.8	108	59-138	8	20	ug/L	10/29/12 18:20	
1,1,2,2-Tetrachloroethane	<0.180	50.0	47.5	95	48.8	98	63-126	3	20	ug/L	10/29/12 18:20	
1,1,2-Trichloro-1,2,2-Trifluoroethane	<0.110	50.0	57.7	115	50.4	101	53-138	14	20	ug/L	10/29/12 18:20	
1,1,2-Trichloroethane	<0.250	50.0	48.9	98	50.4	101	72-115	3	20	ug/L	10/29/12 18:20	
1,1-Dichloroethane	<0.110	50.0	52.7	105	52.0	104	69-132	1	20	ug/L	10/29/12 18:20	
1,1-Dichloroethene	<0.200	50.0	52.9	106	48.3	97	62-131	9	20	ug/L	10/29/12 18:20	
1,2,3-Trichlorobenzene	<0.250	50.0	47.3	95	52.4	105	48-122	10	20	ug/L	10/29/12 18:20	
1,2,4-Trichlorobenzene	<0.170	50.0	45.9	92	50.7	101	34-131	10	20	ug/L	10/29/12 18:20	
1,2-Dibromo-3-chloropropane (DBCP)	<0.190	50.0	47.0	94	49.3	99	53-121	5	20	ug/L	10/29/12 18:20	
1,2-Dibromoethane (EDB)	<0.180	50.0	53.9	108	55.0	110	66-125	2	20	ug/L	10/29/12 18:20	
1,2-Dichlorobenzene	<0.140	50.0	50.3	101	50.5	101	58-124	0	20	ug/L	10/29/12 18:20	
1,2-Dichloroethane	<0.180	50.0	59.8	120	60.7	121	55-141	1	20	ug/L	10/29/12 18:20	
1,2-Dichloropropane	<0.150	50.0	47.1	94	48.0	96	78-121	2	20	ug/L	10/29/12 18:20	
1,3-Dichlorobenzene	<0.170	50.0	50.1	100	50.8	102	62-120	1	20	ug/L	10/29/12 18:20	
1,4-Dichlorobenzene	<0.170	50.0	49.7	99	50.2	100	64-114	1	20	ug/L	10/29/12 18:20	
2-Butanone (MEK)	<0.280	100	105	105	85.4	85	50-152	21	20	ug/L	10/29/12 18:20	F
2-Hexanone	<0.320	100	89.4	89	92.6	93	55-136	4	20	ug/L	10/29/12 18:20	
4-Methyl-2-pentanone (MIBK)	<0.260	100	94.3	94	96.7	97	65-132	3	20	ug/L	10/29/12 18:20	
Acetone	<0.350	100	104	104	115	115	40-140	10	20	ug/L	10/29/12 18:20	
Benzene	<0.160	50.0	46.9	94	46.8	94	77-118	0	20	ug/L	10/29/12 18:20	
Bromochloromethane	<0.200	50.0	54.4	109	54.9	110	64-130	1	20	ug/L	10/29/12 18:20	
Bromodichloromethane	<0.250	50.0	51.0	102	52.0	104	68-125	2	20	ug/L	10/29/12 18:20	
Bromoform	<0.170	50.0	48.8	98	48.9	98	53-112	0	20	ug/L	10/29/12 18:20	
Bromomethane	<0.250	50.0	47.6	95	52.9	106	63-137	11	20	ug/L	10/29/12 18:20	
Carbon disulfide	<0.260	50.0	52.4	105	49.8	100	26-147	5	20	ug/L	10/29/12 18:20	
Carbon tetrachloride	<0.330	50.0	54.7	109	47.9	96	56-138	13	20	ug/L	10/29/12 18:20	
Chlorobenzene	<0.150	50.0	49.3	99	49.0	98	71-114	1	20	ug/L	10/29/12 18:20	
Chloroethane	<0.260	50.0	48.1	96	50.3	101	60-137	4	20	ug/L	10/29/12 18:20	
Chloroform	<0.160	50.0	54.9	110	53.8	108	65-131	2	20	ug/L	10/29/12 18:20	
Chloromethane	<0.250	50.0	37.8	76	42.3	85	48-151	11	20	ug/L	10/29/12 18:20	
cis-1,2-Dichloroethene	<0.210	50.0	50.8	102	51.1	102	22-185	1	20	ug/L	10/29/12 18:20	
cis-1,3-Dichloropropene	<0.100	50.0	43.5	87	45.5	91	67-113	4	20	ug/L	10/29/12 18:20	
Cyclohexane	<0.150	50.0	41.1	82	33.1	66	61-141	22	20	ug/L	10/29/12 18:20	F
Dibromochloromethane	<0.150	50.0	52.9	106	53.4	107	53-125	1	20	ug/L	10/29/12 18:20	
Dichlorodifluoromethane	<0.220	50.0	39.7	79	29.6	59	38-145	29	20	ug/L	10/29/12 18:20	F
Ethylbenzene	<0.190	50.0	51.2	102	49.8	100	66-127	3	20	ug/L	10/29/12 18:20	
Isopropylbenzene	<0.150	50.0	49.1	98	46.8	94	58-127	5	20	ug/L	10/29/12 18:20	
m,p-Xylenes	<0.510	100	102	102	99.5	100	65-126	2	20	ug/L	10/29/12 18:20	
Methyl acetate	<0.260	50.0	49.2	98	51.2	102	65-135	4	20	ug/L	10/29/12 18:20	
Methyl tert-butyl ether	<0.180	100	112	112	116	116	58-141	4	20	ug/L	10/29/12 18:20	
Methylcyclohexane	<0.110	50.0	46.3	93	33.3	67	64-128	33	20	ug/L	10/29/12 18:20	F
Methylene chloride	<0.420	50.0	47.7	95	49.0	98	63-150	3	20	ug/L	10/29/12 18:20	
o-Xylene	<0.200	50.0	50.4	101	50.7	101	64-123	1	20	ug/L	10/29/12 18:20	
Styrene	<0.180	50.0	52.2	104	52.2	104	50-133	0	20	ug/L	10/29/12 18:20	
Tetrachloroethene	<0.160	50.0	50.3	101	47.1	94	52-125	7	20	ug/L	10/29/12 18:20	
Toluene	<0.140	50.0	47.6	95	47.0	94	65-123	1	20	ug/L	10/29/12 18:20	
trans-1,2-Dichloroethene	<0.210	50.0	50.7	101	51.0	102	65-135	1	20	ug/L	10/29/12 18:20	
trans-1,3-Dichloropropene	<0.110	50.0	47.9	96	49.7	99	50-125	4	20	ug/L	10/29/12 18:20	
Trichloroethene	<0.190	50.0	48.1	96	47.5	95	65-125	1	20	ug/L	10/29/12 18:20	

QC Summary 451487

Genesis Project, Inc., Smyrna, GA

Vogue

Analytical Method: **VOCs by SW-846 8260B** Prep Method: SW5030B

Seq Number: 899724 Matrix: Ground Water Date Prep: 10/29/2012

Parent Sample Id: 451132-014 MS Sample Id: 451132-014 S MSD Sample Id: 451132-014 SD

Parameter	Parent Result	Spike Amount	MS Result	MS %Rec	MSD Result	MSD %Rec	Limits	%RPD	RPD Limit	Units	Analysis Date	Flag
Trichlorofluoromethane	<0.530	50.0	61.3	123	51.1	102	51-145	18	20	ug/L	10/29/12 18:20	
Vinyl chloride	<0.190	50.0	37.5	75	37.7	75	52-140	1	20	ug/L	10/29/12 18:20	

Surrogate	MS %Rec	MS Flag	MSD %Rec	MSD Flag	Limits	Units	Analysis Date
1,2-Dichloroethane-D4	118		124		53-159	%	10/29/12 18:20
4-Bromofluorobenzene	98		98		30-186	%	10/29/12 18:20
Toluene-D8	98		100		70-130	%	10/29/12 18:20

ANALYTICAL ENVIRONMENTAL SERVICES, INC
3785 Presidential Parkway, Atlanta GA 30340-3704
AES TEL.: (770) 457-8177 / TOLL-FREE (800) 972-4889 / FAX: (770) 457-8188

CHAIN OF CUSTODY

5.3°c

Work Order: 451487

Date: 10/29/12 Page 1 of 1

COMPANY: Genesis Project

ADDRESS: 1258 Concord Rd SE Smyrna GA, 30080

PHONE: 770-319-7217

FAX: 770-319-7210

SAMPLED BY: Will Mitchell

SIGNATURE:

ANALYSIS REQUESTED: Total VOCs

Visit our website www.aesatlanta.com to check on the status of your results, place bottle orders, etc.

#	SAMPLE ID	SAMPLED DATE	SAMPLED TIME	Grab	Composite	Matrix (See codes)	Total VOCs	REMARKS	No # of Containers
1	MW-8	10/29/12	1316	X		GW	X		2
2									
3									
4									
5									
6									
7									
8									
9									
10									
11									
12									
13									
14									

PRESERVATION (See codes): H+I

RELINQUISHED BY	DATE/TIME	RECEIVED BY	DATE/TIME
1:	10/29/31 1325	1: M MITCHELL	10/29/2012 13:28
2:	10/29/12 1600	2:	10/29/12
3:		3:	

PROJECT INFORMATION

PROJECT NAME: Vogue

PROJECT #:

SITE ADDRESS:

SEND REPORT TO: tmossiere@genproject.com

INVOICE TO: mmitchell@genproject.com (IF DIFFERENT FROM ABOVE)

QUOTE #: PO#:

RECEIPT

Total # of Containers: 2

Turnaround Time Request
- Standard 5 Business Days
- 2 Business Day Rush
- Next Business Day Rush
- Same Day Rush (auth req.)
- Other

STATE PROGRAM (if any):

E-mail? Y / N; Fax? Y / N

DATA PACKAGE: I II III IV

SPECIAL INSTRUCTIONS/COMMENTS:

SHIPMENT METHOD

OUT / / VIA:

IN / / VIA:

CLIENT FedEx UPS MAIL COURIER

GREYHOUND OTHER

SAMPLES RECEIVED AFTER 3PM OR ON SATURDAY ARE CONSIDERED RECEIVED THE NEXT BUSINESS DAY. IF TURNAROUND TIME IS NOT INDICATED, AES WILL PROCEED WITH STANDARD TAT OF SAMPLES. SAMPLES ARE DISPOSED 30 DAYS AFTER REPORT COMPLETION UNLESS OTHER ARRANGEMENTS ARE MADE.

MATRIX CODES: A = Air GW = Groundwater SE = Sediment SO = Soil SW = Surface Water W = Water (Blanks) DW = Drinking Water (Blanks) O = Other (specify) WW = Waste Water

PRESERVATIVE CODES: H+I = Hydrochloric acid + ice I = Ice only N = Nitric acid S+I = Sulfuric acid + ice S/M+I = Sodium Bisulfate/Methanol + ice O = Other (specify) NA = None

White Copy - Original; Yellow Copy - Client

XENCO Laboratories

Prelogin/Nonconformance Report- Sample Log-In

Florida Testing Services, LLC

Client: Genesis Project

Date/ Time Received: 10/29/2012 04:10:00 PM

Work Order #: 451487

Acceptable Temperature Range: 0 - 6 degC
Air and Metal samples Acceptable Range: Ambient

Temperature Measuring device used : #61

Sample Receipt Checklist		Comments
#1 *Temperature of cooler(s)?	5.3	
#2 *Shipping container in good condition?	**Yes**	
#3 *Samples received on ice?	**Yes**	
#4 *Custody Seals intact on shipping container/ cooler?	**N/A**	
#5 Custody Seals intact on sample bottles?	**N/A**	
#6 *Custody Seals Signed and dated?	**N/A**	
#7 *Chain of Custody present?	**Yes**	
#8 Sample instructions complete on Chain of Custody?	**Yes**	
#9 Any missing/extra samples?	**No**	
#10 Chain of Custody signed when relinquished/ received?	**Yes**	
#11 Chain of Custody agrees with sample label(s)?	**Yes**	
#12 Container label(s) legible and intact?	**Yes**	
#13 Sample matrix/ properties agree with Chain of Custody?	**Yes**	
#14 Samples in proper container/ bottle?	**Yes**	
#15 Samples properly preserved?	**Yes**	
#16 Sample container(s) intact?	**Yes**	
#17 Sufficient sample amount for indicated test(s)?	**Yes**	
#18 All samples received within hold time?	**Yes**	
#19 Subcontract of sample(s)?	**No**	
#20 VOC samples have zero headspace (less than 1/4 inch bubble)?	**Yes**	
#21 <2 for all samples preserved with HNO3,HCL, H2SO4?	**N/A**	
#22 >10 for all samples preserved with NaAsO2+NaOH, ZnAc+NaOH?	**N/A**	

*** Must be completed for after-hours delivery of samples prior to placing in the refrigerator**

Analyst:	PH Device/Lot#:

Checklist completed by: J. Derek Rounsley Date: 10/29/2012

Checklist reviewed by: David C. Fuller Date: 10/29/2012

APPENDIX VI
In-situ Permeability Test Results
Groundwater Fate and Transport Modeling Results
Risk Reduction Standard Calculations



MW-22 SLUG TEST

Data Set: G:\Morgan Stanley\CSR\Slug Test - Receptor Survey\MW-22SO2.aqt
Date: 04/04/13 Time: 08:56:26

PROJECT INFORMATION

Company: Genesis Project
Client: Vogue
Location: Martinez, GA
Test Well: MW-22 OUT
Test Date: 9/2011

AQUIFER DATA

Saturated Thickness: 20. ft
Anisotropy Ratio (Kz/Kr): 0.5

WELL DATA (New Well)

Initial Displacement: 1.6 ft
Total Well Penetration Depth: 15. ft
Casing Radius: 0.0833 ft
Static Water Column Height: 1. ft
Screen Length: 10. ft
Well Radius: 0.25 ft
Gravel Pack Porosity: 0.22

SOLUTION

Aquifer Model: Unconfined
Solution Method: Bouwer-Rice
K = 0.007066 cm/sec
y0 = 1.686 ft



WELL TEST ANALYSIS

Data Set: G:\Morgan Stanley\CSR\Slug Test - Receptor Survey\MW-22SO1.aqt
Date: 04/04/13 Time: 08:58:19

PROJECT INFORMATION

Company: Genesis Project
Client: Vogue
Location: Martinez, GA
Test Well: MW-22 OUT 2
Test Date: 9/2011

AQUIFER DATA

Saturated Thickness: 20. ft
Anisotropy Ratio (Kz/Kr): 0.5

WELL DATA (MW-22)

Initial Displacement: 4. ft
Total Well Penetration Depth: 12.5 ft
Casing Radius: 0.0833 ft
Static Water Column Height: 10. ft
Screen Length: 10. ft
Well Radius: 0.25 ft
Gravel Pack Porosity: 0.22

SOLUTION

Aquifer Model: Unconfined
Solution Method: Bouwer-Rice
K = 0.00694 cm/sec
y0 = 1.885 ft



WELL TEST ANALYSIS

Data Set: G:\Morgan Stanley\CSR\Slug Test - Receptor Survey\POD-1SO.aqt
Date: 04/04/13 Time: 08:53:51

PROJECT INFORMATION

Company: Genesis Project
Client: Vogue
Location: Martinez, GA
Test Well: POD-1 OUT
Test Date: 9/2011

AQUIFER DATA

Saturated Thickness: 20. ft
Anisotropy Ratio (Kz/Kr): 0.5

WELL DATA (POD-1)

Initial Displacement: 3.65 ft
Total Well Penetration Depth: 12.5 ft
Casing Radius: 0.083 ft
Static Water Column Height: 120. ft
Screen Length: 10. ft
Well Radius: 0.25 ft
Gravel Pack Porosity: 0.22

SOLUTION

Aquifer Model: Unconfined
Solution Method: Bouwer-Rice
K = 0.02415 cm/sec
y0 = 2.932 ft

Table 1. Calculation of Type 3 Carcinogenic Effects

Trichloroethene
Equation 6 (Carcinogenic Effects)

Data Input	Description	Value	Units
C	Concentration in Soil	**1.34E+03**	mg/kg
TR	Target Excess Cancer Risk	1.00E-05	
Sfi	Inhalation Cancer Slope Factor	1.43E-02	mg/kg/day
Sfo	Oral Cancer Slope Factor	4.60E-02	mg/kg/day
BW	Body Weight	70	kg
AT	Averaging Time	70	years
EF	Exposure Frequency	100	days (construction)
ED	Exposure Duration	1	years (construction)
IRsoil	Soil Ingestion Rate	330	mg/day
IRair	Daily Inhalation Rate	20	m^3/day (construction)
PEF	Particulate emission factor	4.63E+09	m^3/kg
VF	Soil to air Volatilization factor	2.42E+03	m^3/kg

Table 2. Calculation of Type 3 Non-Carcinogenic Effects

Trichloroethene
Equation 7 (Non-Carcinogenic Effects)

Data Input	Description	Value	Units
C	Concentration in Soil	**1.69E+01**	mg/kg
THI	Target Hazard Index	1	
RfDi	Reference Dose inhalation	5.71E-04	mg/kg/day
RfDo	Reference Dose oral	5.00E-04	mg/kg/day
BW	Body Weight	70	kg
AT	Averaging Time	1	years
EF	Exposure Frequency	100	days (construction)
ED	Exposure Duration	1	years (construction)
IRsoil	Soil Ingestion Rate	330	mg/day
IRair	Daily Inhalation Rate	20	m^3/day (construction)
PEF	Particulate emission factor	1.36E+09	m^3/kg
VF	Soil to air Volatilization factor	2.42E+03	m^3/kg

Table 3. Calculation of Volatilization Factor

Soil to Air Volatilization Values
Trichloroethene

Data Input	Description	Value	Units	Equation (calculated values)
VF	Volatilization Factor (calculated)	**2.42E+03**	m^3/kg	
LS	Length of side	45	m	
V	wind speed	2.25	m/sec	
DH	diffusion height	2	m	
A	area of contamination	2.03E+07	cm^2	
Pi	Pi	3.14159		
alpha	calculated	3.19E-03		
T	exposure interval	7.90E+08	sec	
rho	density of soils	2.65	g/cm	
OC	soil organic carbon	0.02		
Dei	effective diffusivity (calculated)	0.056	cm^2/sec	$Di^* E^{0.33}$
Di	molecular diffusivity	0.079	cm^2/sec	
E	soil porosity	0.35		
Kas	soil/air partition coeff (calculated)	2.98E-01		H/Kd*41
H	Henry's Law Constant	9.83E-03	atm-m3/mol	
Kd	soil-water partition coeff (calculated)	1.354E+00		Koc * OC
Koc	organic carbon partition coeff	6.77E+01	cm3/g	

Table 1. Calculation of Type 1 Carcinogenic Effects

Tetrachloroethene
Equation 6 (Carcinogenic Effects)

Data Input	Description	Value	Units
C	Concentration in Soil	**2.37E+04**	mg/kg
TR	Target Excess Cancer Risk	1.00E-05	
Sfi	Inhalation Cancer Slope Factor	9.10E-04	mg/kg/day
Sfo	Oral Cancer Slope Factor	2.10E-03	mg/kg/day
BW	Body Weight	70	kg
AT	Averaging Time	70	years
EF	Exposure Frequency	100	days (construction)
ED	Exposure Duration	1	years (construction)
IRsoil	Soil Ingestion Rate	330	mg/day
IRair	Daily Inhalation Rate	20	m^3/day (construction)
PEF	Particulate emission factor	1.36E+09	m^3/kg
VF	Soil to air Volatilization factor	2.66E+03	m^3/kg

Table 2. Calculation of Type 1 Non-Carcinogenic Effects

Tetrachloroethene
Equation 7 (Non-Carcinogenic Effects)

Data Input	Description	Value	Units
C	Concentration in Soil	**3.46E+02**	mg/kg
THI	Target Hazard Index	1	
RfDi	Reference Dose inhalation	1.10E-02	mg/kg/day
RfDo	Reference Dose oral	6.00E-03	mg/kg/day
BW	Body Weight	70	kg
AT	Averaging Time	1	years
EF	Exposure Frequency	100	days (construction)
ED	Exposure Duration	1	years (construction)
IRsoil	Soil Ingestion Rate	330	mg/day
IRair	Daily Inhalation Rate	20	m^3/day (construction)
PEF	Particulate emission factor	4.63E+09	m^3/kg
VF	Soil to air Volatilization factor	2.66E+03	m^3/kg

Table 3. Calculation of Volatilization Factor

Soil to Air Volatilization Values
Tetrachloroethene

Data Input	Description	Value	Units	Equation (calculated values)
VF	Volatilization Factor (calculated)	**2.66E+03**	m^3/kg	
LS	Length of side	45	m	
V	wind speed	2.25	m/sec	
DH	diffusion height	2	m	
A	area of contamination	2.03E+07	cm^2	
Pi	Pi	3.14159		
alpha	calculated	2.55E-03		
T	exposure interval	7.90E+08	sec	
rho	density of soils	2.65	g/cm	
OC	soil organic carbon	0.02		
Dei	effective diffusivity (calculated)	0.035	cm^2/sec	$Di^* E^{0.33}$
Di	molecular diffusivity	0.05	cm^2/sec	
E	soil porosity	0.35		
Kas	soil/air partition coeff (calculated)	3.82E-01		H/Kd*41
H	Henry's Law Constant	1.77E-02	atm-m3/mol	
Kd	soil-water partition coeff (calculated)	1.898E+00		Koc * OC
Koc	organic carbon partition coeff	9.49E+01	cm3/g	

Table 1. Calculation of Type 3 Carcinogenic Effects

cis-1,2-Dichloroethene
Equation 6 (Carcinogenic Effects)

Data Input	Description	Value	Units
C	Concentration in Soil	**#VALUE!**	mg/kg
TR	Target Excess Cancer Risk	1.00E-05	
Sfi	Inhalation Cancer Slope Factor	NA	mg/kg/day
Sfo	Oral Cancer Slope Factor	NA	mg/kg/day
BW	Body Weight	70	kg
AT	Averaging Time	70	years
EF	Exposure Frequency	100	days (non-residential)
ED	Exposure Duration	1	years (non-residential)
IRsoil	Soil Ingestion Rate	330	mg/day
IRair	Daily Inhalation Rate	20	m^3/day (non-residential)
PEF	Particulate emission factor	4.63E+09	m^3/kg
VF	Soil to air Volatilization factor	3.16E+03	m^3/kg

Table 3. Calculation of Volatilization Factor

Soil to Air Volatilization Values
cis-1,2-Dichloroethene

Data Input	Description	Value	Units	Equation (calculated values)
VF	Volatilization Factor (calculated)	**3.16E+03**	m^3/kg	
LS	Length of side	45	m	
V	wind speed	2.25	m/sec	
DH	diffusion height	2	m	
A	area of contamination	2.03E+07	cm^2	
Pi	Pi	3.14159		
alpha	calculated	1.94E-03		
T	exposure interval	7.90E+08	sec	
rho	density of soils	2.65	g/cm	
OC	soil organic carbon	0.02		
Dei	effective diffusivity (calculated)	0.052	cm^2/sec	$Di^* E^{0.33}$
Di	molecular diffusivity	0.0736	cm^2/sec	
E	soil porosity	0.35		
Kas	soil/air partition coeff (calculated)	1.91E-01		H/Kd*41
H	Henry's Law Constant	4.07E-03	atm-m3/mol	
Kd	soil-water partition coeff (calculated)	8.758E-01		Koc * OC
Koc	organic carbon partition coeff	4.38E+01	cm3/g	

Table 2. Calculation of Type 3 Non-Carcinogenic Effects

cis-1,2-Dichloroethene
Equation 7 (Non-Carcinogenic Effects)

Data Input	Description	Value	Units
C	Concentration in Soil	**1.55E+03**	mg/kg
THI	Target Hazard Index	1	
RfDi	Reference Dose inhalation	NA	mg/kg/day
RfDo	Reference Dose oral	2.00E-03	mg/kg/day
BW	Body Weight	70	kg
AT	Averaging Time	1	years
EF	Exposure Frequency	100	days (non-residential)
ED	Exposure Duration	1	years (non-residential)
IRsoil	Soil Ingestion Rate	330	mg/day
IRair	Daily Inhalation Rate	20	m^3/day (non-residential)
PEF	Particulate emission factor	4.63E+09	m^3/kg
VF	Soil to air Volatilization factor	3.16E+03	m^3/kg

APPENDIX VII
Remediation System Performance

Remediation System Summary

The remediation system was designed and has been operated in a manner to effectively reduce source area concentrations to the groundwater compliance criterion. Utilizing a series of recovery wells, the traditional methods of air sparge and soil vapor extraction (SVE) is enhanced via in-situ air stripping through the use of ART-well technology. This joining of remedial methods appears to be effective in the volatilization of dissolved contaminants and the removal of VOC vapors from the subsurface which are then disposed of by means of an onsite activated carbon filters. The air-sparge, SVE, and ART-well phases of the remediation system were in limited operation from December 2006 to September 2007. The system has operated at full capacity, utilizing recovery wells RW-1, RW-2, and RW-3, since October 2007. Soil vapor extraction wells SVE-1 and SVE-2 were incorporated into the remediation system during this monitoring period and have been operational since October 2011. During this monitor period SVE wells SVE-1 and 2 remain in operations, while RW-3 is operating only as an SVE and air sparging.

System Performance Evaluation

An evaluation has been completed to determine if the system is performing to design expectations. The evaluation is based on the ability of the corrective action method to reduce subsurface contaminant concentrations from soil and groundwater to the appropriate RRS and effectively treat the air discharge. Specific benchmarks were developed in order to determine overall system effectiveness. A description of these benchmarks includes:

1. Contaminant Removal;
2. Concentration Reduction; and
3. Air Discharge Treatment.

Contaminant Removal:

An analysis of influent air concentrations indicates an estimated mass equivalent of ~493 pounds (lbs) of PCE has been recovered by the remediation system since December 2006. This removal is attributed to contaminant removal in both the vadose zone and dissolved plume in groundwater. A graphical representation of the influent air concentrations and estimated cumulative PCE recovery is presented in Figures 1 and 2. As shown in Figure 1, significant increases in the rate of recovery were observed since full implementation of the remediation technology. Based on all available data, the corrective action method continues to be effective in the removal of source area soil and groundwater contaminants.

Concentration Reduction:

An analysis of contaminant plume analytical data indicates that dissolved concentrations of PCE, the primary COC, have been effectively reduced within the source area and stabilization of all COC continues along the down gradient edge of the dissolved plume. Further, dissolved oxygen content measurements suggest that the air sparge phase of the remediation system has been effective in maintaining subsurface conditions preventative of the chemical reduction of PCE and the production of degradation products. Based on all available data, the corrective action method has been successful in the reduction of dissolved plume concentrations.

Air Discharge Treatment:

An analysis of pre- and post-treatment air samples confirms that the activated carbon filter continues to be effective in the treatment of the system air discharge. Analysis of air samples collected in August 2012, indicated the carbon drum was saturated and therefore was replace. All air samples collected continue to indicate pre-treatment

analytical data suggest that the implementation of SVE-1 and SVE-2 has successfully increased the radius at which the remediation system can effectively mitigate impacted soils.

Based on these benchmarks, Genesis Project, Inc. concludes that the remediation system continues to meet the design and performance expectations.


Figure 1: Influent Air Concentrations
Air Concentrations
Air Concentration (mg/m3)
200
150
100
50
0
05/28/05
10/10/06
02/22/08
07/06/09
11/18/10
04/01/12
08/14/13
DATE


Figure 2: Cumulative PCE Recovery
700.0000
600.0000
500.0000
400.0000
300.0000
200.0000
100.0000
0.0000
Estimated PCE Recovery (lbs)
05/28/05
10/10/06
02/22/08
07/06/09
11/18/10
04/01/12
08/14/13
DATE
PCE Recovery

APPENDIX VIII
Milestone Schedule
Monthly Service Hours

Milestone Schedule
Voluntary Remediation Program
Former Vogue Cleaners
Martinez, Atlanta, Georgia
HSI No. 10394

Item	Months From Project Start											
	1	2	3	4	5	6	7	8	9	10	11	12
Task 5a: On-site Horizontal Delineation(as needed) Soil Clean-up Confirmatory Sampling Final Receptor Survey												
Task 5b: Off-site Horizontal Delineation (as needed) Exposure Pathways Analysis Calculate RRSs												
Task 5c: Vertical Delineation (as needed) Finalize Remediation Plan Preliminary Cost Estimate												
Task 5d: Compliance Status Report												

Milestone Schedule
Voluntary Remediation Program
Former Vogue Cleaners
Martinez, Atlanta, Georgia
HSI No. 10394

Item	Months From Project Start											
	13	14	15	16	17	18	19	20	21	22	23	24
Task 5a: On-site Horizontal Delineation(as needed) Soil Clean-up Confirmatory Sampling Final Receptor Survey												
Task 5b: Off-site Horizontal Delineation (as needed) Exposure Pathways Analysis Calculate RRSs												
Task 5c: Vertical Delineation (as needed) Finalize Remediation Plan Preliminary Cost Estimate												
Task 5d: Compliance Status Report												

Milestone Schedule
Voluntary Remediation Program
Former Vogue Cleaners
Martinez, Atlanta, Georgia
HSI No. 10394

Item	Months From Project Start											
	25	26	27	28	29	30	31	32	33	34	35	36
Task 5a: On-site Horizontal Delineation(as needed) Soil Clean-up Confirmatory Sampling Final Receptor Survey												
Task 5b: Off-site Horizontal Delineation (as needed) Exposure Pathways Analysis Calculate RRSs												
Task 5c: Vertical Delineation (as needed) Finalize Remediation Plan Preliminary Cost Estimate												
Task 5d: Compliance Status Report												

Monthly Service Hours Detail

Month	Task	Hours
September 2012	O&M	34
	Semi-Annual Report	54
	Abatement Activities	20.5
	Total	**108.5**
October 2012	GW Sampling	66.5
	O&M	45
	CSR Activities	39.5
	Security System	5
	Abatement Activities	54.5
	Total	**212.0**
November 2012	O&M	33
	CSR Activities	3
	Interim Report	50
	Security System	36
	Abatement Activities	2
	Total	**124**
December 2012	O&M	21
	Security System	8.5
	Abatement Activities	29.5
	Total	**59**
January 2013	GW Sampling	26
	O&M	48
	VRP Coordination	4
	Semi-Annual Report	9
	Abatement Activities	12
	Total	**99**
February 2013	GW Sampling	77
	O&M	11
	Semi-Annual Report	17
	Abatement Activities	37
	Total	**142**
	GRAND TOTAL	**744.5**