

STREAM NAME:				MON LOC ID:			
BIO SITE ID:			DATE:			GPS ERROR (+/-) ft:	
LATITUDE (DD):				LONGITUDE (DD):			
START TIME:			END TIME:			TIME ZONE: EST EDT	
INVESTIGATORS:							
EPD OFFICE:		WP1--Atlanta		WP2--Brunswick		WP3--Cartersville WP4--Tifton	
SAMPLE TYPE:		Targeted Probabilistic		ACTIVITY TYPE:		Field Measure/Observation Field Replicate Msr/Obs	
FORM COMPLETED BY:			PROJECT/REASON FOR SURVEY:				

STREAM CHARACTERIZATION (Circle Items from List)									
STREAM TYPE:	Coldwater	Warmwater	Refer to GA EPD Water Quality Standards in GA Rules and Regulations.						
SALINE TYPE:	Brackish	Fresh	Saline	Unsure					
WATER APPEARANCE:	Blackwater	Clearwater	Unsure	Unsure/Black	Unsure/Clear				
TIDAL CYCLE:	1/4 ebb	1/2 ebb	3/4 ebb	Low Tide	1/4 flood	1/2 flood	3/4 flood	High Tide	N/A
STREAM ORIGIN:	Mixed Origin	Spring Fed	Swamp/Bog	Unsure/Unknown	Other				
STREAM SUBSYSTEM:	Ephemeral	Intermittent	Perennial	Tidal	Unsure/Unknown				

VISUAL CONDITIONS (Circle Items from List)					
WATER LEVEL/FLOW:	Normal	Above Normal	Normal, but no Velocity		
	Low	Flood	Drought Impact		
WEATHER NOW (circle and fill in all that apply):	_____ % Cloud Cover	Clear (0% cloud cover)/Sunny	Rain (Steady Rain)		
	Showers (intermittent)	Storm (heavy rain)	Snow		
WEATHER PAST 24 HOURS (circle or fill in all that apply):	_____ % Cloud Cover	Clear (0% cloud cover)/Sunny	Rain (Steady Rain)		
	Showers (intermittent)	Storm (heavy rain)	Snow	Unsure (past)	
Heavy rain in the last 7 days?	Yes	No	Heavy rain in the last 24 hours?	Yes	No

WATER QUALITY (Circle Items from List)							
WATER ODORS:	Normal/None	Petroleum	Fishy	Sewage	Chemical	Other_____	
WATER COLOR /APPEARANCE:	Clear	Foamy (natural or pollution)		Green (algal coloration evident)		Other_____	
		Tannic (Tea-colored)		Milky (cloudy white or gray)		Muddy (cloudy brown)	
WATER SURFACE OILS:	None	Sheen	Globs	Flecks	Slick	Other_____	
TURBIDITY (visual observation):	Clear	Slightly Turbid	Turbid	Stained	Opaque	Other_____	

SEDIMENT/SUBSTRATE (Circle Items from List)							
ODOR:	None	Normal	Sewage	Chemical	Anaerobic	Petroleum	Other_____
DEPOSITS:	None	Sludge	Sawdust	Paper Fiber	Sand	Petroleum	
	Relict Shells	Clay	Organics	Silt	Other_____		
OILS:	Absent	Moderate	Profuse	Slight			
UNDERSIDES OF LOOSE STONES BLACK IN COLOR?:				Yes	No	N/A	
PREDOMINANT SUBSTRATE(S):	Bedrock	Boulders	Cement	Clay	Cobble	Boulders/RipRap	
	Concrete	Fines	Gravel	Hardpan	Sand	Silt	Other_____

ORGANIC SUBSTRATE COMPONENTS (Enter Number - does not necessarily add up to 100%)	
Substrate Type (Indicate if 0%):	% Composition in Sampling Area:
Detritus – Coarse Particulate Organic Matter - sticks, wood, coarse plants	
Muck/Mud – Fine Particulate Organic Matter – black, very fine organics	
Marl – Gray, Shell Fragments	

COMMENTS (Include Impacts and TMDL Info.):	

PHYSICAL CHARACTERIZATION/WATER QUALITY FIELD DATA SHEET (BACK)

RIPARIAN ZONE/INSTREAM FEATURES (Circle All Applicable from List OR Enter Number)			
PREDOMINANT LAND USE: (watershed wide land use)	Agricultural (Unspecified)	Agriculture and Mining	Ag Row Crops
	Pasture (Unspecified)	Livestock	Cropland
	Residential	Rural Residential	Urban
	Commercial	Industrial	Mining
	Planted Pine (Silviculture)	Selective Cut	Old Growth Forest
	Forest (Unspecified)	Mature Timber (40+ years)	Forest Fire
	Clear-cut Forest (<10 yrs)	Second Growth Forest (10-40 years)	Wetland
	Heavy Grazing Pressure (trampled)	Light Grazing Pressure (cow pies/not trampled)	
	Other(s): _____		
LOCAL WATERSHED NPS POLLUTION: No Evidence Some Potential Sources Obvious Sources			
CANOPY COVER: Open (0-10%) Partly Open (11-45%) Partly Shaded (46-80%) Shaded (81-100%)			
LOCAL WATER EROSION: None Light Moderate Heavy			
BEAVER ACTIVITY OBSERVATIONS: (If active dam in reach, do not sample.)	Inactive Beaver Dam, Little Effect on Stream		No Beaver Activity Evident
	Old Beaver Dam Activity, Little Effect		Inactive Beaver Dam Affecting Stream
	Beaver Cutting Evident, Little Effect on Stream		Active Beaver Dam Affecting Stream
	Active Beaver Dam not Affecting Stream (downstream of reach)		
LIVESTOCK DAMAGE OBSERVATIONS:	No Livestock Damage		Stable (0-25% Damage, Little/No Erosion)
	Moderate (26-50% Damage, <50% Plant Biomass)		High (51-75% Damage, <25% Plant Biomass)
	Severe (76-100% Damage, Little/No Plant Biomass Remains)		
HIGH WATER MARK: _____ (ft)		AVERAGE STREAM WIDTH: _____ (ft)	
AVERAGE STREAM DEPTH FOR EACH: Riffle _____ (ft) Run/Glide _____ (ft) Pool _____ (ft)			
% EACH MORPHOLOGICAL TYPE (Adds up to 100%): Riffle _____ % Run/Glide _____ % Pool _____ %			
STREAM CHANNELIZED?: Yes No		IF YES, REACH LENGTH CHANNELIZED: Full Partial	
STREAM DREDGING?: Yes No		RECENT RESTORATION CONDUCTED (last 10 years): Yes No	
DAM PRESENT?: Yes No		IF DAM PRESENT: Upstream Downstream In Stream Reach	

RIPARIAN VEGETATION (18 meter buffer) (Circle Items from List)						
PREDOMINANT TYPE:	Trees	Shrubs	Grasses	Herbaceous	Other _____	
PREVALENT RIPARIAN VEGETATION COMPOSITION (circle all that apply):	Coniferous Dominated (canopy more than 50% conifer)			Annual Grasses and Herbs		
	Deciduous trees (Alder, Cottonwood, Maple)			Mixed Conifer and Deciduous		
	Forested (dominated by trees, with brushy understory)			No Vegetation (bare soil, rock)		
	Grass (bank covered with tall grasses, sedges, etc.)			Perennial and Mixed Tree Species		
	Perennial Grasses, Forbs, Sedges, and Rushes			Perennial and Shrubs		
	Shrubs (Willow, Salmonberry, some Alder)			Shrubs and Mixed Tree Species		
PREVALENT RIPARIAN VEGETATION SPECIES (circle all that apply):	American Beech	Ash	Bamboo	Bamboo Grass	Bay Magnolia	Birch
	Cedar	Bay	Black Gum	Black Locust	Box Elder	Fern
	Cherry	Cane	Cypress	Dogwood	Elder	Honeysuckle
	Green Ash	Elm	Hemlock	Hickory	Holly	Magnolia
	Ironwood	Fir	Kudzu	Live Oak	Loblolly Pine	Persimmon
	Mountain Laurel	Oak	Microstegium	Mimosa	Maple	Redbud
	Poplar	Pine	Privet	Red Maple	Red Oak	Spanish Moss
	Rhododendron	Tupelo	River Birch	River Cane	Saw Palmetto	Tag Alder
	Short Leaf Pine	Walnut	Sweet Bay	Sweet Gum	Sycamore	Wax Myrtle
	Swamp Tupelo	White Oak	Turkey Oak	Water Oak	White Pine	Willow
	Willow Oak		Other(s) _____			

AQUATIC VEGETATION (Circle Items from List)				
PREDOMINANT TYPE:	None	Attached Algae	Floating Algae	Free Floating
	Rooted Emergent	Rooted Floating	Rooted Submergent	Other _____
PORTION OF REACH COVERED BY AQUATIC VEGETATION: _____ %				
PREVALENT AQUATIC VEGETATION SPECIES:	Arrowhead	Brown Algae	Cattail	Filamentous Algae
	Foxtail	Green Algae	Hydrilla	Iron bacteria/Algae
	Lemna	Moss	Parrot Feather	Sagittaria
	Vallisneria	No Aquatic Vegetation		
	Other(s) _____			

PHYSICAL CHARACTERIZATION MAP SKETCH (MAP)

STREAM NAME:				MON LOC ID:			
BIO SITE ID:			DATE:			GPS ERROR (+/-) ft:	
LATITUDE (DD):				LONGITUDE (DD):			
START TIME:			END TIME:			TIME ZONE: EST EDT	
INVESTIGATORS:							
EPD OFFICE: Atlanta Brunswick Cartersville Tifton					MAP SKETCH ATTACHED: Yes No		
SAMPLE TYPE: Targeted Probabilistic			ACTIVITY TYPE: Field Measure/Observation Field Replicate Msr/Obs				
TIDAL CYCLE: 1/4 ebb 1/2 ebb 3/4 ebb Low Tide 1/4 flood 1/2 flood 3/4 flood High Tide N/A							
MAP/FORM COMPLETED BY:			PROJECT/REASON FOR SURVEY:				

SITE LOCATION/MAP:

Draw a map (including bends in stream when applicable) of the site and indicate Areas Sampled, Habitats, Land Use on LB and RB, Plants, Discharge Conducted. Please also include a legend, when applicable. *Please provide a PDF copy of the sketched map to include as attachment in database.*